



RELOADER'S GUIDE 2023





Our Mission:

PREMIUM PERFORMANCE, CONSISTENT QUALITY.

Every container of Alliant smokeless powder is backed by a century of manufacturing experience, and the most exacting quality-control procedures in the industry. We check and control chemical composition, the shape and size of powder grains, and even the propellants' density and porosity. We send samples of every batch to our ballistics lab where it is thoroughly tested for velocity and pressure. Then, after blending batches together for exactly the right ballistic characteristics, we use our advanced computerized equipment to test again.

The result: a line of products known and respected for consistent quality and performance—not only in the lab, but especially on the firing line. One of the reasons you're a reloader, after all, is so you'll know exactly what to expect every time you pull the trigger. With Alliant powders you will. Not only shell after shell, but also year after year.

Functional Wholesaler Approval List

Wholesaler	Location	Phone #
Best Buy Shooting Supply	Washington	509-238-6165
Bruno Shooters Supply	Arizona	623-587-7641
CAC	Pennsylvania	814-472-4430
Camfour	Massachusetts	413-568-9663
Chattanooga Shooting Supply	Tennessee	423-894-3007
Crow's Shooters Supply	Iowa	641-522-5821
Fin-Feather-Fur	Ohio	419-281-2557
Gene Sears Distributors	Oklahoma	405-262-2647
Graf & Sons	Missouri	800-531-2666
Gunarama	Washington	509-535-3040
Hill Country Wholesale	Texas	800-777-2666
Hodgdon Powder Co.	Kansas	913-362-9455
L. M. Burney Inc	Texas	800-737-3006
Pacific Flyway	Utah	801-304-4365
Powder Valley	Kansas	620-229-8685
Recob's Target Shop	Wisconsin	800-359-4571
Schanz Shooters Supply	Michigan	269-692-2897
Shooting Shop	Tennessee	931-503-0771
Sports South	Louisiana	800-388-3845
Sunset Distributors	Iowa	641-847-2464
Trainer Hale Supply	Texas	830-420-4530
W.A. Murphy	California	626-444-9271

▲ DANGER!

READ THE SAFETY SECTION (PAGES 4-11) OF THIS MANUAL PRIOR TO ENGAGING IN RELOADING.

TABLE OF CONTENTS

	Page
Important Safety Instructions	
SAAMI Information	4-6
Safety/Conditions & Disclaimers.....	7-8
Handloading Precautions & Technical Data.....	9-20
Powder Bushing Charts	21-22
Shotshell Reloading Data	
Non-Toxic Shotshell Load Data.....	23-25
International Loads	26
10-Gauge Loads	27
12-Gauge Loads	28-50
Cheddite	28
Remington	28-33
Winchester.....	33-38
Federal Plastic.....	38-41
Federal Paper.....	42-44
Fiocchi.....	44-45
12-Gauge Heavy Loads.....	45-48
12-Gauge 3 Inch Loads.....	48-49
12-Gauge 3 1/2 Inch Loads.....	49-50
16-Gauge Loads	50
20-Gauge Loads	51-53
28-Gauge Loads	53
410-Bore Loads	53-54
Extra-Lite (Smokeless Shotshell Powder).....	54-55
Centerfire Metallic Loads	
Pistol/Revolver Load Data.....	56-65
Rifle Load Data	66-95

SAAMI INFORMATION

SPORTING ARMS AND AMMUNITION MANUFACTURERS' INSTITUTE, INC.
11 Mile Hill Road, Newtown, CT 06470-2539

**DANGER! SMOKELESS GUNPOWDER
EXTREMELY FLAMMABLE
KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAME
STORE IN A COOL DRY PLACE
KEEP OUT OF REACH OF CHILDREN**

SMOKELESS POWDER: PROPERTIES AND STORAGE

Ammunition handloading has become increasingly popular in recent years. This leaflet discusses properties of smokeless powder and offers recommendations for its storage.

This information is intended to increase the knowledge of all concerned individuals and groups regarding smokeless powder. The statements and recommendations made are not intended to supersede local, state or federal regulations. Proper authorities should be consulted on regulations for storage and use of smokeless powder in each specific community. A second set of information entitled, "SPORTING AMMUNITION PRIMERS: PROPERTIES, HANDLING, & STORAGE FOR HANDLOADING" supplements this information on smokeless powder.

PROPERTIES OF SMOKELESS POWDER

Smokeless powders, or propellants, are essentially mixtures of chemicals designed to burn under controlled conditions at the proper rate to propel a projectile from a gun.

Smokeless powders are made in three forms:

1. Thin, circular flakes or wafers
2. Small cylinders, both perforated and unperforated
3. Small spheres or flattened spheres

Single-base smokeless powders derive their main source of energy from nitrocellulose.

The energy released from double-base smokeless powders is derived from both nitrocellulose and nitroglycerin.

All smokeless powders are extremely flammable; by design, they are intended to burn rapidly and vigorously when ignited.

Oxygen from the air is not necessary for the combustion of smokeless powders since they contain sufficient built-in oxygen to burn completely, even in an enclosed space such as the chamber of a firearm.

Ignition occurs when the powder granules are heated above their ignition temperature. This can occur by exposing the powder to:

1. A flame such as a match or a primer flash.
2. An electrical spark or the sparks from welding, grinding, etc.
3. Heat from an electric hot plate or a fire directed against or near a closed container even if the powder itself is not exposed to the flame.

When smokeless powder burns, a great deal of gas at high temperature is formed. If the powder is confined, this gas will create pressure in the surrounding structure. The rate of gas generation is such, however, that the pressure can be kept at a low level if sufficient space is available or if the gas can escape.

In this respect smokeless powder differs from blasting agents or high explosives such as dynamite or blasting gelatin, although smokeless powder may contain chemical ingredients common to both of these products.

Smokeless powder does not detonate like high explosives as it has a controlled rate of burn and differs considerably in its burning characteristics from common "black powder." Black powder burns at essentially the same rate out in the open (unconfined) as when in a gun.

When ignited in an unconfined state, smokeless powder burns inefficiently with an orange-colored flame. It may produce a considerable amount of light brown noxious smelling smoke. It leaves a residue of ash and partially burned powder. The flame is hot enough to cause severe burns.

When it burns under pressure as in a cartridge fired in a gun, smokeless powder produces very little smoke, a small glow, and leaves very little or no residue. The burning rate of smokeless powder increases with increased pressure.

If burning smokeless powder is confined, gas pressure will rise and eventually can cause the container to burst. Under such circumstances, the bursting of a strong container creates effects similar to an explosion.

For this reason, the U.S. Department of Transportation (formerly Interstate Commerce Commission) sets requirements for shipping containers for propellants and requires tests of loaded containers under actual fire conditions before approving them for use.

When smokeless powder in DOT approved containers is ignited during such tests, the container seams split open or lids pop off to release gases and powder from confinement at low pressure.

Additional details are available in a SAAMI video "Smokeless Powder and the Fire Service."

HOW TO CHECK SMOKELESS POWDER FOR DETERIORATION

Although modern smokeless powders contain stabilizers and are basically free from deterioration under proper storage conditions, safe practices require a recognition of the signs of deterioration and its possible effects.

Deteriorating smokeless powders produce an acidic odor and may produce a reddish brown fume. (Don't confuse this with common solvent odors such as alcohol, ether and acetone.) Powder deterioration can be checked by opening the cap on the container and smelling the contents. Powder undergoing deterioration has an irritating acidic odor.

Dispose of deteriorating smokeless powders immediately. Check to make certain that powder is not exposed to extreme heat as this may cause deterioration. Such exposure produces an acidity which accelerates further reaction and has been known, because of the heat generated by the reaction, to cause spontaneous combustion.

Never salvage powder from old cartridges and do not attempt to blend salvaged powder with new powder or attempt to blend two types of powder to make a "custom" blend. Don't accumulate old powder stocks.

Smokeless powder is intended to function by burning, so it must be protected against accidental exposure to flame, sparks or high temperatures.

For these reasons, storage enclosures should be made of insulating materials to protect the powder from external heat sources.

Once smokeless powder begins to burn, it will continue to burn (and generate gas pressure) until it is consumed.

DOT-approved containers are constructed to open up at low internal pressures to avoid the effects normally produced by the rupture or bursting of a strong container.

Storage enclosures for smokeless powder should be constructed in a similar manner:

1. Of fire-resistant and heat-insulating materials to protect contents from external heat.
2. Sufficiently large to vent the gaseous products of combustion satisfactorily which would result if the quantity of smokeless powder within the enclosure accidentally ignited.

If a small, tightly enclosed storage enclosure is loaded to capacity with containers of smokeless powder, the enclosure will expand or move outwards to release the gas pressure — if the powder in storage is accidentally ignited.

Under such conditions, the effects of the release of gas pressure are similar or identical to the effects produced by an explosion.

Therefore, storage of smokeless powder should be in strict compliance with all applicable regulations and recommendations of the National Fire Protection Association.

RECOMMENDATIONS FOR STORAGE OF SMOKELESS POWDER

Store in a cool, dry place. Be sure the storage area selected is free from any possible sources of excess heat and is isolated from open flame, furnaces, hot water heaters, etc. Do not store smokeless powder where it will be exposed to the sun's rays. Avoid storage in areas where mechanical or electrical equipment is in operation. Restrict from the storage areas heat or sparks which may result from improper, defective or overloaded electrical circuits.

Do not store smokeless powder in the same area with solvents, flammable gases or highly combustible materials. Store only in department of transportation approved containers.

Do not transfer the smokeless powder from an approved container into one which is not approved.

Do not smoke in areas where powder is stored or used. Place appropriate "**No Smoking**" signs in these areas.

Do not subject the storage cabinets to close confinement.

Storage cabinets should be constructed of insulating materials and with a weak wall, seams or joints to provide an easy means of self-venting.

Do not keep old or salvaged powders. Check old powders for deterioration regularly. Destroy deteriorated powders immediately.

Obey all regulations regarding quantity and methods of storing. Do not store all your smokeless powders in one place. If you can, maintain separate storage locations. Many small containers are safer than one large container.

Keep your storage and use area clean. Clean up spilled powder using a broom and dustpan, NEVER a vacuum, promptly. Make sure the surrounding area is free of trash or other readily combustible materials

11-3 SMOKELESS PROPELLANTS

11-3.1 Quantities of smokeless propellants not exceeding 25 lb. (11.3kg), in shipping containers approved by the U.S. Department of Transportation, may be transported in a private vehicle.

11-3.2 Quantities of smokeless propellants exceeding 25 lb. (11.3kg) but not exceeding 50 lb. (22.7 kg), transported in a private vehicle, shall be transported in a portable magazine having wood walls of at least 1-inch (25.4-mm) nominal thickness.

11-3.3 Transportation of more than 50 lb. (22.7 kg) of smokeless propellants in a private vehicle is prohibited.

11-3.4 Commercial shipments of smokeless propellants in quantities not exceeding 100 lb. (45.4kg) may be reclassified for transportation purposes as flammable solids (Division 4.1) when packaged according to U.S. Department of Transportation Hazardous Materials Regulation (Title 49, Code of Federal Regulations, Part 173.171), and shall be transported accordingly.

11-3.5 Commercial shipments of smokeless propellants exceeding 100 lb. (45.4 kg) or not packaged in accordance with the regulations cited in 11-3.4 shall be transported according to the U. S. Department of Transportation regulations for Division 1.3C propellant explosives.

11-3.6 Smokeless propellants shall be stored in shipping containers approved by U.S. Department of Transportation.

11-3.7 Smokeless propellants intended for personal use in quantities not exceeding 20 lb. (9.1 kg) shall be permitted to be stored in original containers in residences. Quantities exceeding 20 lb. (9.1 kg), but not exceeding 50 lb. (22.7 kg), shall be permitted to be stored in residences where kept in a wooden box or cabinet having walls of at least 1-in. (25.4-mm) nominal thickness.

11-3.8 Not more than 20 lb. (9.1 kg) of smokeless propellants, in containers of 1 lb. (0.45 kg) maximum capacity, shall be displayed in commercial establishments.

11-3.9 Commercial stocks of smokeless propellants should be stored as follows:

(a) Quantities exceeding 20 lb. (9.1 kg), but not exceeding 100 lb. (45.4 kg) shall be stored in portable wooden boxes having walls of at least 1 inch (25.4 mm) thickness.

(b) Quantities exceeding 100 lb. (45.4 kg), but not exceeding 800 lb. (363 kg), shall be stored in non-portable storage cabinets having walls of at least 1 in. (25.4 mm) thickness. Not more than 400 lb. (181 kg) shall be permitted to be stored in any one cabinet and cabinets shall be separated by a distance of at least 25 ft (7.63 m) or by a fire partition having a fire resistance of at least 1 hour.

(c) Quantities exceeding 800 lb. (363 kg), but not exceeding 5,000 lb. (2268 kg), shall be permitted to be stored in a building, provided the following requirements are met:

1. The warehouse or storage room shall not be accessible to unauthorized personnel.
2. Smokeless propellant shall be stored in non-portable storage cabinets having wood walls at least 1 inch (25.4 mm) thickness and having shelves with no more than 3 ft (0.92 m) of separation between shelves.
3. No more than 400 lb. (181 kg) shall be stored in any one cabinet.
4. Cabinets shall be located against the walls of the storage room or warehouse with at least 40 ft (12.2 m) between cabinets.
5. The separation between cabinets may be reduced to 20 ft (6.1 m) where barricades twice the height of the cabinets are attached to the wall, mid-way between each cabinet. The barricades shall extend at least 10 ft (3m) outward, shall be firmly attached to the wall, and shall be constructed of ¼ in. (6.4-mm) boiler plate, 2 in (51-mm) thick wood, brick, or concrete block.
6. Smokeless propellant shall be separated from materials classified by the US Department of Transportation as flammable liquids, flammable solids, and oxidizing materials by a distance of 25 ft (7.63mm) or by a fire partition having a fire resistance of at least 1 hour.
7. The building shall be protected by an automatic sprinkler system installed in accordance with NFPA 13, Standard for the Installation of Sprinkler Systems.

(d) Smokeless propellants not stored according to 11.39 (a), (b) and (c) above shall be stored in a Type 4 magazine constructed and located in accordance with Chapter 6.

Reprinted with permission from NFPA 495:Explosive Material Code, Copyright © 1996, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association on the referenced subject, which is represented only by the standard in its entirety.

⚠ DANGER!

Millions of men and women reload ammunition as a hobby, or because the cost savings allow them to enjoy shooting more often. You should always reload so that the safest and most accurate loads on the shooting line will be yours, and always remember that to become or to continue to be a safe reloader, you must be careful at all times. As a reloader, you are dealing with and manufacturing explosive materials; handling powders and primers that can, if misused, explode or burn, causing property damage, serious personal injury—even death! Later, when you shoot the ammunition you've produced and checked, you will be the person closest to the gun, the one most likely to be injured if improperly loaded ammunition causes your gun to malfunction.

Protect yourself by studying books that describe safe reloading techniques in detail. When using smokeless powders, use only the exact type and quantity described herein. Always store and use your smokeless powders in accordance with the guidelines listed in this booklet.

⚠ POWDER WARNINGS!

• **NEVER** substitute smokeless powder for black powder, or for black powder substitutes.

• **NEVER** mix together any two powders, regardless of type, brand, style, or source.

• **NEVER** use the data in this Reloaders' Guide for any other powders, even if advertised "similar to Bullseye" or "burns the same as Red Dot," etc.

Violation of any of the above could result in severe personal injury (including death) or gun damage.

⚠ WARNING! — BE SURE TO:

- The powder charge weights listed in our data tables are maximum. For rifle and pistol loads, the maximum powder charge should be reduced by 10% to establish a minimum or starting powder charge. The exceptions are those powder charges designated "DNR" (Do Not Reduce).
- All loads have been tested in our ballistics lab with SAAMI approved, un-vented test barrels. Keep in mind that such test equipment often yields higher velocities than are usually obtained with sporting arms.
- If ever you are unsure of your load data, or if you detect any signs of high pressure while using load data from this Guide, stop loading or testing at once. Contact our technical service personnel at 1-866-286-7436 before proceeding.
- Instructions for proper handling, storage and disposal are given on pages 4-7 (SAAMI instructions).

BALLISTICS

The ballistic data shown in this booklet were obtained in the laboratory under strictly controlled conditions. ***You must load only the exact combinations that are listed.*** Even then, different reloading techniques, plus industrial tolerances of each component, likely will cause your ammunition, or ammunition loaded by other competent laboratories, to yield slightly different ballistic data. Therefore, ***powder charge recommendations in this booklet must never be exceeded.*** Safe shooters and hunters know that accuracy, not maximum power, is their key to success.

TECHNICAL ASSISTANCE

For technical assistance or for any information not included in this Reloaders' Guide, please call 1-866-286-7436 or email alliant.reload@vistaoutdoor.com.

For our interactive Reloaders' Guide, visit alliantpowder.com.

DISCLAIMER

Alliant disclaims any warranties with respect to this product, the safety or suitability thereof, or the results obtained, whether express or implied, including, without limitation, any implied warranty of merchantability or fitness for a particular purpose and/or any other warranty. Buyers and users assume all risk, responsibility, and liability whatsoever for any and all injuries (including death), losses, or damages to persons or property arising from the use of this product, whether or not occasioned by seller's negligence or based on strict product liability or principles of indemnity or contribution. Alliant neither assumes nor authorizes any person to assume for it any liability in connection with the use of this product.

⚠ DANGER!

HANDLOADING PRECAUTIONS & TECHNICAL DATA

Pistol and Revolver Cartridges Special Reloading Precautions

Most pistols and revolvers function best when loaded with a quick-burning powder such as Bullseye®. Since peak pressure is reached very quickly, the seating depth of the bullet is very important: the deeper the bullet, the higher the pressure. If the bullet is seated too deeply, dangerous pressures will be generated, which could burst the gun and cause severe personal injury (including death).

Equally critical is the powder charge. Guard against multiple charges when reloading. Certain cartridges (notably 38 Special) have been reloaded accidentally with double and even triple charges, with catastrophic results when fired in the gun.

A. Prevent deeply seated bullets.

1. Your assembled cartridges must be as long as, or longer than, the minimum length listed for the combination you are reloading.
2. Set your bullet station accordingly and lock tool securely.
3. Keep bullet station clean of accumulating lead and grease.
4. Inspect all loaded rounds for overall length.
5. Be sure every bullet is held tightly by shell mouth, especially pistol loads (recoil drives magazine against bullet noses of contained cartridges).

B. Prevent multiple charges.

1. Handloading: Keep track of every powder charge, then look inside all shells and compare powder levels.
2. Progressive reloading: Be sure every shell is truly empty; don't back up the turret; don't jiggle the handle; don't use a shell to clean out the powder train (use a paper cup or equivalent).

C. Inspection.

1. Discard cases with split mouths.
2. Discard cases with enlarged primer pockets.
3. Do not use cases that are designed for primer-propelled practice cartridges; such cases may not be designed for full power loads.

Physical Effect of Gun Recoil (Kick)

The rearward motion of every gun, its recoil, increases when heavier shot or heavier bullets are fired, and when higher velocity loads are fired. This motion must be opposed by the shoulder, or the pistol hand, of the shooter. Whenever the recoil is perceptibly annoying to the shooter, accuracy on succeeding firings undoubtedly diminishes.

When the shooting condition demands heavy loads and high velocity, recoil kick can be reduced by using a heavier gun, and by spreading the force over a larger area of the anatomy, such as by using a wider stock, larger grip, plus shoulder pad or softer grip.

Excellent publications available to the reloader, plus his or her own growing sophistication, have generated a wholesome trend away from maximum loads and toward accuracy of loads no more powerful than needed for the intended purpose. Reducing recoil increases accuracy.

Contributing to increased accuracy as well as the pleasantness of shooting is in two main areas:

1. This *Reloaders' Guide* includes many reduced loads.
2. Our research indicates that the burning rate of powders has a modest effect on recoil. For example, whenever two or more powders are listed for the same load, the slower one usually is chosen by the expert shooter as giving milder felt recoil. An intriguing aspect of reloading at home is the freedom to assemble, for example, trap loads with Red Dot® or Green Dot® powder, then to shoot them alternately to decide which seems more comfortable.

⚠ DANGER! Handloading Precautions

1. **Understand what you are doing and why.** Read handbooks and manuals on reloading. Talk to experienced reloaders. Write or call suppliers of components if you have questions or are in doubt.
2. Stay **alert** when reloading. **Do not reload when distracted.**
3. Establish a loading procedure and follow it. **Do not vary your sequence of operations.**
4. **Examine empty cases** (shotshell or metallic) to be sure they are in good condition before reloading. Never force live cartridges into or out of the chamber of a gun.
5. **Do not use cases that are designed for primer-propelled practice cartridges;** such cases may not be designed for full power loads.
6. **Do not ream out or enlarge flash holes of metallic cartridge cases.** This may change the ignition rate and result in dangerous pressures.
7. **Do not punch out live primers.** Fire the empty primed shells in a gun.
8. **Do not mix primers.** Primers differ in brisance of ignition, which affects pressure and velocity. Use only the primer listed.
9. **The shotshell loading data in the *Reloaders' Guide* are for LEAD SHOT only. Use steel shot only as specified in the steel shot data section (pgs. 23-25).**
10. One-piece plastic wads for shotshells vary in compressibility and gas-sealing effectiveness. Use only the wad listed.
11. If you "throw," or measure powder charges by volume, check-weigh the charge frequently. Do not mix powders.
12. **Do not use powders near a flame, spark-producing machinery, or heating device.** Do not expose powders to temperatures above 100°F.
13. Keep out of reach of children.
14. **Do not smoke while reloading.**

Smokeless Powders for Reloading

We currently offer 37 smokeless powders for use in reloading. These are listed in the order of decreasing burning rates. Each powder listed is "slower" than those preceding it and "faster" than those following it. Among these Alliant powders, for example, Red Dot burns faster than Bullseye, which burns faster than Green Dot.

Powder	Principal Use ¹	Secondary Use ¹
Extra-Lite®	3/4-ounce and 7/8-ounce 12-gauge target loads	1-ounce 12-gauge target loads
e3®	12-gauge target loads	
Red Dot®	Light and standard shotshell loads, 12-gauge target loads	Handgun loads
Bullseye™	Target handgun loads	
Promo®	Light and standard shotshell loads, 12-gauge	
Clay Dot®	12-gauge target loads	
American Select®	12-gauge target loads	Handgun loads
Sport Pistol®	Handgun loads	
Green Dot®	Standard and medium shotshell loads, 12- and 16-gauge	Handgun loads
20/28™	20 and 28-gauge target loads	Heavy 12-gauge target loads
Unique®	All-around shotshell, 12, 16, 20, and 28-gauge	Handgun loads
BE-86™	Handgun loads	
Power Pistol®	High performance pistol loads such as the 9mm, 40 S&W, and 10mm	Moderate-pressure pistol cartridges like the 38 Special, 380 Auto and 45 ACP
Herco®	Heavy shotshell loads, 10, 12, 16, 20, and 28-gauge	Heavy handgun loads
Blue Dot®	Magnum shotshell loads, 10, 12, 16, 20, and 28-gauge	Heavy handgun loads
Pro Reach®	Long range target shotshell loads	Hunting loads
Steel®	Steel shotshell, 10 and 12-gauge	
410®	410 bore target loads	
2400®	Magnum handgun loads	410 bore shotshell loads
Power Pro® 300-MP	Magnum handgun loads	410 bore shotshell loads
Reloder® 7	Light rifle loads	Silhouette loads
Reloder 10X®	Light varmint/light bullet loads	Benchrest calibers; light bullet 308
Power Pro® 1200-R	Light varmint/light bullet loads	Benchrest calibers
Power Pro® Varmint	Standard varmint	Medium rifle loads
Reloder® TS11	Varmint	Short range benchrest
AR-Comp®	Heavy 223 and 308 match	Medium rifle varmint
Reloder® 15	Medium rifle loads	Silhouette loads
Reloder® TS15.5	Medium rifle loads	Heavy bullet 223 and 308
Power Pro® 2000-MR	Medium rifle loads	Heavy bullet 223 and 308
Reloder® 16	Medium rifle loads	Short magnum loads
Reloder® 17	Medium rifle loads	Short magnum loads
Reloder® 19	Standard rifle loads	Light magnum rifle loads
Power Pro® 4000-MR	Standard and magnum rifle loads	
Reloder® 22	Standard and magnum rifle loads	
Reloder® 23	Standard and magnum rifle loads	
Reloder® 25	Magnum rifle loads	Maximum hunting loads
Reloder® 26	Magnum rifle loads	
Reloder® 33	338 Lapua magnum	Large magnum rifle loads
Reloder® 50	50-caliber target	

¹Use only in the loads printed in this guide.

Black Powder Substitute

Powder	Principal Use	Can Also be Used In
Blue MZ® Pellets	Muzzleloaders	

Packaging

Powder	1-lb Canister	4-lb Canister	5-lb Canister	8-lb Keg	Clam Pack
Bullseye, Red Dot, American Select, Sport Pistol, Green Dot, Unique, Herco, 2400, e3, 410, 20/28	X	X		X	
Power Pistol	X	X			
Pro Reach, Extra-Lite, Clay Dot	X			X	
Power Pro Series, AR-Comp, BE-86	X			X	
Blue Dot	X	X			
Reloder 7, 10x, 15, 17, 19, 22, 25	X		X		
Reloder TS11, TS15.5, TS16, TS23, 26, 33, 50	X			X	
AR-Comp	X			X	
Steel	X	X			
Promo				X	
Blue MZ Pellets					X

Powder Information

Smokeless sporting propellants are of two basic types – single-base and double-base. Single-base propellants derive their energy from nitrocellulose and double-base from a combination of nitrocellulose and nitroglycerin. Alliant propellants range from the “near” single-base American Select (2% nitroglycerin) to the high nitroglycerin (40%) double-base Bullseye. In addition, our propellants contain stabilizers for long storage life and various other ballistic modifiers which reduce flash, improve combustion efficiency, and promote clean burning.

Some of our propellants also have a chemical coating on the surface to control the burning rate. This creates a progressive burn for achieving higher velocities at lower pressures. All of our propellants have a graphite glaze, which ensures smooth, consistent metering of charges through volumetric reloaders.

Alliant propellants are extruded and cut into circular flakes or cylinders by precision dies and cutting equipment. Granule size tolerances are very tight and uniform to prevent separation of different size granules and to ensure consistent ballistic performance, load after load.

By utilizing a precise combination of chemical formulation, granule size, and chemical coatings, we are able to tailor the burning characteristics of our propellants to achieve the best overall performance in a wide range of loads.

Because each of our propellants is specifically engineered to have different burn rates and performance characteristics, **NEVER BLEND OR MIX DIFFERENT POWDERS, AND USE ONLY THE POWDER AND QUANTITY RECOMMENDED IN THIS RELOADER'S GUIDE.**

All powders burn with great precision and rapidity inside the gun chamber, generating the hot, high-pressure gas that accelerates the bullet (or shot) and drives it toward the target. **It is critically important for safety that the powder used is matched to the bullet (or shot) weight and other factors; otherwise, the gun parts may be deformed or may even burst and cause serious personal injury (including death).** Shot-to-shot accuracy can also be degraded by deviations from recommended loads. Even after 80 years of producing and testing powders, ballisticians are unable to calculate and predict **exact** ballistic results; we must test-fire our powders with each set of components and record the results. Therefore, **the ballistic values and recommended combinations listed in this booklet must be followed without deviation.**

Working up charges. For shotgun loads, use the charge weight shown. However, for all rifle and pistol loads, first load and fire a few cartridges at the starting charge weight, watching for any sign of excessive pressure (difficult extraction, flattened or blown primers, unusual recoil).

Handgun loads. Many pistol and revolver loads require only small amounts of fast-burning powders; therefore: (1) guard against accidental double charges, and even multiple charges, whether loading with handtools or with progressive loading devices; (2) be sure that each bullet is positioned in the case so that the minimum overall length is not violated.

Dram Equivalent

Prior to the commercialization of smokeless powder, shotgun shells were loaded with black powder. The weight measurement system used for black powder was “drams.” Compared with black powder, **smokeless powder is more dense and much more energetic, so it cannot safely be measured and used like black powder.** Indeed, a different weight system was selected for smokeless powder: “grains,” wherein 7,000 grains equal one pound.

Since many shooters still wanted to be able to compare their smokeless powder loads with the original black powder loads, the term “dram equivalent” evolved. Simply stated, the dram equivalent is an indicator of the velocity of a particular shot load. **But note that the charge and weight of smokeless powder must not be calculated from the dram equivalent.**

Notice

We have inserted information on the properties and storage of smokeless powder for your understanding, so that you can avoid unnecessary risks when using it. This information, on pages 4-7, was published initially by the Sporting Arms and Ammunition Manufacturers' Institute, Inc., several years ago in the interest of safety. You must read these pages carefully and comply with the precautions listed. If you have questions, please call or write to us at the address on the back cover.

Important Safety and Health Precautions

▲ DANGER! SMOKELESS GUNPOWDER - EXTREMELY FLAMMABLE KEEP AWAY FROM SPARKS OR HEAT SOURCE FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN INJURY OR DEATH.

1. **DO NOT** smoke when reloading.
2. **DO NOT** use spark-producing tools.
3. **DO NOT** mix powders of different kinds.
4. **DO NOT** leave powder where children can get it.
5. **DO NOT** try to load when distracted.
6. **AVOID AN OPEN FIRE OR WORKING NEAR SPARK-PRODUCING MACHINERY OR ANY HEAT SOURCE.**
7. Pour out only the amount of powder needed for immediate work.
8. Check the powder measure each time it is used. Make sure the settings have not been accidentally changed. Check-weigh “thrown charges” frequently.
9. Clean up any spilled powders. Use a brush and dustpan; do not use a vacuum cleaner. Dispose of spilled powder as described in the SAAMI pages of this Guide.
10. Store powder only in its original container, which was carefully designed for this usage. **DO NOT REPACKAGE.** Do not purchase or accept any Alliant powder not in its original, **FACTORY-SEALED** container.
11. Be sure the powder container is completely empty before discarding. Do not use the container to store other powders or materials, or for any other purpose.
12. Always keep in mind that **SMOKELESS POWDER IS AN EXPLOSIVE MATERIAL AND HIGHLY FLAMMABLE.** It should always be stored and handled in such a way as to avoid impact, friction, heat, sparks, or flame.
13. Wear safety glasses when reloading.
14. **▲ DANGER! THIS MATERIAL CONTAINS NITROGLYCERIN.** Inhalation, skin contact, or ingestion may cause severe headache, nausea, and lowering of blood pressure. **THEREFORE, THE FOLLOWING PRECAUTIONS MUST BE OBSERVED WHEN HANDLING POWDERS:**
 - A. Do not take internally. In case of ingestion, cause vomiting. Call a physician.
 - B. Avoid contamination of food, beverages, or smoking materials.
 - C. Avoid breathing dust. Ensure adequate ventilation during handling.
 - D. Wash thoroughly after handling and before eating, drinking, or smoking.
 - E. Do not carry powder in clothing.

You must also always remember:

1. **Establish a routine for reloading.** It will result in more uniform loads and less chance of error.
2. Some primers are more powerful than others (they produce more gas at a higher temperature). **Use only the primers specified herein.**
3. Shotshell wads differ in their sealing ability. **Use only the load combinations specified herein.**
4. If you use cast bullets, their diameter, hardness, lubrication, and crimp will affect the ballistics.
5. **The shotshell loads in this booklet are for use with LEAD SHOT ONLY! For steel shot see special steel section, pages 23-25.**
6. **Use only the brands of powder and components shown in our tables. Do not substitute other types.**
7. Discharging firearms in poorly ventilated areas, cleaning firearms, or handling ammunition may result in exposure to lead, a substance known to cause birth defects, reproductive harm, and other serious physical injury. **Have adequate ventilation at all times. Wash hands and face thoroughly after handling and before coming in contact with food, chewing materials, and smoking material.**

PROVEN POWDERS FOR SHOTSHELL RELOADERS



EXTRUDED
POWDER

RED DOT

OPTIMUM LOADS:

12-gauge target

SECONDARY LOADS:

Handgun

The number 1 premium clay target powder, now even cleaner burning



EXTRUDED
POWDER

AMERICAN SELECT

OPTIMUM LOADS:

12-gauge clay target

SECONDARY LOADS:

Cowboy action handgun

Premium ultra-clean-burning target powder, excellent patterns and less felt recoil



EXTRUDED
POWDER

e3

OPTIMUM LOADS:

Light and standard 12-gauge target

SECONDARY LOADS:

None

The first of a new generation of high-performance powders



EXTRUDED
POWDER

GREEN DOT

OPTIMUM LOADS:

12-gauge standard and target

SECONDARY LOADS:

Handgun

Best long-range clay target powder, creates tight and uniform patterns, now even cleaner burning



EXTRUDED
POWDER

CLAY DOT

OPTIMUM LOADS:

Light and standard 12-gauge target

SECONDARY LOADS:

None

Designed to duplicate the performance of Hodgdon® Clays™ at an economical price

PROVEN POWDERS FOR SHOTSHELL RELOADERS



STEEL

OPTIMUM LOADS:

Non-Toxic shot

SECONDARY LOADS:

None

Designed specifically for steel shot



EXTRA-LITE

OPTIMUM LOADS:

3/4-ounce and 7/8-ounce
12-gauge target

SECONDARY LOADS:

1-ounce 12-gauge target

Extremely clean burning and consistent
across temperatures



PRO REACH

OPTIMUM LOADS:

Long range 12-gauge
clay target

SECONDARY LOADS:

12-gauge hunting



PROMO

OPTIMUM LOADS:

Light and standard 12-gauge target

SECONDARY LOADS:

None

Economical target shotshell
powder



20/28

OPTIMUM LOADS:

20- and 28-gauge target

SECONDARY LOADS:

Heavy 12-gauge

Designed specifically to be the best powder
for 20- and 28-gauge target loads



410

OPTIMUM LOADS:

.410 shotshell

SECONDARY LOADS:

None

Cleanest .410 bore powder on the market

PROVEN POWDERS FOR PISTOL/DUAL PURPOSE RELOADERS



BLUE DOT

OPTIMUM LOADS:

Magnum shotshell: 10 to 20 gauge

SECONDARY LOADS:

Heavy handgun loads

Powder of choice for magnum hunting loads



UNIQUE

OPTIMUM LOADS:

Universal shotshell: 12 to 28 gauge

SECONDARY LOADS:

Handgun

The world's most versatile reloading powder, now 50 percent cleaner burning



SPORT PISTOL

OPTIMUM LOADS:

Handgun

SECONDARY LOADS:

None

Clean-burning, with extremely reliable cycling for competitive shooters



300-MP

OPTIMUM LOADS:

Magnum handgun

SECONDARY LOADS:

.410 shotshell

Maximum velocity and performance in magnum handguns



POWER PISTOL

OPTIMUM LOADS:

High performance handgun

SECONDARY LOADS:

Moderate pistol

Best choice for high performance 9mm, 40 S&W and 10mm

PROVEN POWDERS FOR PISTOL/DUAL PURPOSE RELOADERS



CLEANER
BURNING,
IMPROVED
FLOW

EXTRUDED
POWDER

HERCO

OPTIMUM LOADS:

Heavy shotshell: 10 to 28 gauge

SECONDARY LOADS:

Heavy handgun

Outstanding for 12-gauge heavy hunting

New steel shot loads now available.



EXTRUDED
POWDER

BE-86

OPTIMUM LOADS:

Semi-auto handgun

SECONDARY LOADS:

Medium handguns

Excellent ballistics, very versatile and consistent metering



EXTRUDED
POWDER

BULLSEYE

OPTIMUM LOADS:

45 ACP and other handgun

SECONDARY LOADS:

38 Special

America's best pistol powder, unsurpassed for 45 ACP target loads



EXTRUDED
POWDER

2400

OPTIMUM LOADS:

Magnum handgun

SECONDARY LOADS:

22 Hornet and 218 Bee

Legendary performance in 44 Magnum and other magnum pistol loads

PROVEN POWDERS FOR RIFLE RELOADERS



RELODER 7
OPTIMUM LOADS:
Light rifle

SECONDARY LOADS:
45-70 Govt.

Great in lightweight 223 Rem.
varmint loads



RELODER 10x
OPTIMUM LOADS:
Light varmint

SECONDARY LOADS:
Benchrest calibers:
light bullet .308

For light bullet applications in
222 Rem, 22-250 Rem. and 223 Rem.



RELODER TS11
OPTIMUM LOADS:
Varmint

SECONDARY LOADS:
Short range benchrest

Ideal for varmint and short-range
benchrest applications.
Excellent stability.



RELODER 15
OPTIMUM LOADS:
Medium rifle

SECONDARY LOADS:
Silhouette rifle

Excellent in short-action
calibers, especially 308 Win.



RELODER 22
OPTIMUM LOADS:
Magnum Rifle

SECONDARY LOADS:
Standard rifle

Outstanding in 7mm Magnum and
300 Win. Magnum applications



RELODER TS23
OPTIMUM LOADS:
Standard and magnum rifle

SECONDARY LOADS:
None

Consistent across temperature
extremes



RELODER 25
OPTIMUM LOADS:
Magnum rifle

SECONDARY LOADS:
None

Delivers high energy in
magnum cartridges



RELODER 26
OPTIMUM LOADS:
Outstanding efficiency in
magnum cartridges

SECONDARY LOADS:
None

Controlled temperature stability
and high velocities

PROVEN POWDERS FOR RIFLE RELOADERS



RELODER TS15.5

OPTIMUM LOADS:

Medium rifle

SECONDARY LOADS:

308 Win. and 223 Rem.

Outstanding temperature stability



RELODER TS16

OPTIMUM LOADS:

Medium rifle

SECONDARY LOADS:

Short magnum

Outstanding temperature stability



RELODER 17

OPTIMUM LOADS:

Medium rifle

SECONDARY LOADS:

Short magnum

Similar burn speed to IMR 4350 with added velocity



RELODER 19

OPTIMUM LOADS:

Standard rifle

SECONDARY LOADS:

Light magnum rifle

Superb in 30-06 and 338 Win. Magnum



RELODER 33

OPTIMUM LOADS:

338 Lapua Magnum

SECONDARY LOADS:

Large magnum rifle

Specifically formulated for the long-range 338 Lapua Magnum, ideal for a range of magnum rifle loads



RELODER 50

OPTIMUM LOADS:

50-caliber target

SECONDARY LOADS:

None

Superior velocity, clean burning and a density created specifically for the 50-caliber application



AR-COMP

OPTIMUM LOADS:

223 Rem. and 308 Win. Match

SECONDARY LOADS:

Medium rifle varmint

Outstanding temperature stability, for use in AR and traditional bolt-action rifles

PROVEN POWDERS FOR RIFLE RELOADERS



SPHERICAL
POWDER

1200-R

OPTIMUM LOADS:

Light varmint/light bullet

SECONDARY LOADS:

Benchrest calibers

Great for high-volume handloaders
progressive loading in .223



SPHERICAL
POWDER

VARMINT

OPTIMUM LOADS:

Standard varmint

SECONDARY LOADS:

Medium light rifle

Excellent performance in the
standard varmint cartridges



SPHERICAL
POWDER

2000-MR

OPTIMUM LOADS:

Medium rifle

SECONDARY LOADS:

Heavy .223

Excellent performance in heavy
223 Rem. and 308 Win. loads



SPHERICAL
POWDER

4000-MR

OPTIMUM LOADS:

Standard and magnum rifle

SECONDARY LOADS:


None

Superior performance in the 7mm
Magnum and 300 Win. Magnum

Reference Tables

Approximate Number of Pellets in Specific Weights of Lead Shot (Sizes 2 Through 9)								
Weight, oz	No. 2	No. 4	No. 5	No. 6	No. 7 1/2	No. 8	No. 8 1/2	No. 9
1/2	45	67	85	112	175	205	242	292
3/4	67	101	127	168	262	308	363	439
7/8	79	118	149	197	306	359	425	512
1	90	135	170	225	350	410	485	585
1 1/8	101	152	191	253	393	461	545	658
1 1/4	112	169	213	281	437	513	605	731
1 3/8	124	186	234	309	481	564	665	804
1 1/2	135	202	255	337	525	615	730	877

Space Occupied by One Ounce of Lead Shot in Various Gauges (Values are Inches)



Internal Diameter of the Barrel in Several Shotgun Gauges

- 10-Gauge**—0.775-Inch
- 12-Gauge**—0.729-Inch
- 16-Gauge**—0.662-Inch
- 20-Gauge**—0.615-Inch
- 28-Gauge**—0.550-Inch
- .410-Bore**—0.410-Inch

Number of Shells That Can Be Loaded with One Pound of Powder at Various Grains Per Load (The term grain is a measure of weight: 7,000 grains equal one pound)											
Grains/Load	Loads/Pound	Grains/Load	Loads/Pound	Grains/Load	Loads/Pound	Grains/Load	Loads/Pound	Grains/Load	Loads/Pound	Grains/Load	Loads/Pound
12	583	23	304	34	205	45	156	56	125	67	104
13	538	24	291	35	200	46	152	57	123	68	103
14	500	25	280	36	194	47	149	58	121	69	101
15	466	26	269	37	189	48	146	59	119	70	100
16	437	27	259	38	184	49	143	60	117	71	99
17	411	28	250	39	179	50	140	61	115	72	97
18	388	29	241	40	175	51	137	62	113	73	96
19	368	30	233	41	170	52	135	63	111	74	95
20	350	31	225	42	166	53	132	64	109	75	93
21	333	32	218	43	162	54	130	65	108	76	92
22	318	33	212	44	159	55	127	66	106	77	91

Typical Percentage of Pellets in a 30-Inch Circle at 40 Yards (Pattern) for Various Choke Sizes (Choke is a Constriction at the Muzzle of a Shotgun Barrel)

- Full Choke**—70%
- Modified Choke**—55%
- True Cylinder**—40%
- Improved Modified Choke**—65 to 70%
- Improved Cylinder**—50%

Ballistic Data

The velocity and pressure obtained with the specific combinations of shell, wad, primer, bullet or shot weight, powder, and powder weight provided in this booklet were obtained in a laboratory, where considerable effort is made to control the load and test conditions. Velocity was measured with a chronograph (electric stopwatch). Pressure was measured either by compressing copper cylinders (C.U.P.), or electronically, by use of a piezoelectric transducer (P.S.I.).

Guns are designed to take a considerable amount of internal pressure, but if this is exceeded, they burst violently. Be alert to signs of excess pressure, such as heavy recoil, flattened primers, or blown primers. Don't make changes in the suggested loads.

Tone variations (shaded areas) used in the reloading tables are for ease of reading and do not represent preferred loads.

The quantity of powder to use is listed in grains, which are a measure of weight, under each powder column.

Every reloader needs a good-quality scale for weighing each powder charge, or for checking the weight of powder thrown by volumetric loaders.

Special Notes Regarding Components Other Than Powder

A. Shotgun Shells. Manufacturers may sell ammunition under different brand names that are identical for reloading purposes. Following are popular variations. When in doubt, consult the ammunition producer.

- **Federal Game Load Plastic** same as **Duck, Pheasant, Field, Dove and Top Gun®**.
- **Federal Premium®** (Integral Base Wad)
- **Remington-Peters.** Same as Mohawk brand shells.
- **Remington-STS Type.** Same as Premier, Nitro 27, GunClub, and Game Loads
- **Winchester AA-Type.** In 12 and 20 gauge, the old style and new "HS" hulls use the same data." Pertaining to the 28 gauge and .410, the old AA and new HS hulls do not use the same data.
- **Winchester Polyformed Type (Reifenhauser Tube)** same as **Duck and Pheasant, Dove and Squirrel.**

B. Primers

- **CCI® 109** and **CCI 209** are ballistically identical and can be interchanged.
- **CCI 209M** (Magnum) is "hotter" and cannot be substituted for CCI 109 or 209. Use 209M only as listed.
- **Rem. 209** is "hotter" and cannot be substituted for Rem. 97 or Rem. 209P primer.
- **Rem. 209STS** is interchangeable with Rem. 209P primer.
- **Federal 209A** is "hotter" and cannot be substituted for Federal 209.

C. Wads. Card wads and fiber wads are used for certain slug and buckshot loads, steel shotshell loads and a few light shotshell loads. Do not interchange wads.

D. Shot. Use only clean lead shot. DO NOT USE STEEL SHOT IN SHOTSHELL LOADS EXCEPT AS LISTED IN STEEL SECTION.

E. Shot Buffers. Do not add any buffers or fillers of any kind to shotshell loads listed in this Guide.

F. Cards and Fillers. For revolver, pistol, and rifle cartridge reloading, do not add any cards, kapok, or fillers of any kind to loads listed in this Guide.

▲ WARNING! BLACK POWDER

BLACK POWDER IS ENTIRELY DIFFERENT FROM SMOKELESS POWDER. NEVER SUBSTITUTE ONE FOR THE OTHER. SMOKELESS POWDERS HAVE MUCH MORE ENERGY THAN BLACK POWDER. NEVER ATTEMPT TO USE SMOKELESS POWDER IN BLACK POWDER GUNS OR SALUTING CANNON; THEY MAY BLOW UP AND CAUSE SERIOUS PERSONAL INJURY (INCLUDING DEATH).

POWDER BUSHING CHARTS

A reloading scale is required to check the nominal weight of a powder charge.

Powder bushings can vary in the charge weight they drop and could vary as much as several grains under certain conditions.

Powder density, moisture content, and loading technique can cause a variation from the bushing weights listed on the charts. Also, the loading machine vibration affects charge weights. A complete loading cycle should be completed to ensure an average powder charge weight. Promo powder bushing selection must be determined for each individual lot as the density can vary from lot to lot. Start with one bushing size smaller than is recommended for Red Dot and verify on a powder scale.

The information in these tables has been supplied by the reloading machine manufacturers or Alliant Powder® and is not a reloading recommendation.

Lee Load-All Capacity Bushing Chart (Units shown in grains)																
Bushing #	.095	.100	.105	.110	.116	.122	.128	.134	.141	.148	.155	.163	.171	.180	.189	.198
Red Dot	11.0	11.6	12.2	12.8	13.5	14.2	14.8	15.5	16.4	17.2	18.0	18.9	19.8	20.9	21.9	23.0
Amer. Select	11.6	12.2	12.8	13.4	14.2	14.9	15.6	16.4	17.2	18.1	18.9	19.9	20.9	22.0	23.1	24.2
Green Dot	12.3	13.0	13.6	14.3	15.1	15.8	16.6	17.4	18.3	19.2	20.1	21.2	22.2	23.4	24.5	25.7
Blue Dot	18.0	19.0	19.9	20.8	22.0	23.1	24.3	25.4	26.7	28.0	29.4	30.9	32.4	34.1	35.8	37.5
Unique	14.3	15.0	15.8	16.5	17.4	18.3	19.2	20.1	21.2	22.2	23.3	24.5	25.7	27.0	28.4	29.7
Herco	13.9	14.6	15.3	16.1	16.9	17.8	18.7	19.6	20.6	21.6	22.6	23.8	25.0	26.3	27.6	28.9
2400	21.0	22.1	23.2	24.3	25.6	27.0	28.3	29.6	31.2	32.7	34.3	36.0	37.8	39.8	41.8	43.8

Note: Only available with Lee Load-Fast.

Hornady Powder Bushing Chart for 366 Auto and Apex 91 (Units shown in grains)																		
Grains	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Red Dot				393		423	438	453	468	480	489	498						
Amer. Select								423	432	447	456	468						
Green Dot			363		390		420	435	447	456	468	480					534	
Unique					354		381	393		414	423	435	444	453	465	474	483	
Herco						381	393		414	426	438	450	462	471		489	498	
Blue Dot									366	372	381	390	396	408	414	423	435	441
2400		256	266		291	300			330									
20/28			318	327	333	345	357	363	369	378	384	390	399					
e3						426	438	450	465	477								
410	256	266	291	300														
Clay Dot						423	438	453	468	480								

Hornady Powder Bushing Chart for 366 Auto and Apex 91 continued (Units shown in grains)																	
Grains	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
Green Dot	549	558															
Herco					549	558				588							
Blue Dot	447	459	468	474	483	489				516			534		549		

Ponsness/Warren Powder Bushing Chart (Units shown in grains)

Bushing #	1A	2A	3A	A	B	C	C1	D	D1	E	E1	E2	F	F1	F2	G	G1
Bullseye										16.2	16.8	17.7	18.7	19.4			
Red Dot											11.6	12.2	12.9	13.4	13.7	14.5	14.7
Amer. Select																	16.4
Green Dot											11.7	12.3	13.1	13.6	13.8	14.7	14.9
Unique									12.6	14.2	14.8	15.6	16.5	17.2	17.5	18.7	19.0
Herco									12.3	13.8	14.4	15.1	16.0	16.6	16.9	18.0	18.3
Blue Dot									16.4	18.4	19.2	20.1	21.3	22.2	22.6	23.9	24.3
2400		12.3	13.2	15.2	16.1	16.8	17.6	18.3	19.0	21.3	22.2	23.3	24.7	25.7	26.1	27.7	28.2

Ponsness/Warren Powder Bushing Chart continued (Units shown in grains)

Bushing #	H	I	J	J1	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA
Red Dot	15.7	16.5	16.8	17.3	17.6	18.5	19.4	20.7	20.9	21.3	21.9	22.9									
Amer. Select	17.5	18.2	18.8	19.4	19.9	20.6	22.0														
Green Dot	15.9	16.7	17.0	17.5	17.9	18.8	19.6	21.1	21.3	21.8	22.3	23.2	23.6	25.3	26.5						
Unique	20.2	21.2	21.7	22.3	22.7	24.0	25.0	26.8	27.1	27.6											
Herco	19.5	20.5	20.9	21.5	21.9	23.0	24.0	25.7	26.0	26.5	27.1	28.1	28.8	30.7	32.1	33.1	34.9	35.4	37.2		
Blue Dot	25.9	27.2	27.7	28.5	29.1	30.6	31.9	34.2	34.5	35.2	36.0	37.5	38.1	40.7	42.5	43.8	46.5	47.2	49.5	55.7	
2400	30.0	31.5	32.2	33.1	33.7	35.5	37.1	39.8	40.2	41.1	42.0	43.8	44.5	47.5	49.8						

MEC Powder Bushing Chart (Units Shown In Grains)

Bushing #	9	10	11	12	12a	13	13a	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Extra Lite																	13.7	14.4	14.8	15.2	15.8	16.6	17.2	17.9
Clay Dot																						15.4	16.0	16.5
Red Dot		6.3	6.7	7.1	7.5	7.9	8.3	8.7	9.2	9.6	10.1	10.6	11.1	11.6	12.1	12.6	13.1	13.7	14.2	14.9	15.7	16.4	17.1	17.8
e3		6.6	7.0	7.2	7.5	8.0	8.3	8.9	9.2	9.9	10.5	11.0	11.7	12.2	12.8	13.3	13.9	14.5	15.1	15.7	16.4	17.0	17.7	18.3
Amer. Select		6.9	7.3	7.7	8.2	8.6	9.1	9.6	10.1	10.6	11.1	11.7	12.2	12.8	13.3	13.9	14.5	15.1	15.7	16.4	17.0	17.7	18.3	19.0
Green Dot		6.7	7.2	7.6	8.0	8.4	8.9	9.3	9.8	10.3	10.8	11.3	11.8	12.4	12.9	13.5	14.0	14.6	15.2	15.8	16.4	17.0	17.7	18.3
20/28					11.3	11.9	12.5	13.0	13.8	14.5	15.1	15.7	16.3	17.1	18.0	18.8								
Unique		7.5	7.9	8.4	8.9	9.4	9.9	10.4	10.9	11.4	12.0	12.6	13.1	13.7	14.5	15.1	15.8	16.4	17.1	17.7	18.4	19.1	19.8	20.5
Herco		7.9	8.3	8.8	9.3	9.8	10.4	10.9	11.4	12.0	12.6	13.2	13.8	14.4	15.0	15.7	16.3	17.0	17.7	18.4	19.1	19.8	20.6	21.3
Pro Reach									14.9	15.8	16.7	17.5	18.2	19.1	19.9	20.7	21.5	22.3	23.1	23.5	24.2	25.3	26.7	
Blue Dot		10.8	11.3	11.9	12.5	13.1	13.7	14.4	15.0	15.7	16.3	17.0	17.7	18.4	19.2	20.1	21.0	21.9	22.8	23.7	24.6	25.5	26.4	27.3
2400		11.8	12.5	13.3	14.0	14.8	15.6	16.4	17.2	18.1	18.9	19.8	20.7	21.7	22.6	23.6	24.6	25.6	26.6	27.7	28.8	29.9	31	32.1
410	11.1	11.7	12.1	13.0	13.6	14.5	15.1	15.7	16.6	17.4	18.4	19.2	20.2	21.1	22.1	23.1	24.4	25.6	26.1	26.9	28.0	29.5	30.3	31.4

MEC Powder Bushing Chart continued (Units Shown In Grains)

Bushing #	31	32	33	34	35	36	37	38	38a	39	39a	40	40a	41	41a	42	42a	43	43a	44	44a	45	45a	46
Extra Lite	18.5	19.1																						
Clay Dot	16.9	17.4	18.1	18.8																				
Red Dot	18.5	19.2	19.9	20.6	21.3	21.9	22.7	23.3	24.1	24.7	25.2	25.9	26.6	27.3	27.9	28.4	29.3	29.9	30.8	31.5	32.1	32.7	33.4	34.1
e3	17.9	18.5	19.5	20.5	21.0	21.8	22.3	22.8	23.2	23.8	24.5	25.4	26.0	26.6	27.0	27.5	28.8	30.0	31.1	32.2	33.1	33.9	34.8	35.9
Amer. Select	19.7	20.4	21.1	21.8	22.6	23.3	24.1	24.9	25.7	26.5	27.3	28.1	28.9	29.8	30.7	31.5	32.4	33.3	34.2	35.2	36.4	37.0	38.0	39.0
Green Dot	19.0	19.6	20.3	21.0	21.7	22.4	23.2	23.9	24.7	25.4	26.2	27.0	27.8	28.6	29.4	30.3	31.1	32.0	32.8	33.7	34.6	35.3	36.4	37.4
Unique	21.1	21.7	22.5	23.2	24.0	24.8	25.6	26.5	27.3	28.2	29.0	29.9	30.8	31.7	32.6	33.5	34.5	35.4	36.4	37.4	38.4	39.4	40.4	41.4
Herco	22.1	22.9	23.7	24.5	25.3	26.2	27.0	27.9	28.8	29.7	30.6	31.5	32.4	33.4	34.3	35.3	36.3	37.3	38.3	39.5	40.4	41.4	42.5	43.6
Pro Reach	27.5	28.2	29.2	30.5	30.2	32.1	33.5	34.5	35.5															
Blue Dot	28.2	29.1	30.5	31.6	32.7	33.8	35.0	36.1	37.3	38.5	39.7	40.9	42.2	43.4	44.7	46.0	47.4	48.7	50.1	51.5	52.9	54.3	55.7	57.2
2400	33.3	34.5	35.7	36.9	38.1	39.4	40.7	42.0	43.3	44.6	46.0	47.4	48.8	50.2	51.6	53.1	54.6	56.1	57.6	59.2	60.7	62.3	63.9	65.6
410	32.4	33.6	34.7	35.9	37.0	38.1	39.3	40.6	42.0	43.3	45.0	46.7	48.0	49.2	50.4	51.7	53.0	54.8	56.3	57.4	58.0	59.2	60.4	62.0

SHOTSHELL RELOADING DATA

NON-TOXIC SHOTSHELL RELOADING

⚠ WARNING! Reloading steel shotshells requires strict adherence to Alliant published reloading specifications. The reloading specifications provided in this publication were derived through the use of controlled laboratory conditions. **While reloading steel shotshells, the reloader must adhere precisely to all the components without exception, set forth in the load data and specifications. Alliant recommends that both powder charge and shot charge be individually weighed to insure compliance to load data.** Steel shotshells should only be used in well maintained firearms that are designed to shoot steel shot loads. Alliant Powder® recommends that the commercially available shotshell sealant be applied to both the primer and crimp areas to prevent moisture penetration.

REGARDING THE USE OF FILLERS/SPACERS:

Spacer or filler wads serve the purpose of raising the shot column to a level that will allow for the forming of a good crimp. If a filler is required for a particular load, the thickness and location of that filler will be indicated in the "spacer" column. As an example, it might be described in the following manner: 1/8 U, 1/8 O, which means that the two 1/8 inch thick spacers are required; one should be placed in the bottom of the wad cup directly under the shot, and a second one over the shot. Spacers can be stacked if necessary, and the number needed may vary depending on the size of the shot being used. If your crimp dishes in a bit, or bulges, you can add or reduce the number of spacers to improve the crimp. Only slight adjustments, if any, will be necessary for this reason. We do not recommend the use of shot buffer in any of our loads.

HERCO 12-GAUGE NON-TOXIC TARGET & FIELD LOADS							
12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL HULL							
12-Gauge 13/16 and 7/8 Ounce #6 and #7 Steel Shot							
Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1400 fps	1450 fps	1500 fps	1550 fps
13/16	Herco	Fed209A	TUWSBL24	23.7gr 8,800psi	24.9gr 9,600psi	26.1gr 10,400psi	27.2gr 11,100psi
13/16	Herco	Win209	TUWSBL24	24.0gr 8,100psi	25.0gr 8,900psi	26.2gr 9,800psi	27.3gr 10,700psi
7/8	Herco	Fed209A	TUWSBL28 w/XYFE 12520 spacer*	24.6gr 8,300psi	25.7gr 9,000psi	26.9gr 9,900psi	28.1gr 10,700psi
7/8	Herco	Win209	TUWSBL28 w/XYFE 12520 spacer*	24.2gr 8,800psi	25.2gr 9,600psi	26.2gr 10,400psi	27.2gr 11,200psi
12-Gauge 1 Ounce #6 and #7 Steel Shot							
Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1200 fps	1250 fps	1300 fps	1350 fps
1	Herco	Fed209A	TUWSBL28	19.8gr 8,200psi	21.0gr 9,100psi	22.2gr 9,900psi	23.4gr 10,800psi
1	Herco	Win209	TUWSBL28	20.4gr 7,800psi	21.6gr 8,800psi	22.6gr 9,700psi	23.8gr 10,700psi
12-GAUGE 2 3/4 INCH RIO/CHEDDITE HULL							
12-Gauge 13/16 #6 and #7 Steel Shot							
Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1500 fps	1550 fps	1600 fps	1650 fps
13/16	Herco	Rio G1000	TUWSBL24	27.6gr 8,200psi	28.8gr 9,000psi	30.0gr 9,800psi	31.4gr 10,800psi
12-Gauge 7/8 Ounce #6 and #7 Steel Shot							
Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1450 fps	1500 fps	1550 fps	1600 fps
7/8	Herco	Rio G1000	TUWSBL28 w/XYFE 12520 spacer*	26.1gr 8,400psi	27.3gr 9,200psi	28.7gr 10,200psi	29.9gr 11,000psi
12-Gauge 1 Ounce #6 and #7 Steel Shot							
Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1300 fps	1350 fps	1400 fps	1450 fps
1	Herco	Rio G1000	TUWSBL28	23.8gr 8,500psi	24.8gr 9,300psi	25.8gr 10,200psi	26.8gr 11,100psi

* Spacer wad placed under shot

All loads shot with #6 and/or #7 steel shot

NON-TOXIC SHOTSHELL RELOADING DATA

STEEL POWDER FOR RELOADING STEEL SHOT ONLY 10-GAUGE 3 1/2 INCH SHELLS

Shell Type	Wad	Primer	Shot (oz)	Velocity (fps)	Pressure (psi)	Powder (grains)	Spacers
Rem. (yellow base wad)	Precision Reloading TUPRW105	Fed. 209A	1 1/4	1590	9800	50.0	1/2 U
Rem. (yellow base wad)	Ballistics Products #3221000	Fed. 209A	1 5/8	1310	10100	37.0	none
Rem. Plastic SP	Precision Reloading TUPRW105	Fed. 209A	1 3/8	1475	10000	43.5	3/8 U
Rem. Plastic SP	Ballistics Products #3221000	Fed. 209A	1 3/8	1535	10100	46.0	3/8 U
Rem. Plastic SP	Rel Spec "SAM 1 10-ga 3 1/2"	Fed. 209A	1 3/8	1555	10300	48.0	1/4 U
Rem. Plastic SP	Precision Reloading TUPRW105	Fed. 209A	1 1/2	1345	10300	37.5	1/4 U
Rem. Plastic SP	Ballistics Products #3221000	Fed. 209A	1 1/2	1385	10100	39.0	1/4 U
Rem. Plastic SP	Rel Spec "SAM 1 10-ga 3 1/2"	Fed. 209A	1 1/2	1470	10100	45.0	1/8 U
Win. Polyformed	Rel Spec "SAM 1 10-ga 3 1/2"	Fed. 209A	1 3/8	1538	10200	45.5	1/4 U
Win. Polyformed	Rel Spec "SAM 1 10-ga 3 1/2"	Fed. 209A	1 1/2	1415	9900	41.0	1/8 U

STEEL POWDER FOR RELOADING STEEL SHOT ONLY 12-GAUGE 2 3/4 INCH SHELLS

Fed. Gold Medal	Rel Spec "SAM 1 12-ga 2 3/4"	Fed. 209A	7/8	1700	7800	42.0	1/8 U
Fed. Gold Medal	Ballistic Products #3221275	Fed. 209A	7/8	1765	9000	45.0	none
Fed. Gold Medal	Ballistic Products #3221275	Fed. 209A	1	1480	9500	33.0	1/8 U
Fed. Gold Medal	Precision Reloading TUPRW12	Fed. 209A	1	1500	8000	37.0	1/8 U
Fed. Gold Medal	Rel Spec "SAM 1 12-ga 2 3/4"	Fed. 209A	1	1520	9200	36.0	none
Fed. Gold Medal	Rel Spec "SAM 1 12-ga 2 3/4"	Fed. 209A	1 1/8	1380	9000	32.0	none
Fed. Gold Medal	Precision Reloading TUPRW12	Fed. 209A	1 1/8	1425	9600	32.0	none
Rem. Nitro Mag	Precision Reloading TUPRW12	Fed. 209A	1	1520	10800	35.5	none
Rem. Nitro Mag	Rel Spec "SAM 1 12-ga 2 3/4"	Fed. 209A	1	1546	10300	35.5	none
Rem. Nitro Mag	Precision Reloading TUPRW12	Fed. 209A	1 1/8	1361	10400	29.5	none

STEEL POWDER FOR RELOADING STEEL SHOT ONLY 12-GAUGE 3 INCH SHELLS

Rem. Nitro Mag	Rel Spec "SAM 1 12-ga 2 3/4"	Fed. 209A	1 1/8	1428	10400	32.5	none
Fed. 0.090 Intergral BW	Precision Reloading TUPRW123	Fed. 209A	1	1660	9400	44.0	1/4 U
Fed. 0.090 Intergral BW	Ballistic Products #3221230	Fed. 209A	1	1690	10500	45.0	3/8 U
Fed. 0.090 Intergral BW	Reloading Specialties 12-ga 3"	Fed. 209A	1	1720	8900	47.0	3/8 U
Fed. 0.090 Intergral BW	Ballistic Products #3221230	Fed. 209A	1 1/8	1510	10400	37.0	1/4 U
Fed. 0.090 Intergral BW	Precision Reloading TUPRW123	Fed. 209A	1 1/8	1515	10900	38.0	1/4 U
Fed. Game Load 7/16 BW	Ballistic Products #3221230	Fed. 209A	1	1665	8900	45.0	1/4 U
Fed. Game Load 7/16 BW	Reloading Specialties 12-ga 3"	Fed. 209A	1	1700	8200	48.0	1/4 U
Fed. Game Load 7/16 BW	Ballistic Products #3221230	Fed. 209A	1 1/8	1550	10600	39.5	1/4 U
Fed. Game Load 7/16 BW	Reloading Specialties 12-ga 3"	Fed. 209A	1 1/8	1560	10500	40.5	1/8 U
Fed. Game Load 7/16 BW	Ballistic Products #3221230	Fed. 209A	1 1/4	1390	10900	33.0	1/4 U
Fed. Game Load 7/16 BW	Reloading Specialties 12-ga 3"	Fed. 209A	1 1/4	1430	10500	36.0	none
Rem. Nitro Steel	Ballistic Products #3221230	Fed. 209A	1 1/8	1440	10800	33.5	1/4 U
Rem. Nitro Steel	Precision Reloading TUPRW123	Fed. 209A	1 1/8	1457	10700	35.0	1/4 U
Rem. Nitro Steel	Reloading Specialties 12-ga 3"	Fed. 209A	1 1/8	1479	10600	33.0	1/4 U
Rem. Nitro Steel	Precision Reloading TUPRW123	Fed. 209A	1 1/4	1392	10700	32.0	1/8 U

STEEL POWDER FOR RELOADING STEEL SHOT ONLY 12-GAUGE 3 1/2 INCH SHELLS							
Shell Type	Wad	Primer	Shot (oz)	Velocity (fps)	Pressure (psi)	Powder (grains)	Spacers
Fed. Intergral BW	Reloading Specialties "Sam 1"	Fed. 209A	1 1/4	1510	10400	45.0	3/8 U
Fed. Intergral BW	Ballistic Products mm 12312	Fed. 209A	1 1/4	1560	10900	45.0	1/8 U
Fed. Intergral BW	Precision Reloading TUPRW1235	Fed. 209A	1 1/4	1565	10700	45.0	1/2 U
Fed. Intergral BW	Precision Reloading TUPRW1235	Fed. 209A	1 3/8	1470	12500	40.0	3/8 U
Fed. Intergral BW	Ballistic Products mm 12312	Fed. 209A	1 3/8	1485	12600	41.5	3/8 U
Fed. Intergral BW	Precision Reloading TUPRW1235	Fed. 209A	1 1/2	1360	12600	36.0	3/8 U
Fed. Intergral BW	Ballistic Products mm 12312	Fed. 209A	1 1/2	1385	12800	37.0	1/4 U
Fed. Intergral BW	Reloading Specialties "Sam 1"	Fed. 209A	1 1/2	1390	13300	39.0	1/4 U
Rem. Plastic SP	Reloading Specialties "Sam 1"	Fed. 209A	1 1/4	1595	13100	45.0	3/8 U
Rem. Plastic SP	Ballistic Products mm 12312	Fed. 209A	1 1/4	1615	13300	45.0	3/8 U
Rem. Plastic SP	Ballistic Products mm 12312	Fed. 209A	1 3/8	1430	12800	37.0	1/4 U
Rem. Plastic SP	Reloading Specialties "Sam 1"	Fed. 209A	1 3/8	1430	12800	38.5	3/8 U
Rem. Plastic SP	Ballistic Products mm 12312	Fed. 209A	1 1/2	1305	13000	33.0	1/4 U
Rem. Plastic SP	Reloading Specialties "Sam 1"	Fed. 209A	1 1/2	1330	13000	35.0	1/4 U
BLUE DOT POWDER FOR RELOADING BISMUTH SHOT ONLY 12-GAUGE 2 3/4 INCH SHELLS							
Rem. Premier STS	CB 1138-12	Fed. 209A	1 1/4	1421	10100	39.5	none
BLUE DOT POWDER FOR RELOADING BISMUTH SHOT ONLY 12-GAUGE 3 INCH SHELLS							
Fed. 0.090 Intergral BW	Rem. SP 12	Fed. 209A	1 3/8	1507	10700	46.0	1/8 O
Fed. 0.090 Intergral BW	Fed. 12S4	Fed. 209A	1 1/2	1310	10100	38.0	none
Fed. 0.090 Intergral BW	Rem. RP 12	Fed. 209A	1 1/2	1359	10800	40.0	1/4 O
Fed. 7/16 Paper BW	Rem. SP 12	Fed. 209A	1 3/8	1464	10700	43.5	1/4 O
Fed. 7/16 Paper BW	Rem. RP 12	Fed. 209A	1 1/2	1347	10400	39.0	1/8 O
Rem. SPELV Yellow BW	Rem. RP 12	Fed. 209A	1 3/8	1473	10700	44.0	1/8 O
Rem. SPELV Yellow BW	Rem. SP 12	Fed. 209A	1 3/8	1564	10700	50.0	none
Rem. SPELV Yellow BW	Rem. RP 12	Fed. 209A	1 1/2	1441	10700	45.0	none
STEEL POWDER FOR RELOADING HEVI SHOT SHOT ONLY 12-GAUGE 2 3/4 INCH SHELLS							
Fed. 7/16 Paper BW	Prec Rel TUPRW12 (white)	Fed. 209A	1 3/8	1320	10600	33.5	1/8 O, 1/4 U
Rem. SPELV Yellow BW	Prec Rel TUPRW12 (white)	Fed. 209A	1 1/4	1367	10900	32.2	1/4 O, 1/4 U
Rem. SPELV Yellow BW	Prec Rel TUPRW12 (white)	Fed. 209A	1 3/8	1291	10400	31.3	1/8 O, 1/4 U
STEEL POWDER FOR RELOADING HEVI SHOT SHOT ONLY 12-GAUGE 3 INCH SHELLS							
Fed. 0.090 Intergral BW	Prec Rel TUPRW123 (Orange)	Fed. 209A	1 3/8	1372	10300	40.0	3/8 U
Fed. 0.090 Intergral BW	Prec Rel TUPRW123 (Orange)	Fed. 209A	1 1/2	1294	10900	34.0	3/8 U
Fed. 7/16 Paper BW	Prec Rel TUPRW123 (Orange)	Fed. 209A	1 3/8	1371	10600	36.5	3/8 U
Fed. 7/16 Paper BW	Prec Rel TUPRW123 (Orange)	Fed. 209A	1 1/2	1274	10500	33.0	1/4 U
Rem. SPELV Yellow BW	Prec Rel TUPRW123 (Orange)	Fed. 209A	1 1/4	1462	10300	40.0	3/8 U
Rem. SPELV Yellow BW	Prec Rel TUPRW123 (Orange)	Fed. 209A	1 3/8	1385	10900	37.5	3/8 U
Rem. SPELV Yellow BW	Prec Rel TUPRW123 (Orange)	Fed. 209A	1 1/2	1259	10900	33.0	1/4 U

INTERNATIONAL LOADS

24-GRAM INTERNATIONAL TARGET LOADS

12-Gauge 2 3/4 inch Federal Gold Medal Plastic

Shot (gram)	Velocity (fps)	Wad	Primer	Red Dot		American Select	
				(grains)	(psi)	(grains)	(psi)
24	1345	CB 1100-12	Fed. 209A	20.0	8700	21.0	8000
24	1345	Fed. 12SO	Fed. 209A	20.0	8900	20.5	7900
24	1345	Purple PC	Fed. 209A	19.5	8700		
24	1345	Rem. TGT 12 & DRRT12	Fed. 209A	20.5	8900	21.0	8100
24	1345	WAA12L (Gray)	Fed. 209A	20.0	9000	21.5	8100

12-Gauge 2 3/4 inch Fiochi Plastic

Shot (gram)	Velocity (fps)	Wad	Primer	Red Dot		American Select	
				(grains)	(psi)	(grains)	(psi)
24	1345	Fed. 12SO	Fio. 616	20.5	8700	22.0	7800
24	1345	Purple PC	Fio. 616			22.5	6900
24	1345	Rem. TGT 12 & DRRT12	Fio. 616	20.5	8200	22.0	7600
24	1345	WAA12L (Gray)	Fio. 616	21.0	8500	22.0	7500

12-Gauge 2 3/4 inch Federal High Over All, Remington Premier, STS Plastic

24	1345	CB 1100-12	Rem. 209P	20.5	8800	20.5	8700
24	1345	Fed. 12SO	Rem. 209P	20.0	9800	20.5	9600
24	1345	Purple PC	Rem. 209P	20.5	8300	21.0	8100
24	1345	Rem. TGT 12 & DRRT12	Rem. 209P	20.5	9200	20.5	8500
24	1345	WAA12L (Gray)	Rem. 209P	20.5	9800	20.5	8700

12-Gauge 2 3/4 inch Winchester Plastic

24	1345	CB 1100-12	Win. 209	20.0	9600	20.5	8700
24	1345	Fed. 12SO	Win. 209	20.0	10100	20.5	9100
24	1345	Purple PC	Win. 209	20.0	9000	21.0	8100
24	1345	Rem. TGT 12 & DRRT12	Win. 209	20.0	9600	20.5	8600
24	1345	WAA12L (Gray)	Win. 209	20.0	10200	20.5	9700

28-GRAM INTERNATIONAL TARGET LOADS

12-Gauge 2 3/4 inch Federal Gold Medal Plastic

Shot (gram)	Velocity (fps)	Wad	Primer	Red Dot		Green Dot	
				(grains)	(psi)	(grains)	(psi)
28	1345	Fed. 12SO	Fed. 209A	23.0	9900	24.5	9100
28	1345	Purple PC	Fed. 209A	23.0	8800	25.0	8200
28	1345	Rem. Figure 8 & DRRF8	Fed. 209A	22.5	9500	25.0	8400
28	1345	WAA12SL	Fed. 209A	22.5	9600	24.5	8400

12-Gauge 2 3/4 inch Fiochi Plastic

28	1345	Fed. 12S3 & DRF3	Fio. 616	22.0	9600	24.0	8800
28	1345	Purple PC	Fio. 616	22.5	9500	24.0	8800
28	1345	Rem. Figure 8 & DRRF8	Fio. 616	21.5	9700	24.0	8800
28	1345	WAA12SL	Fio. 616	21.5	10400	24.0	8800

12-Gauge 2 3/4 inch Federal High Over All, Remington Premier, STS

28	1345	Fed. 12S3 & DRF3	Rem. 209P			23.0	10300
28	1345	Purple PC	Rem. 209P	21.5	10600	24.0	9900
28	1345	Rem. Figure 8 & DRRF8	Rem. 209P	21.5	10600	23.0	9700
28	1345	WAA12SL	Rem. 209P			23.0	10100

12-Gauge 2 3/4 inch Winchester Plastic

Shot (gram)	Velocity (fps)	Wad	Primer	Red Dot		Green Dot	
				(grains)	(psi)	(grains)	(psi)
28	1345	Purple PC	Win. 209			23.0	9500
28	1345	Rem. Figure 8 & DRRF8	Win. 209			22.5	10600

10-GAUGE RELOADING DATA

10-Gauge 3 1/2 inch Federal Plastic with Paper Base Wad

Shot (oz)	Powder	Primer	Wad	Spacers	Charge Weight (grains)	Velocity (fps)	Pressure (psi)
1 1/4	Green Dot	CCI 209M	Rem. SP 10	(6) 0.135	29.5	1265	8300
1 1/4	Green Dot	Win. 209	Rem. SP 10	(6) 0.135	29.0	1265	8800
1 5/8	Herco	CCI 209M	Rem. SP 10	(4) 0.135	36.0	1285	10300
1 5/8	Blue Dot	CCI 209M	Rem. SP 10	(4) 0.135	45.0	1285	8000
1 5/8	Blue Dot	Win. 209	Rem. SP 10	(4) 0.135	45.5	1285	8300
1 7/8	Blue Dot	CCI 209M	Rem. SP 10	(3) 0.135	45.5	1270	9900
1 7/8	Blue Dot	Win. 209	Rem. SP 10	(3) 0.135	45.5	1270	10200
2	Blue Dot	CCI 209M	Rem. SP 10	(2) 0.135	43.5	1210	9200
2	Blue Dot	Win. 209	Rem. SP 10	(2) 0.135	44.0	1210	9400
2 1/4	Blue Dot	CCI 209M	Rem. SP 10	(1) 0.135	42.0	1165	9800
2 1/4	Blue Dot	Win. 209	Rem. SP 10	(1) 0.135	42.5	1165	10200

10-Gauge 3 1/2 inch Remington SP

1 1/4	Green Dot	CCI 209M	Rem. SP 10	(6) 0.135	28.5	1265	8800
1 1/4	Green Dot	Win. 209	Rem. SP 10	(6) 0.135	29.0	1265	8800
1 1/4	Unique	CCI 209M	Rem. SP 10	(6) 0.135	31.0	1265	7500
1 1/4	Unique	Win. 209	Rem. SP 10	(6) 0.135	31.0	1265	7600
1 5/8	Blue Dot	CCI 209M	Rem. SP 10	(4) 0.135	43.5	1285	8500
1 5/8	Blue Dot	Win. 209	Rem. SP 10	(4) 0.135	44.0	1285	8500
1 7/8	Blue Dot	CCI 209M	Rem. SP 10	(3) 0.135	44.0	1270	9800
1 7/8	Blue Dot	Win. 209	Rem. SP 10	(3) 0.135	44.5	1270	9100
2	Blue Dot	CCI 209M	Rem. SP 10	(2) 0.135	42.0	1210	10400
2	Blue Dot	Win. 209	Rem. SP 10	(2) 0.135	42.5	1210	10100
2 1/4	Blue Dot	CCI 209M	Rem. SP 10	none	40.5	1165	10400
2 1/4	Blue Dot	Win. 209	Rem. SP 10	none	41.0	1165	10500

10-Gauge 3 1/2 inch Winchester Polyformed with Plastic Base Wad

1 1/4	Green Dot	CCI 209M	Rem. SP 10	(5) 0.135	28.0	1265	8500
1 1/4	Green Dot	Win. 209	Rem. SP 10	(5) 0.135	28.5	1265	8600
1 5/8	Herco	CCI 209M	Rem. SP 10	(3) 0.135	35.5	1285	10400
1 5/8	Blue Dot	CCI 209M	Rem. SP 10	(3) 0.135	44.5	1285	8700
1 5/8	Blue Dot	Win. 209	Rem. SP 10	(3) 0.135	45.0	1285	8800
1 7/8	Blue Dot	CCI 209M	Rem. SP 10	(2) 0.135	45.0	1270	9800
1 7/8	Blue Dot	Win. 209	Rem. SP 10	(2) 0.135	45.5	1270	10200
2	Blue Dot	CCI 209M	Rem. SP 10	(1) 0.135	43.0	1210	9400
2	Blue Dot	Win. 209	Rem. SP 10	(1) 0.135	43.5	1210	9500
2 1/4	Blue Dot	CCI 209M	Rem. SP 10	none	41.5	1165	10500
2 1/4	Blue Dot	Win. 209	Rem. SP 10	none	42.0	1165	10500

12-GAUGE RELOADING DATA

12-GAUGE 2 3/4 INCH RIO/CHEDDITE PLASTIC

12-Gauge 1 and 1 1/8 Ounce Target Loads

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1145 fps	1200 fps	1255 fps	1300 fps
1	Red Dot	Cheddite	12SO		19.0 grs 7800 psi	20.0 grs 8700 psi	21.0 grs 9300 psi
1	Amer. Select	Cheddite	12SO		20.0 grs 6200 psi	21.5 grs 7000 psi	22.5 grs 7600 psi
1	Green Dot	Cheddite	12SO		21.5 grs 6900 psi	23.0 grs 7800 psi	24.0 grs 8300 psi
1 1/8	Red Dot	Cheddite	12S3 & DRF3	18.0 grs 9000 psi	19.5 grs 9600 psi		
1 1/8	Red Dot	Cheddite	RXP 12	18.0 grs 8500 psi	19.5 grs 8800 psi		
1 1/8	Amer. Select	Cheddite	12S3 & DRF3	19.0 grs 7600 psi	20.5 grs 8800 psi		
1 1/8	Amer. Select	Cheddite	RXP 12	19.5 grs 7200 psi	20.5 grs 7600 psi		
1 1/8	Green Dot	Cheddite	12S3 & DRF3	20.0 grs 7500 psi	21.5 grs 8300 psi		
1 1/8	Green Dot	Cheddite	RXP 12	20.5 grs 7100 psi	22.0 grs 7800 psi		

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 7/8 and 1 Ounce Target Loads

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1150 fps	1200 fps	1250 fps	1310 fps
7/8	Red Dot	Rem. 209P	CB 4100-12B		17.5 grs 7100 psi	18.0 grs 7400 psi	19.0 grs 8100 psi
7/8	Red Dot	Rem. 209P	Purple PC		17.5 grs 6800 psi	18.5 grs 6900 psi	20.0 grs 7500 psi
7/8	Red Dot	Rem. 209P	TGT 12 & DRRT12		17.0 grs 6800 psi	18.5 grs 7100 psi	20.5 grs 8200 psi
7/8	Red Dot	Rem. 209P	WAA12L & DRXXL		16.5 grs 8000 psi	17.5 grs 8700 psi	18.5 grs 9100 psi
7/8	Red Dot	Rem. 209P	WAA12SL & DRXL-1 & Jammer XL-1		17.0 grs 7000 psi	18.5 grs 7800 psi	20.5 grs 8000 psi
7/8	e3	Rem. 209P	WAA12L & DRXXL		16.0 grs 7265 psi	17.0 grs 7655 psi	18.0 grs 8525 psi
7/8	e3	Rem. 209P	CB 4100-12B		16.2 grs 6195 psi	17.2 grs 7045 psi	18.2 grs 7580 psi
7/8	e3	Rem. 209P	TGT 12 & DRRT12			17.0 grs 7820 psi	17.8 grs 8585 psi
7/8	Clay Dot	Rem. 209P	CB 4100-12B		17.5 grs 5400 psi	18.5 grs 5760 psi	19.0 grs 7020 psi
7/8	Clay Dot	Rem. 209P	TGT 12 & DRRT12		17.0 grs 6490 psi	17.5 grs 6910 psi	18.5 grs 7770 psi
7/8	Clay Dot	Rem. 209P	CB 0178		17.5 grs 5916 psi	18.0 grs 6060 psi	18.5 grs 6544 psi
7/8	Amer. Select	Rem. 209P	CB 4100-12B		18.9 grs 5200 psi	19.6 grs 5900 psi	20.5 grs 6700 psi
7/8	Amer. Select	Rem. 209P	TGT 12 & DRRT12				20.5 grs 7000 psi
7/8	Amer. Select	Rem. 209P	WAA12L & DRXXL		18.0 grs 5.800 psi	19.0 grs 6800 psi	20.0 grs 7200 psi
7/8	Amer. Select	Rem. 209P	WAA12SL & DRXL-1 & Jammer XL-1				20.5 grs 7900 psi
7/8	Amer. Select	Rem. 209P	CB 1100-12				20.5 grs 6900 psi
7/8	Green Dot	Rem. 209P	TGT 12 & DRRT12				22.0 grs 7100 psi
7/8	Promo	Rem. 209P	CB 4100-12B		17.5 grs 7100 psi	18.0 grs 7400 psi	19.0 grs 8100 psi
7/8	Promo	Rem. 209P	Purple PC		17.5 grs 6800 psi	18.5 grs 6900 psi	20.0 grs 7500 psi
7/8	Promo	Rem. 209P	TGT 12 & DRRT12		17.0 grs 6800 psi	18.5 grs 7100 psi	20.5 grs 8200 psi
7/8	Promo	Rem. 209P	WAA12L & DRXXL		16.5 grs 8000 psi	17.5 grs 8700 psi	18.5 grs 9100 psi
7/8	Promo	Rem. 209P	WAA12SL & DRXL-1 & Jammer XL-1		17.0 grs 7000 psi	18.5 grs 7800 psi	20.5 grs 8000 psi
1	Clay Dot	Rem. 209P	CB 4100-12B		17.5 grs 6800 psi	18.5 grs 7940 psi	19.5 grs 9050 psi
1	Clay Dot	Rem. 209P	TGT 12 & DRRT12		17.5 grs 7930 psi	18.5 grs 9080 psi	19.5 grs 10070 psi
1	Clay Dot	Fed. 209A	WAA12SL		16.5 grs 8240 psi	17.7 grs 8800 psi	
1	Clay Dot	Win. 209	WAA12SL		17.0 grs 7860 psi	18.4 grs 8980 psi	
1	Clay Dot	Win. 209	TGT 12 & DRRT12		17.6 grs 7590 psi	18.8 grs 8890 psi	
1	e3	Rem. 209P	WAA12L & DRXXL	15.5 grs 8950 psi	16.5 grs 10015 psi	17.5 grs 10530 psi	
1	e3	Rem. 209P	CB 1100-12	16.0 grs 7730 psi	17.0 grs 8730 psi	18.0 grs 9540 psi	19.0 grs 10040 psi
1	e3	Rem. 209P	TGT 12 & DRRT12	16.0 grs 7970 psi	16.9 grs 8550 psi	18.0 grs 9710 psi	19.0 grs 10850 psi
1	e3	Rem. 209P	Green Duster		17.0 grs 9455 psi	17.5 grs 10970 psi	
1	Red Dot	Rem. 209P	CB 1100-12	16.5 grs 7400 psi	17.8 grs 8000 psi	18.7 grs 8800 psi	19.7 grs 9400 psi
1	Red Dot	Rem. 209P	TGT 12 & DRRT12	17.0 grs 8300 psi	18.0 grs 8700 psi	19.0 grs 9500 psi	21.0 grs 10700 psi
1	Red Dot	Rem. 209P	WAA12L & DRXXL	16.5 grs 8100 psi	18.0 grs 9600 psi		

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 7/8 and 1 Ounce Target Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1150 fps	1200 fps	1250 fps	1310 fps
1	Red Dot	Rem. 209P	WAA12SL & DRXL-1 & Jammer XL-1			19.5 grs 10100 psi	20.5 grs 10400 psi
1	Red Dot	Rem. 209P	TGT 12 & DRRT12	17.0 grs 8300 psi	18.0 grs 8700 psi	19.0 grs 9500 psi	21.0 grs 10700 psi
1	Red Dot	Rem. 209P	WAA12L & DRXXL	16.5 grs 8100 psi	18.0 grs 9600 psi		
1	Red Dot	Rem. 209P	WAA12SL & DRXL-1 & Jammer XL-1			19.5 grs 10100 psi	20.5 grs 10400 psi
1	Red Dot	Rem. 209P	Purple PC		18.5 grs 8300 psi	19.5 grs 8900 psi	20.5 grs 9100 psi
1	Red Dot	Rem. 209P	Green Duster		17.5 grs 10000 psi	18.5 grs 10900 psi	
1	Red Dot	Rem. 209P	Rem. R12L				20.5 grs 9900 psi
1	Red Dot	Rem. 209P	Figure 8 & DRRF8				21.5 grs 9100 psi
1	Red Dot	CCI 209M	Rem. R12L				20.0 grs 10300 psi
1	Red Dot	Win. 209	Rem. R12L				20.0 grs 10100 psi
1	Amer. Select	Rem. 209P	TGT 12 & DRRT12	17.0 grs 6900 psi	19.0 grs 7000 psi	20.5 grs 8000 psi	22.5 grs 8700 psi
1	Amer. Select	Rem. 209P	WAA12L & DRXXL	17.0 grs 7500 psi			
1	Amer. Select	Rem. 209P	CB 1100-12		19.5 grs 7500 psi	20.5 grs 8000 psi	22.5 grs 8500 psi
1	Amer. Select	Rem. 209P	Green Duster		19.0 grs 7700 psi	20.0 grs 8400 psi	
1	Amer. Select	Rem. 209P	WAA12SL & DRXL-1 & Jammer XL-1		19.0 grs 7600 psi	20.5 grs 8700 psi	21.5 grs 9200 psi
1	Green Dot	Rem. 209P	CB 1100-12	18.5 grs 7000 psi	19.2 grs 7500 psi	21.0 grs 8300 psi	22.0 grs 8500 psi
1	Green Dot	Rem. 209P	TGT 12 & DRRT12	18.0 grs 6600 psi	20.0 grs 8200 psi	21.0 grs 8500 psi	22.5 grs 8900 psi
1	Green Dot	Rem. 209P	WAA12L & DRXXL	18.0 grs 6300 psi			
1	Green Dot	Rem. 209P	Green Duster		19.5 grs 7500 psi	22.0 grs 8800 psi	
1	Green Dot	Rem. 209P	Purple PC		20.5 grs 7000 psi	21.5 grs 8500 psi	22.5 grs 8900 psi
1	Green Dot	Rem. 209P	WAA12SL & DRXL-1 & Jammer XL-1		19.5 grs 8600 psi	21.5 grs 8900 psi	22.5 grs 9000 psi
1	Green Dot	CCI 209M	Rem. R12L				22.0 grs 9100 psi
1	Green Dot	Win. 209	Rem. R12L				22.0 grs 8700 psi
1	Promo	Rem. 209P	CB 1100-12	16.5 grs 7400 psi	17.8 grs 8000 psi	18.7 grs 8800 psi	19.7 grs 9400 psi
1	Promo	Rem. 209P	TGT 12 & DRRT12	17.0 grs 8300 psi	18.0 grs 8700 psi	19.0 grs 9500 psi	21.0 grs 10700 psi
1	Promo	Rem. 209P	WAA12L & DRXXL	16.5 grs 8100 psi	18.0 grs 9600 psi		
1	Promo	Rem. 209P	WAA12SL & DRXL-1 & Jammer XL-1			19.5 grs 10100 psi	20.5 grs 10400 psi
1	Promo	Rem. 209P	Purple PC		18.5 grs 8300 psi	19.5 grs 8900 psi	20.5 grs 9100 psi
1	Promo	Rem. 209P	Green Duster		17.5 grs 10000 psi	18.5 grs 10900 psi	
1	Promo	Rem. 209P	Rem. R12L				20.5 grs 9900 psi
1	Promo	Rem. 209P	Figure 8 & DRRF8				21.5 grs 9100 psi
1	Promo	CCI 209M	Rem. R12L				20.0 grs 10300 psi
1	Promo	Win. 209	Rem. R12L				20.0 grs 10100 psi

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 1 1/8 Ounce Target Loads

(oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	Clay Dot	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8		17.7 grs 10230 psi	18.8 grs 10870 psi	
1 1/8	Clay Dot	Rem. 209P	Figure 8 & DRRF8		17.5 grs 10270 psi		
1 1/8	Clay Dot	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8		16.6 grs 9770 psi		
1 1/8	Clay Dot	Fed. 209A	Figure 8 & DRRF8		16.9 grs 9570 psi		
1 1/8	Clay Dot	Win. 209	WAA12 & DRA12 & DRXL 1 1/8		17.3 grs 9520 psi		
1 1/8	Clay Dot	Win. 209	Figure 8 & DRRF8		17.5 grs 9260 psi		
1 1/8	Clay Dot	CCI 209M	Figure 8 & DRRF8		17.5 grs 10850 psi		
1 1/8	Clay Dot	CCI 209	Figure 8 & DRRF8		17.5 grs 9020 psi		
1 1/8	e3	Rem. 209P	RXP 12	15.0 grs 8655 psi	16.3 grs 9465 psi	17.9 grs 10660 psi	

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 1 1/8 Ounce Target Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	e3	Rem. 209P	Figure 8 & DRRF8	15.0 grs 8760 psi	16.5 grs 9930 psi	17.5 grs 10775 psi	
1 1/8	e3	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	15.0 grs 9175 psi	16.0 grs 10170 psi	17.2 grs 10960 psi	
1 1/8	Clay Dot	CCI 209	Figure 8 & DRRF8		17.5 grs 9020 psi		
1 1/8	e3	Rem. 209P	RXP 12	15.0 grs 8655 psi	16.3 grs 9465 psi	17.9 grs 10660 psi	
1 1/8	e3	Rem. 209P	Figure 8 & DRRF8	15.0 grs 8760 psi	16.5 grs 9930 psi	17.5 grs 10775 psi	
1 1/8	e3	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	15.0 grs 9175 psi	16.0 grs 10170 psi	17.2 grs 10960 psi	
1 1/8	e3	Rem. 209P	CB 0118	15.4 grs 8075 psi	16.2 grs 8640 psi	17.7 grs 10575 psi	
1 1/8	e3	Rem. 209P	CB 4118	15.5 grs 7950 psi	16.5 grs 9390 psi	18.0 grs 10710 psi	
1 1/8	Red Dot	Rem. 209P	Versalite		17.5 grs 9000 psi		
1 1/8	Red Dot	Rem. 209P	CB 3118-12	16.2 grs 8600 psi	17.0 grs 8800 psi	18.5 grs 9800 psi	
1 1/8	Red Dot	Rem. 209P	Blue Duster	16.0 grs 9700 psi	17.0 grs 9800 psi	18.5 grs 10300 psi	
1 1/8	Red Dot	Rem. 209P	Red PC	16.5 grs 8700 psi	17.5 grs 9000 psi	19.5 grs 10100 psi	
1 1/8	Red Dot	Rem. 209P	Figure 8 & DRRF8	16.5 grs 8300 psi	18.0 grs 9200 psi	19.0 grs 10100 psi	
1 1/8	Red Dot	Rem. 209P	RXP 12	16.0 grs 8700 psi	17.5 grs 8900 psi	19.0 grs 10000 psi	
1 1/8	Red Dot	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	16.0 grs 9400 psi	17.0 grs 10100 psi	18.3 grs 10300 psi	
1 1/8	Red Dot	Rem. 209P	WT-12		18.5 grs 8800 psi	19.5 grs 10700 psi	
1 1/8	Red Dot	Rem. 209P	Windjammer	16.5 grs 7900 psi	17.5 grs 8900 psi	18.5 grs 9400 psi	
1 1/8	Red Dot	CCI 209M	Versalite		17.0 grs 9100 psi	19.0 grs 10400 psi	
1 1/8	Red Dot	CCI 209M	Red PC	16.5 grs 9200 psi	17.5 grs 9400 psi	19.0 grs 10400 psi	
1 1/8	Red Dot	CCI 209M	Figure 8 & DRRF8	16.5 grs 9100 psi	17.5 grs 9300 psi	18.5 grs 10400 psi	
1 1/8	Red Dot	CCI 209M	RXP 12	16.0 grs 9300 psi	17.0 grs 9600 psi	18.5 grs 10500 psi	
1 1/8	Red Dot	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8	16.0 grs 9800 psi	16.5 grs 10200 psi		
1 1/8	Red Dot	CCI 209M	Windjammer	16.5 grs 8300 psi	17.0 grs 9000 psi	18.5 grs 9700 psi	
1 1/8	Red Dot	Fio. 616	Figure 8 & DRRF8	16.5 grs 9000 psi	17.5 grs 8900 psi	19.5 grs 10600 psi	
1 1/8	Red Dot	Win. 209	Figure 8 & DRRF8	16.5 grs 8900 psi	18.0 grs 9500 psi	19.0 grs 10400 psi	
1 1/8	Red Dot	CCI 209	Figure 8 & DRRF8		17.5 grs 8600 psi	19.5 grs 9900 psi	
1 1/8	Red Dot	Fed. 209A	Red PC		17.0 grs 10700 psi		
1 1/8	Red Dot	Fed. 209A	Figure 8 & DRRF8		16.5 grs 10300 psi	17.0 grs 10400 psi	
1 1/8	Red Dot	Fed. 209A	RXP 12		16.0 grs 10600 psi	17.0 grs 10100 psi	
1 1/8	Red Dot	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8		17.5 grs 10500 psi		
1 1/8	Green Dot	Rem. 209P	CB 3118-12	17.5 grs 7800 psi	19.0 grs 8700 psi	20.3 grs 9700 psi	21.0 grs 9800 psi
1 1/8	Green Dot	Rem. 209P	Blue Duster	17.5 grs 8200 psi	18.5 grs 9000 psi	20.0 grs 9800 psi	21.5 grs 10300 psi
1 1/8	Green Dot	Rem. 209P	Versalite		19.0 grs 8000 psi	20.0 grs 8700 psi	
1 1/8	Green Dot	Rem. 209P	Red PC		19.0 grs 7600 psi	21.0 grs 8500 psi	
1 1/8	Green Dot	Rem. 209P	Figure 8 & DRRF8	18.5 grs 7300 psi	19.0 grs 8500 psi	21.0 grs 8800 psi	21.5 grs 10700 psi
1 1/8	Green Dot	Rem. 209P	RXP 12	18.0 grs 7700 psi	19.0 grs 8700 psi	20.5 grs 8700 psi	
1 1/8	Green Dot	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	18.0 grs 6700 psi	19.0 grs 8500 psi	21.0 grs 8900 psi	
1 1/8	Green Dot	Rem. 209P	WT-12	18.0 grs 8100 psi	19.5 grs 8300 psi	21.5 grs 8700 psi	22.0 grs 10600 psi
1 1/8	Green Dot	Rem. 209P	Windjammer	18.0 grs 7300 psi	19.5 grs 7800 psi	20.5 grs 8200 psi	
1 1/8	Green Dot	Win. 209	Figure 8 & DRRF8		19.0 grs 8100 psi	20.0 grs 8600 psi	
1 1/8	Green Dot	Win. 209	RXP 12				22.0 grs 9400 psi
1 1/8	Green Dot	CCI 209M	Versalite		19.0 grs 8000 psi	20.0 grs 9200 psi	21.5 grs 10200 psi
1 1/8	Green Dot	CCI 209M	Red PC	18.0 grs 7400 psi	19.0 grs 7700 psi	20.5 grs 9000 psi	22.0 grs 9600 psi
1 1/8	Green Dot	CCI 209M	Figure 8 & DRRF8	18.0 grs 8400 psi	19.0 grs 8800 psi	20.0 grs 9300 psi	
1 1/8	Green Dot	CCI 209M	RXP 12	17.5 grs 8600 psi	19.0 grs 9100 psi	20.5 grs 9200 psi	22.0 grs 9600 psi
1 1/8	Green Dot	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 8700 psi	19.0 grs 9400 psi	21.0 grs 9600 psi	22.5 grs 10700 psi
1 1/8	Green Dot	CCI 209M	Windjammer	18.0 grs 7600 psi	19.5 grs 7900 psi	20.5 grs 8700 psi	22.0 grs 9400 psi

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 1 1/8 Ounce Target Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	Green Dot	CCI 209	Figure 8 & DRRF8		19.5 grs 7100 psi	21.0 grs 9700 psi	
1 1/8	Green Dot	Fed. 209A	Red PC		19.5 grs 10000 psi		
1 1/8	Green Dot	Fed. 209A	Figure 8 & DRRF8		19.5 grs 10100 psi	20.5 grs 10300 psi	
1 1/8	Green Dot	Fed. 209A	RXP 12		19.5 grs 10500 psi	21.0 grs 10400 psi	
1 1/8	Green Dot	Fed. 209A	Windjammer		20.0 grs 9600 psi		
1 1/8	Green Dot	Fio. 616	Figure 8 & DRRF8		19.0 grs 7800 psi	20.0 grs 8700 psi	
1 1/8	Green Dot	Fio. 616	RXP 12				22.0 grs 9100 psi
1 1/8	Promo	Rem. 209P	Versalite		17.5 grs 9000 psi		
1 1/8	Promo	Rem. 209P	CB 3118-12	16.2 grs 8600 psi	17.0 grs 8800 psi	18.5 grs 9800 psi	
1 1/8	Promo	Rem. 209P	Blue Duster	16.0 grs 9700 psi	17.0 grs 9800 psi	18.5 grs 10300 psi	
1 1/8	Promo	Rem. 209P	Red PC	16.5 grs 8700 psi	17.5 grs 9000 psi	19.5 grs 10100 psi	
1 1/8	Promo	Rem. 209P	Figure 8 & DRRF8	16.5 grs 8300 psi	18.0 grs 9200 psi	19.0 grs 10100 psi	
1 1/8	Promo	Rem. 209P	RXP 12	16.0 grs 8700 psi	17.5 grs 8900 psi	19.0 grs 10000 psi	
1 1/8	Promo	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	16.0 grs 9400 psi	17.0 grs 10100 psi	18.3 grs 10300 psi	
1 1/8	Promo	Rem. 209P	WT-12	15.5 grs 9000 psi	18.5 grs 8800 psi	19.5 grs 10700 psi	
1 1/8	Promo	Rem. 209P	Windjammer	16.5 grs 7900 psi	17.5 grs 8900 psi	18.5 grs 9400 psi	
1 1/8	Promo	CCI 209M	Versalite		17.0 grs 9100 psi	19.0 grs 10400 psi	
1 1/8	Promo	CCI 209M	Red PC	16.5 grs 9200 psi	17.5 grs 9400 psi	19.0 grs 10400 psi	
1 1/8	Promo	CCI 209M	Figure 8 & DRRF8	16.5 grs 9100 psi	17.5 grs 9300 psi	18.5 grs 10400 psi	
1 1/8	Promo	CCI 209M	RXP 12	16.0 grs 9300 psi	17.0 grs 9600 psi	18.5 grs 10500 psi	
1 1/8	Promo	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8	16.0 grs 9800 psi	16.5 grs 10200 psi		
1 1/8	Promo	CCI 209M	Windjammer	16.5 grs 8300 psi	17.0 grs 9000 psi	18.5 grs 9700 psi	
1 1/8	Promo	Fio. 616	Figure 8 & DRRF8	16.5 grs 9000 psi	17.5 grs 8900 psi	19.5 grs 10600 psi	
1 1/8	Promo	Win. 209	Figure 8 & DRRF8	16.5 grs 8900 psi	18.0 grs 9500 psi	19.0 grs 10400 psi	
1 1/8	Promo	CCI 209	Figure 8 & DRRF8		17.5 grs 8600 psi	19.5 grs 9900 psi	
1 1/8	Promo	Fed. 209A	Red PC		17.0 grs 10700 psi		
1 1/8	Promo	Fed. 209A	Figure 8 & DRRF8		16.5 grs 10300 psi	17.0 grs 10400 psi	
1 1/8	Promo	Fed. 209A	RXP 12		16.0 grs 10600 psi	17.0 grs 10100 psi	
1 1/8	Promo	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8		17.5 grs 10500 psi		
1 1/8	Amer. Select	Rem. 209P	CB 3118-12	17.5 grs 6900 psi	19.0 grs 8400 psi	20.0 grs 9500 psi	21.5 grs 10600 psi
1 1/8	Amer. Select	Rem. 209P	Blue Duster	17.0 grs 8000 psi	18.0 grs 8900 psi	20.0 grs 10200 psi	
1 1/8	Amer. Select	Rem. 209P	Red PC	17.5 grs 7000 psi	19.0 grs 8200 psi	20.5 grs 9700 psi	
1 1/8	Amer. Select	Rem. 209P	Figure 8 & DRRF8	17.5 grs 7100 psi	19.0 grs 7600 psi	20.5 grs 9100 psi	21.5 grs 9900 psi
1 1/8	Amer. Select	Rem. 209P	RXP 12	17.0 grs 7500 psi	18.5 grs 8300 psi	20.5 grs 10200 psi	21.0 grs 10500 psi
1 1/8	Amer. Select	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 8100 psi	18.0 grs 9000 psi	19.2 grs 11000 psi	
1 1/8	Amer. Select	Rem. 209P	WT-12	17.0 grs 7300 psi	18.5 grs 8900 psi	20.0 grs 10600 psi	
1 1/8	Amer. Select	Rem. 209P	Windjammer	18.0 grs 6900 psi	19.0 grs 7900 psi	20.5 grs 9100 psi	
1 1/8	Amer. Select	Win. 209	Figure 8 & DRRF8		18.5 grs 9000 psi	20.0 grs 10200 psi	
1 1/8	Amer. Select	Fed. 209A	Figure 8 & DRRF8		18.5 grs 9200 psi	20.0 grs 10700 psi	
1 1/8	20/28	CCI 209M	Figure 8			22.0 grs 7010 psi	23.0 grs 7400 psi
1 1/8	20/28	CCI 209M	CB 3118-12			20.5 grs 8260 psi	21.4 grs 8930 psi
1 1/8	20/28	CCI 209M	Win. AA-12			21.3 grs 7730 psi	22.0 grs 7960 psi
1 1/8	20/28	Rem. 209P	CB 3118-12			20.8 grs 7660 psi	21.7 grs 8720 psi
1 1/8	20/28	Rem. 209P	Figure 8			21.7 grs 6410 psi	22.5 grs 7340 psi
1 1/8	20/28	Fio. 616	Figure 8			22.1 grs 6380 psi	23.0 grs 7170 psi
1 1/8	20/28	Win. 209	Figure 8			22.0 grs 6710 psi	23.0 grs 7370 psi
1 1/8	20/28	Win. 209	CB 3118-12			20.6 grs 8050 psi	21.6 grs 8920 psi
1 1/8	Unique	CCI 209M	Figure 8 & DRRF8			22.5 grs 9500 psi	
1 1/8	Unique	CCI 209	Figure 8 & DRRF8			22.5 grs 8500 psi	

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 1 1/8 Ounce Target Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	Unique	CCI 209M	Versalite			22.0 grs 8800 psi	23.5 grs 9900 psi
1 1/8	Unique	CCI 209M	Red PC			22.5 grs 8700 psi	24.0 grs 9400 psi
1 1/8	Unique	CCI 209M	RXP 12			22.5 grs 9500 psi	24.0 grs 10400 psi
1 1/8	Unique	CCI 209M	Figure 8 & DRRF8			22.5 grs 9500 psi	
1 1/8	Unique	CCI 209	Figure 8 & DRRF8			22.5 grs 8500 psi	
1 1/8	Unique	CCI 209M	Versalite			22.0 grs 8800 psi	23.5 grs 9900 psi
1 1/8	Unique	CCI 209M	Red PC			22.5 grs 8700 psi	24.0 grs 9400 psi
1 1/8	Unique	CCI 209M	RXP 12			22.5 grs 9500 psi	24.0 grs 10400 psi
1 1/8	Unique	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8			22.0 grs 9300 psi	24.0 grs 10300 psi
1 1/8	Unique	CCI 209M	Windjammer			23.5 grs 8200 psi	25.0 grs 9300 psi
1 1/8	Unique	Fed. 209A	Figure 8 & DRRF8			23.0 grs 9200 psi	
1 1/8	Unique	Fed. 209A	RXP 12			22.0 grs 9100 psi	
1 1/8	Unique	Fio. 616	Figure 8 & DRRF8			23.0 grs 8500 psi	23.5 grs 9100 psi
1 1/8	Unique	Rem. 209P	CB 3118-12			22.2 grs 7300 psi	
1 1/8	Unique	Rem. 209P	Blue Duster			22.7 grs 7800 psi	
1 1/8	Unique	Rem. 209P	Versalite			22.0 grs 7900 psi	
1 1/8	Unique	Rem. 209P	Red PC			22.5 grs 7800 psi	
1 1/8	Unique	Rem. 209P	Figure 8 & DRRF8			22.5 grs 8200 psi	
1 1/8	Unique	Rem. 209P	RXP 12			22.5 grs 8300 psi	
1 1/8	Unique	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8			22.0 grs 8900 psi	
1 1/8	Unique	Rem. 209P	WT-12			23.5 grs 8300 psi	
1 1/8	Unique	Rem. 209P	Windjammer			23.5 grs 7000 psi	
1 1/8	Unique	Win. 209	Figure 8 & DRRF8			22.5 grs 8400 psi	
1 1/8	Unique	Win. 209	RXP 12				24.5 grs 8800 psi
1 1/8	Herco	CCI 209M	Versalite				24.5 grs 9900 psi
1 1/8	Herco	CCI 209M	Red PC				25.0 grs 9500 psi
1 1/8	Herco	CCI 209M	RXP 12				24.5 grs 9800 psi
1 1/8	Herco	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8				24.5 grs 10400 psi
1 1/8	Herco	CCI 209M	Windjammer				25.0 grs 9400 psi
1 1/8	Herco	Fio. 616	RXP 12			23.0 grs 8500 psi	

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 1 1/4 Ounce Loads

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1250 fps	1350 fps	1375 fps	1400 fps
1 1/4	20/28	Rem. 209P	SP 12	23.0 grs 8840 psi			
1 1/4	20/28	Win. 209	SP 12	23.0 grs 8950 psi			
1 1/4	20/28	CCI 209M	SP 12	23.5 grs 9510 psi			
1 1/4	20/28	Rem. 209P	WAA12F114	22.5 grs 10390 psi			
1 1/4	Pro Reach	Win. 209	CB 1138-12				30.0 grs 10710 psi
1 1/4	Pro Reach	CCI 209M	Rem. 12L			28.7 grs 10820 psi	
1 1/4	Pro Reach	CCI 209M	WAAF 114		27.0 grs 11000 psi		
1 1/4	Pro Reach	Fed. 209A	Rem. 12L			28.1 grs 10860 psi	
1 1/4	Pro Reach	Fed. 209A	WAA12R		27.3 grs 10630 psi		
1 1/4	Pro Reach	Rem. 209P	Fed. 12S4		27.4 grs 11060 psi		
1 1/4	Pro Reach	Rem. 209P	Rem. 12L				29.5 grs 10940 psi
1 1/4	Pro Reach	Rem. 209P	WAA12R			28.2 grs 10690 psi	
1 1/4	Pro Reach	Cheddite	CB 1138-12		27.6 grs 10230 psi		28.5 grs 10890 psi
1 1/4	Pro Reach	Rem. 209P	WAA12F114			29.0 grs 10590 psi	
1 1/4	Pro Reach	Rem. 209P	WAA12R			28.2 grs 10500 psi	
1 1/4	Unique	CCI 209M	SP 12	23.5 grs 10300 psi			
1 1/4	Unique	Fio. 616	SP 12	23.0 grs 9600 psi			

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 1 1/4 Ounce Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1250 fps	1350 fps	1375 fps	1400 fps
1 1/4	Unique	Rem. 209P	Versalite	23.5 grs 9400 psi			
1 1/4	Unique	Rem. 209P	SP 12	23.5 grs 9300 psi			
1 1/4	Unique	Rem. 209P	WAA12F114	24.0 grs 10100 psi			
1 1/4	Unique	Win. 209	SP 12	23.5 grs 10000 psi			
1 1/4	Herco	CCI 209M	SP 12	24.5 grs 10000 psi			
1 1/4	Herco	Fio. 616	SP 12	24.5 grs 9300 psi			
1 1/4	Herco	Rem. 209P	Versalite	25.0 grs 8400 psi			
1 1/4	Herco	Rem. 209P	SP 12	25.0 grs 9600 psi			
1 1/4	Herco	Rem. 209P	WAA12F114	24.5 grs 9300 psi			
1 1/4	Herco	Win. 209	SP 12	24.5 grs 9600 psi			
1 1/4	Blue Dot	Win. 209	SP 12	34.5 grs 9800 psi			

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 1 3/8 Ounce Loads

(oz)				1090 fps	1145 fps	1200 fps	1250 fps
				1 3/8	Blue Dot	CCI 209M	SP 12
1 3/8	Blue Dot	Fio. 616	SP 12				34.0 grs 9100 psi
1 3/8	Blue Dot	Rem. 209P	CB1138-12				34.0 grs 9900 psi
1 3/8	Blue Dot	Rem. 209P	SP 12				35.0 grs 9300 psi
1 3/8	Blue Dot	Win. 209	SP 12				35.0 grs 9100 psi
1 3/8	Pro Reach	Rem. 209P	CB 3118-12				26.5 grs 10740 psi
1 3/8	Pro Reach	Win. 209	SP-12			26.7 grs 10710 psi	
1 3/8	Pro Reach	Fed. 209A	SP-12		25.0 grs 10780 psi		
1 3/8	Pro Reach	Rem. 209P	SP-12		26.2 grs 10630 psi		
1 3/8	Pro Reach	CCI 209M	SP-12			26.4 grs 10840 psi	
1 3/8	Pro Reach	CCI 209M	12S4	23.5 grs 10760 psi			
1 3/8	Pro Reach	Fed. 209A	12S4	22.5 grs 10760 psi			

12-GAUGE 2 3/4 INCH WINCHESTER AA PLASTIC SHELLS

12-Gauge 7/8 and 1 Ounce Target Loads

(oz)				1145 fps	1200 fps	1250 fps	1300 fps
				7/8	e3	Win. 209	TGT 12 & DRRT12
7/8	e3	Win. 209	CB 4100-12B		16.0 grs 6870 psi	17.0 grs 7475 psi	
7/8	e3	Win. 209	WAA12L & DRXXL (Pink)		16.0 grs 7425 psi	17.0 grs 8210 psi	18.0 grs 8385 psi
7/8	Red Dot	Win. 209	CB 4100-12		17.5 grs 6900 psi	18.0 grs 7600 psi	18.5 grs 7900 psi
7/8	Red Dot	Win. 209	Purple PC		17.0 grs 7500 psi	18.0 grs 8400 psi	19.5 grs 9000 psi
7/8	Red Dot	Win. 209	TGT 12 & DRRT12		16.5 grs 7300 psi	18.0 grs 8400 psi	19.0 grs 9300 psi
7/8	Red Dot	Win. 209	WAA12L & DRXXL (Pink)		16.5 grs 7900 psi	17.5 grs 8600 psi	18.5 grs 9300 psi
7/8	Red Dot	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1		16.5 grs 7300 psi	18.0 grs 9300 psi	19.0 grs 10300 psi
7/8	Amer. Select	Win. 209	CB 4100-12B		18.5 grs 5600 psi	19.5 grs 6100 psi	20.5 grs 6900 psi
7/8	Amer. Select	Win. 209	WAA12L & DRXXL (Pink)		17.6 grs 6200 psi	18.5 grs 7200 psi	19.5 grs 8000 psi
7/8	Amer. Select	Win. 209	CB 1100-12				21.0 grs 7200 psi
7/8	Amer. Select	Win. 209	Purple PC				20.5 grs 7200 psi
7/8	Amer. Select	Win. 209	TGT 12 & DRRT12				20.5 grs 7600 psi
7/8	Amer. Select	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1				20.5 grs 8400 psi
7/8	Promo	Win. 209	CB 4100-12		17.5 grs 6900 psi	18.0 grs 7600 psi	18.5 grs 7900 psi
7/8	Promo	Win. 209	Purple PC		17.0 grs 7500 psi	18.0 grs 8400 psi	19.5 grs 9000 psi
7/8	Promo	Win. 209	TGT 12 & DRRT12		16.5 grs 7300 psi	18.0 grs 8400 psi	19.0 grs 9300 psi
7/8	Promo	Win. 209	WAA12L & DRXXL (Pink)		16.5 grs 7900 psi	17.5 grs 8600 psi	18.5 grs 9300 psi

12-GAUGE 2 3/4 INCH WINCHESTER AA PLASTIC SHELLS

12-Gauge 7/8 and 1 Ounce Target Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1145 fps	1200 fps	1250 fps	1300 fps
7/8	Promo	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1		16.5 grs 7300 psi	18.0 grs 9300 psi	19.0 grs 10300 psi
7/8	Promo	Win. 209	Purple PC		17.0 grs 7500 psi	18.0 grs 8400 psi	19.5 grs 9000 psi
7/8	Promo	Win. 209	TGT 12 & DRRT12		16.5 grs 7300 psi	18.0 grs 8400 psi	19.0 grs 9300 psi
7/8	Promo	Win. 209	WAA12L & DRXXL (Pink)		16.5 grs 7900 psi	17.5 grs 8600 psi	18.5 grs 9300 psi
7/8	Promo	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1		16.5 grs 7300 psi	18.0 grs 9300 psi	19.0 grs 10300 psi
7/8	Green Dot	Win. 209	Purple PC				21.5 grs 7900 psi
7/8	Green Dot	Win. 209	TGT 12 & DRRT12				21.0 grs 8400 psi
7/8	Green Dot	Win. 209	WAA12L & DRXXL (Pink)				20.0 grs 8300 psi
7/8	Green Dot	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1				20.5 grs 8800 psi
1	Clay Dot	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1		17.2 grs 9460 psi	18.5 grs 10960 psi	
1	Clay Dot	Rem. 209P	WAA12SL & DRXL-1 & Jammer XL-2		17.4 grs 9280 psi	18.6 grs 10840 psi	
1	e3	Win. 209	WAA12L & DRXXL (Pink)	15.0 grs 8635 psi	16.5 grs 9410 psi	17.5 grs 9740 psi	18.5 grs 10870 psi
1	e3	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1	15.5 grs 8085 psi	16.5 grs 9240 psi	18.0 grs 10045 psi	18.5 grs 10080 psi
1	e3	Win. 209	TGT 12 & DRRT12	15.5 grs 8530 psi	16.5 grs 9305 psi	17.5 grs 10070 psi	18.5 grs 11015 psi
1	e3	Win. 209	CB 1100-12	16.0 grs 8285 psi	17.0 grs 8805 psi	18.0 grs 9245 psi	19.0 grs 10135 psi
1	e3	Win. 209	Green Duster	16.0 grs 8730 psi	17.0 grs 9525 psi	18.0 grs 10580 psi	
1	Red Dot	Win. 209	CB 1100-12	17.0 grs 7900 psi	18.0 grs 8600 psi	19.0 grs 8900 psi	19.5 grs 9300 psi
1	Red Dot	Win. 209	WAA12L & DRXXL (Pink)	16.5 grs 8000 psi			
1	Red Dot	Win. 209	WAA12SL & DRXL-1 & Jammer XL-2	16.5 grs 7900 psi	18.0 grs 10200 psi	19.0 grs 10500 psi	19.5 grs 11200 psi
1	Red Dot	Win. 209	Purple PC		18.0 grs 8900 psi	19.0 grs 9700 psi	20.0 grs 10400 psi
1	Red Dot	Win. 209	TGT 12 & DRRT12		18.0 grs 9200 psi	19.5 grs 9800 psi	
1	Red Dot	Win. 209	WT 12 (Orange)		17.5 grs 10600 psi		
1	Red Dot	Win. 209	RXP 12				20.0 grs 10100 psi
1	Red Dot	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8				18.5 grs 10400 psi
1	Red Dot	Win. 209	WAA12 & DRA12 & DRXL 1 1/8				19.0 grs 10500 psi
1	Amer. Select	Win. 209	CB 1100-12	18.0 grs 6700 psi	18.5 grs 6900 psi	20.5 grs 8800 psi	21.5 grs 9200 psi
1	Amer. Select	Win. 209	Green Duster		19.0 grs 8100 psi	20.0 grs 8900 psi	21.5 grs 9700 psi
1	Amer. Select	Win. 209	TGT 12 & DRRT12		19.0 grs 8000 psi	20.0 grs 9100 psi	21.0 grs 9500 psi
1	Amer. Select	Win. 209	WT 12 (Orange)		19.0 grs 8400 psi		
1	Amer. Select	Win. 209	WAA12L & DRXXL (Pink)	18.0 grs 6700 psi			
1	Amer. Select	Win. 209	WAA12SL & DRXL-1 & Jammer XL-2	17.5 grs 7600 psi	19.0 grs 8200 psi	20.0 grs 9500 psi	21.5 grs 10300 psi
1	Green Dot	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8				21.5 grs 9900 psi
1	Green Dot	Win. 209	CB 1100-12	18.5 grs 7100 psi	19.8 grs 7700 psi	21.0 grs 8200 psi	22.0 grs 9100 psi
1	Green Dot	Win. 209	Green Duster		19.5 grs 8300 psi	20.5 grs 9200 psi	22.0 grs 9500 psi
1	Green Dot	Win. 209	Purple PC		19.5 grs 7000 psi	21.5 grs 8700 psi	22.0 grs 9000 psi
1	Green Dot	Win. 209	TGT 12 & DRRT12		19.5 grs 7900 psi	21.0 grs 8800 psi	22.0 grs 9700 psi
1	Green Dot	Win. 209	RXP 12				21.0 grs 8800 psi
1	Green Dot	Win. 209	WT 12-(Orange)		19.5 grs 8100 psi		
1	Green Dot	Win. 209	WAA12 & DRA12 & DRXL 1 1/8				20.0 grs 8700 psi

12-GAUGE 2 3/4 INCH WINCHESTER AA PLASTIC SHELLS

12-Gauge 7/8 and 1 Ounce Target Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1145 fps	1200 fps	1250 fps	1300 fps
1	Green Dot	Win. 209	WAA12L & DRXXL (Pink)	18.5 grs 7600 psi	19.5 grs 8500 psi		
1	Green Dot	Win. 209	WAA12SL & DRXL-1 & Jammer XL-2	18.0 grs 8000 psi		21.0 grs 9200 psi	21.5 grs 9500 psi

12-GAUGE 2 3/4 INCH WINCHESTER AA PLASTIC SHELLS

12-Gauge 1 1/8 Ounce Loads

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	Clay Dot	Win. 209	Figure 8 & DRRF8		17.0 grs 8570 psi		
1 1/8	Clay Dot	Rem. 209P	Figure 8 & DRRF8		17.3 grs 8300 psi		
1 1/8	Clay Dot	Win. 209	WAA12 & DRA12 & DRXL 1 1/8		17.3 grs 8740 psi		
1 1/8	Clay Dot	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8		17.0 grs 8520 psi		
1 1/8	e3	Win. 209	Figure 8 & DRRF8	15.0 grs 8555 psi	16.0 grs 9325 psi	17.5 grs 10920 psi	
1 1/8	e3	Win. 209	CB 4118	15.0 grs 9645 psi	16.5 grs 9835 psi	17.5 grs 10855 psi	
1 1/8	e3	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1	15.0 grs 8645 psi	16.0 grs 9625 psi		
1 1/8	e3	Win. 209	RXP 12	15.0 grs 8700 psi	16.5 grs 9835 psi		
1 1/8	e3	Win. 209	CB 0118	15.0 grs 8905 psi	16.0 grs 9060 psi	17.0 grs 9970 psi	
1 1/8	e3	Win. 209	WAA12 & DRA12 & DRXL 1 1/8	15.0 grs 9090 psi	16.0 grs 9900 psi	17.0 grs 10450 psi	
1 1/8	e3	Win. 209	Blue Duster	15.0 grs 9015 psi	16.0 grs 10265 psi	17.0 grs 10505 psi	
1 1/8	Red Dot	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 9800 psi	17.5 grs 10400 psi	18.5 grs 10500 psi	
1 1/8	Red Dot	Fio. 616	WAA12 & DRA12 & DRXL 1 1/8	16.0 grs 8900 psi	17.0 grs 10200 psi	18.0 grs 10500 psi	
1 1/8	Red Dot	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 8100 psi	17.5 grs 8700 psi	19.0 grs 9500 psi	
1 1/8	Red Dot	Win. 209	CB 1100-12	16.0 grs 8000 psi			
1 1/8	Red Dot	Win. 209	CB 3118-12		16.8 grs 9100 psi	18.5 grs 10500 psi	
1 1/8	Red Dot	Win. 209	Blue Duster	15.5 grs 10300 psi	16.5 grs 10600 psi	19.0 grs 10800 psi	
1 1/8	Red Dot	Win. 209	Versalite	16.5 grs 9000 psi	18.0 grs 9500 psi	19.0 grs 9700 psi	
1 1/8	Red Dot	Win. 209	Red PC	16.0 grs 9100 psi	17.5 grs 9500 psi	18.5 grs 10300 psi	
1 1/8	Red Dot	Win. 209	Figure 8 & DRRF8	16.0 grs 8300 psi	17.5 grs 9900 psi	18.5 grs 10700 psi	
1 1/8	Red Dot	Win. 209	RXP 12	16.5 grs 8400 psi	17.0 grs 9000 psi	18.5 grs 9800 psi	
1 1/8	Red Dot	Win. 209	WAA12 & DRA12 & DRXL 1 1/8	16.0 grs 9500 psi	17.0 grs 10000 psi	18.0 grs 10400 psi	
1 1/8	Red Dot	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1	16.0 grs 9300 psi			
1 1/8	Red Dot	Win. 209	WT 12 (Orange)		16.5 grs 10700 psi	17.0 grs 10700 psi	
1 1/8	Red Dot	Win. 209	Windjammer		17.5 grs 9300 psi		
1 1/8	Red Dot	Fed. 209A	CB 3118-12		17.0 grs 9600 psi	18.5 grs 10500 psi	
1 1/8	Red Dot	Fed. 209A	Versalite		17.0 grs 10300 psi	18.0 grs 10700 psi	
1 1/8	Red Dot	Fed. 209A	Red PC		17.0 grs 10100 psi	18.0 grs 10000 psi	
1 1/8	Red Dot	Fed. 209A	Figure 8 & DRRF8		17.0 grs 9800 psi	18.5 grs 10200 psi	
1 1/8	Red Dot	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8		17.0 grs 10600 psi		
1 1/8	Red Dot	Fed. 209A	Windjammer		17.0 grs 9000 psi	18.0 grs 10000 psi	
1 1/8	Amer. Select	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 8700 psi	18.5 grs 9800 psi	19.5 grs 10800 psi	
1 1/8	Amer. Select	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 8000 psi	19.0 grs 8700 psi	21.0 grs 9600 psi	
1 1/8	Amer. Select	Rem. 209P	Figure 8 & DRRF8				22.5 grs 9400 psi
1 1/8	Amer. Select	Win. 209	CB 1100-12	17.0 grs 7600 psi			
1 1/8	Amer. Select	Win. 209	CB 3118-12		18.5 grs 9000 psi	19.5 grs 10200 psi	20.5 grs 10700 psi
1 1/8	Amer. Select	Win. 209	Blue Duster	17.0 grs 8300 psi	18.0 grs 9000 psi	19.5 grs 10000 psi	

continued

12-GAUGE 2 3/4 INCH WINCHESTER AA PLASTIC SHELLS

12-Gauge 1 1/8 Ounce Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	Amer. Select	Win. 209	Red PC	17.0 grs 7300 psi	18.5 grs 8600 psi	20.0 grs 10100 psi	21.5 grs 10800 psi
1 1/8	Amer. Select	Win. 209	Figure 8 & DRRF8	17.5 grs 8100 psi	19.0 grs 9400 psi	20.0 grs 9800 psi	
1 1/8	Amer. Select	Win. 209	RXP 12	17.0 grs 9100 psi	19.0 grs 9400 psi	20.5 grs 10700 psi	21.0 grs 10800 psi
1 1/8	Amer. Select	Win. 209	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 9000 psi	18.0 grs 9400 psi	19.5 grs 10300 psi	
1 1/8	Amer. Select	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1	16.8 grs 8400 psi			
1 1/8	Amer. Select	Win. 209	WT 12 (Orange)		18.5 grs 9600 psi	19.5 grs 10700 psi	
1 1/8	Amer. Select	Win. 209	Windjammer		18.5 grs 8100 psi	20.5 grs 9200 psi	
1 1/8	Promo	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 9800 psi	17.5 grs 10400 psi	18.5 grs 10500 psi	
1 1/8	Promo	Fio. 616	WAA12 & DRA12 & DRXL 1 1/8	16.0 grs 8900 psi	17.0 grs 10200 psi	18.0 grs 10500 psi	
1 1/8	Promo	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 8100 psi	17.5 grs 8700 psi	19.0 grs 9500 psi	
1 1/8	Promo	Win. 209	CB 1100-12	16.0 grs 8000 psi			
1 1/8	Promo	Win. 209	CB 3118-12		16.8 grs 9100 psi	18.5 grs 10500 psi	
1 1/8	Promo	Win. 209	Blue Duster	15.5 grs 10300 psi	16.5 grs 10600 psi	19.0 grs 10800 psi	
1 1/8	Promo	Win. 209	Versalite	16.5 grs 9000 psi	18.0 grs 9500 psi	19.0 grs 9700 psi	
1 1/8	Promo	Win. 209	Red PC	16.0 grs 9100 psi	17.5 grs 9500 psi	18.5 grs 10300 psi	
1 1/8	Promo	Win. 209	Figure 8 & DRRF8	16.0 grs 8300 psi	17.5 grs 9900 psi	18.5 grs 10700 psi	
1 1/8	Promo	Win. 209	RXP 12	16.5 grs 9000 psi	17.0 grs 8400 psi	18.5 grs 9800 psi	
1 1/8	Promo	Win. 209	WAA12 & DRA12 & DRXL 1 1/8	16.0 grs 9500 psi	17.0 grs 10000 psi	18.0 grs 10400 psi	
1 1/8	Promo	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1	16.0 grs 9300 psi			
1 1/8	Promo	Win. 209	WT 12 (Orange)		16.5 grs 10700 psi	17.0 grs 10700 psi	
1 1/8	Promo	Win. 209	Windjammer		17.5 grs 9300 psi		
1 1/8	Promo	Fed. 209A	CB 3118-12		17.0 grs 9600 psi	18.5 grs 10500 psi	
1 1/8	Promo	Fed. 209A	Versalite		17.0 grs 10300 psi	18.0 grs 10700 psi	
1 1/8	Promo	Fed. 209A	Red PC		17.0 grs 10100 psi	18.0 grs 10000 psi	
1 1/8	Promo	Fed. 209A	Figure 8 & DRRF8		17.0 grs 9800 psi	18.5 grs 10200 psi	
1 1/8	Promo	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8		17.0 grs 10600 psi		
1 1/8	Promo	Fed. 209A	Windjammer		17.0 grs 9000 psi	18.0 grs 10000 psi	
1 1/8	Green Dot	Win. 209	CB 1100-12	17.5 grs 7800 psi			
1 1/8	Green Dot	Win. 209	CB 3118-12		19.1 grs 9300 psi	20.0 grs 9800 psi	
1 1/8	Green Dot	Win. 209	Blue Duster	17.5 grs 8300 psi	19.0 grs 9300 psi	20.0 grs 9400 psi	
1 1/8	Green Dot	Win. 209	Versalite	17.5 grs 7800 psi	19.5 grs 8000 psi	21.0 grs 9000 psi	22.0 grs 9900 psi
1 1/8	Green Dot	Win. 209	Red PC	18.0 grs 7300 psi	19.0 grs 8300 psi	20.5 grs 9800 psi	22.0 grs 10300 psi
1 1/8	Green Dot	Win. 209	Figure 8 & DRRF8	18.0 grs 7400 psi	19.0 grs 8600 psi	20.5 grs 9500 psi	22.0 grs 10300 psi
1 1/8	Green Dot	Win. 209	RXP 12	17.5 grs 7600 psi	18.0 grs 8100 psi	19.5 grs 8900 psi	21.0 grs 9500 psi
1 1/8	Green Dot	Win. 209	WAA12 & DRA12 & DRXL 1 1/8	17.5 grs 8100 psi	18.0 grs 8500 psi	19.5 grs 9300 psi	21.5 grs 10500 psi
1 1/8	Green Dot	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1	18.0 grs 8000 psi			
1 1/8	Green Dot	Win. 209	WT 12 (Orange)	16.5 grs 9000 psi	18.0 grs 9400 psi	20.0 grs 9200 psi	21.5 grs 9800 psi
1 1/8	Green Dot	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8		18.5 grs 10100 psi	20.0 grs 10400 psi	
1 1/8	Green Dot	Win. 209	Windjammer		18.0 grs 8400 psi	21.0 grs 9000 psi	
1 1/8	Green Dot	Fed. 209A	CB 3118-12		18.5 grs 8400 psi	19.5 grs 9300 psi	
1 1/8	Green Dot	Fed. 209A	Versalite		18.5 grs 9300 psi	19.5 grs 10400 psi	
1 1/8	Green Dot	Fed. 209A	Red PC		18.5 grs 8700 psi	19.5 grs 10500 psi	
1 1/8	Green Dot	Fed. 209A	Figure 8 & DRRF8		18.5 grs 8600 psi	19.5 grs 9400 psi	

12-GAUGE 2 3/4 INCH WINCHESTER AA PLASTIC SHELLS

12-Gauge 1 1/8 Ounce Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	Green Dot	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8		18.0 grs 9300 psi	19.0 grs 10200 psi	
1 1/8	Green Dot	Fed. 209A	Windjammer		18.5 grs 8200 psi	20.0 grs 9200 psi	
1 1/8	Green Dot	Fio. 616	WAA12 & DRA12 & DRXL 1 1/8		18.5 grs 9400 psi	20.0 grs 9500 psi	23.5 grs 10100 psi
1 1/8	Green Dot	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8			20.0 grs 9800 psi	
1 1/8	20/28	Win. 209	Figure 8			21.7 grs 6750 psi	23.0 grs 7550 psi
1 1/8	20/28	CCI 209M	WAA-12			21.0 grs 7360 psi	22.3 grs 7930 psi
1 1/8	20/28	CCI 209M	CB 3118-12				22.3 grs 7340 psi
1 1/8	20/28	Win. 209	CB 3118-12				22.5 grs 6920 psi
1 1/8	20/28	Rem. 209P	Figure 8			21.5 grs 6700 psi	23.1 grs 7580 psi
1 1/8	20/28	CCI 209M	Figure 8			22.0 grs 6980 psi	23.1 grs 7500 psi
1 1/8	20/28	Fio. 616	Figure 8				23.1 grs 7100 psi
1 1/8	Unique	Fio. 616	WAA12 & DRA12 & DRXL 1 1/8			21.5 grs 9100 psi	
1 1/8	Unique	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8			23.0 grs 7500 psi	24.0 grs 9300 psi
1 1/8	Unique	Win. 209	CB 3118-12			22.5 grs 8800 psi	
1 1/8	Unique	Win. 209	Blue Duster			22.0 grs 8300 psi	
1 1/8	Unique	Win. 209	Versalite			21.0 grs 8200 psi	24.0 grs 9400 psi
1 1/8	Unique	Win. 209	Red PC			23.5 grs 9500 psi	24.5 grs 10000 psi
1 1/8	Unique	Win. 209	Figure 8 & DRRF8			22.5 grs 8300 psi	24.0 grs 9000 psi
1 1/8	Unique	Win. 209	RXP 12			22.0 grs 8700 psi	23.0 grs 9200 psi
1 1/8	Unique	Win. 209	WAA12 & DRA12 & DRXL 1 1/8			21.0 grs 9100 psi	23.5 grs 9400 psi
1 1/8	Unique	Win. 209	WT 12 (Orange)			21.5 grs 9000 psi	22.5 grs 9500 psi
1 1/8	Unique	Win. 209	Windjammer			22.5 grs 8200 psi	
1 1/8	Herco	Win. 209	Versalite				24.5 grs 9200 psi
1 1/8	Herco	Win. 209	Red PC				25.0 grs 9100 psi
1 1/8	Herco	Win. 209	Figure 8 & DRRF8				25.0 grs 9100 psi
1 1/8	Herco	Win. 209	RXP 12				25.0 grs 9200 psi
1 1/8	Herco	Win. 209	WAA12 & DRA12 & DRXL 1 1/8				25.0 grs 9500 psi
1 1/8	Herco	Win. 209	WT 12 (Orange)				23.5 grs 9400 psi

12-GAUGE 2 3/4 INCH WINCHESTER AA PLASTIC SHELLS

12-Gauge 1 1/4 Ounce Loads

(oz)				Velocity / Charge Weight / Pressure			
				1350 fps	1375 fps	1400 fps	1425 fps
1 1/4	Pro Reach	CCI 209M	CB 1138-12				30.0 grs 10800 psi
1 1/4	Pro Reach	Fed. 209A	CB 1138-12	27.5 grs 9650 psi			29.5 grs 11080 psi
1 1/4	Pro Reach	Rem. 209P	CB 1138-12	28.1 grs 9770 psi			30.0 grs 10540 psi
1 1/4	Pro Reach	Win. 209	CB 1138-12	28.3 grs 9640 psi			31.0 grs 10380 psi
1 1/4	Pro Reach	CCI 209M	WAAF114		28.9 grs 10190 psi		
1 1/4	Pro Reach	Win. 209	WAAF114	28.3 grs 9810 psi			
1 1/4	Pro Reach	Cheddite	CB 1138-12	27.6 grs 9820 psi			
1 1/4	Pro Reach	Cheddite	WAAF114	28.0 grs 9490 psi			
1 1/4	Pro Reach	Win. 209	CB 1138-12	28.0 grs 9,950 psi			
1 1/4	Pro Reach	Fed. 209A	CB 1138-12		28.0 grs 10010 psi		
1 1/4	Pro Reach	CCI 209M	CB 1138-12	27.5 grs 10620 psi			
1 1/4	Pro Reach	Fed. 209A	Fed. 12S4	27.0 grs 11150 psi			
1 1/4	Pro Reach	Win. 209	RP 12	27.7 grs 9780 psi		29.0 grs 10560 psi	
1 1/4	Pro Reach	Cheddite	WAAF114	28.1 grs 10180 psi			
1 1/4	Pro Reach	Cheddite	CB 1138-12	27.6 grs 9820 psi			

12-GAUGE 2 3/4 INCH WINCHESTER AA PLASTIC SHELLS

12-Gauge 1 1/4, 1 3/8 and 1 1/2 Ounce Loads

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1150 fps	1200 fps	1225 fps	1250 fps
1 1/4	20/28	Win. 209	SP 12				23.3 grs 9180 psi
1 1/4	20/28	Rem. 209P	SP 12				23.4 grs 9010 psi
1 1/4	20/28	CCI 209M	SP 12				23.2 grs 9720 psi
1 1/4	Unique	CCI 209M	WAA12F114			23.5 grs 9900 psi	
1 1/4	Unique	Fio. 616	WAA12F114			23.0 grs 10300 psi	
1 1/4	Unique	Rem. 209P	WAA12F114			24.0 grs 10000 psi	
1 1/4	Unique	Win. 209	Versalite			24.0 grs 9800 psi	
1 1/4	Unique	Win. 209	RP 12			22.5 grs 9500 psi	
1 1/4	Unique	Win. 209	WAA12F114			23.5 grs 9900 psi	
1 1/4	Herco	CCI 209M	WAA12F114			24.0 grs 9100 psi	
1 1/4	Herco	Fio. 616	WAA12F114			25.0 grs 9800 psi	
1 1/4	Herco	Rem. 209P	WAA12F114			25.5 grs 8300 psi	
1 1/4	Herco	Win. 209	CB 1138-12			25.0 grs 9600 psi	
1 1/4	Herco	Win. 209	Versalite			25.5 grs 8500 psi	
1 1/4	Herco	Win. 209	WAA12F114			25.0 grs 8400 psi	
1 3/8	Blue Dot	Win. 209	RP 12		33.0 grs 10400 psi		
1 3/8	Blue Dot	Win. 209	SP 12				34.5 grs 10300 psi
1 3/8	Pro Reach	CCI 209M	CB 1138-12				26.2 grs 10910 psi
1 3/8	Pro Reach	Win. 209	RP 12				25.0 grs 10620 psi
1 3/8	Pro Reach	Win. 209	CB 1138-12				26.1 grs 10520 psi
1 3/8	Pro Reach	Fed. 209A	CB 1138-12			24.5 grs 10740 psi	
1 3/8	Pro Reach	Rem. 209P	CB 1138-12				26.0 grs 10460 psi
1 3/8	Pro Reach	Fed. 209A	RP 12		23.8 grs 10760 psi		
1 3/8	Pro Reach	CCI 209M	CB 1138-12				26.5 grs 10580 psi
1 1/2	Blue Dot	Win. 209	RP 12	30.5 grs 10800 psi			
1 1/2	Blue Dot	Win. 209	WAA12R	31.0 grs 10400 psi			
1 1/2	Blue Dot	Win. 209	CB 1138-12		33.7 grs 10100 psi		

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-Gauge 13/16, 7/8 and 1 Ounce Target Loads

(oz)				Velocity / Charge Weight / Pressure		
				1200 fps	1250 fps	1290 fps
7/8	Clay Dot	Fed. 209A	12SO & DRXXL (Orange)	17.5 grs 6042 psi	18.0 grs 6530 psi	19.0 grs 7310 psi
7/8	Clay Dot	Fed. 209A	CB 0178	18.0 grs 5804 psi	18.5 grs 6040 psi	19.5 grs 9110 psi
7/8	Clay Dot	Fed. 209A	CB 4100-12	18.0 grs 5744 psi	18.5 grs 6112 psi	19.0 grs 7780 psi
7/8	e3	Fed. 209A	12SO & DRXXL (Orange)	16.5 grs 6905 psi	17.5 grs 8095 psi	18.5 grs 8855 psi
7/8	e3	Fed. 209A	TGT 12 & DRRT12		17.0 grs 7095 psi	18.0 grs 7925 psi
7/8	Red Dot	Fed. 209A	Purple PC	17.0 grs 6400 psi	18.5 grs 7300 psi	19.5 grs 7900 psi
7/8	Red Dot	Fed. 209A	TGT 12 & DRRT12	17.5 grs 7100 psi	18.5 grs 7800 psi	19.5 grs 8500 psi
7/8	Red Dot	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1	17.0 grs 7300 psi	18.0 grs 8000 psi	19.0 grs 8400 psi
7/8	Red Dot	Fed. 209A	12SO & DRXXL (Orange)		19.0 grs 7900 psi	19.5 grs 8400 psi
7/8	Amer. Select	Fed. 209A	CB 1100-12			21.5 grs 6900 psi
7/8	Amer. Select	Fed. 209A	12SO & DRXXL (Orange)			21.0 grs 7300 psi
7/8	Amer. Select	Fed. 209A	Purple PC			21.5 grs 6900 psi
7/8	Amer. Select	Fed. 209A	TGT 12 & DRRT12			21.0 grs 7400 psi
7/8	Green Dot	Fed. 209A	12SO & DRXXL (Orange)			22.0 grs 7500 psi
7/8	Green Dot	Fed. 209A	Purple PC			22.5 grs 7000 psi
7/8	Green Dot	Fed. 209A	TGT 12 & DRRT12			22.0 grs 7200 psi

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-Gauge 7/8 and 1 Ounce Target Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1200 fps	1250 fps	1300 fps	1350 fps
7/8	Green Dot	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1			21.5 grs 7600 psi	
7/8	Promo	Fed. 209A	Purple PC	17.0 grs 6400 psi	18.5 grs 7300 psi	19.5 grs 7900 psi	
7/8	Promo	Fed. 209A	TGT 12 & DRRT12	17.5 grs 7100 psi	18.5 grs 7800 psi	19.5 grs 8500 psi	
7/8	Promo	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1	17.0 grs 7300 psi	18.0 grs 8000 psi	19.0 grs 8400 psi	
7/8	Promo	Fed. 209A	12SO & DRXXL (Orange)		19.0 grs 7900 psi	19.5 grs 8400 psi	
(oz)				1200 fps	1250 fps	1290 fps	
1	Clay Dot	Fed. 209A	12SO	17.9 grs 5870 psi	19.2 grs 6600 psi		
1	Clay Dot	Fed. 209A	DRXXL (Orange)	18.0 grs 8820 psi			
1	Clay Dot	CCI 209	DRXXL (Orange)	18.0 grs 6770 psi			
1	Clay Dot	Win. 209	DRXXL (Orange)	18.0 grs 7460 psi			
1	Clay Dot	RIO	DRXXL (Orange)	18.0 grs 6610 psi			
1	Clay Dot	Cheddite	DRXXL (Orange)	18.0 grs 7370 psi			
1	Clay Dot	Fiocchi 616	DRXXL (Orange)	18.0 grs 7490 psi			
1	Clay Dot	Rem. 209P	DRXXL (Orange)	18.0 grs 7930 psi			
1	Clay Dot	CCI 209M	DRXXL (Orange)	18.0 grs 8690 psi			
1	Clay Dot	Rem. 209P	TGT 12 & DRRT12	19.2 grs 6450 psi	20.2 grs 7320 psi		
1	Clay Dot	Win. 209	WAA12SL & DRXL-1 & Jammer XL-1	18.2 grs 5910 psi	19.1 grs 6730 psi		
1	Clay Dot	Fed. 209A	CB 6100-12	18.0 grs 6040 psi	19.0 grs 7170 psi	20.0 grs 7970 psi	
1	Clay Dot	CCI 209	CB 6100-12	17.5 grs 5960 psi			
1	Amer. Select	Fed. 209A	CB 6100-12	19.0 grs 5910 psi	20.5 grs 6790 psi	21.5 grs 7290 psi	
1	Amer. Select	CCI 209	CB 6100-12	19.5 grs 5790 psi			
1	Green Dot	Fed. 209A	CB 6100-12	19.5 grs 5980 psi	20.5 grs 6860 psi	22.0 grs 7230 psi	
1	e3	Fed. 209A	Green Duster	16.5 grs 8310 psi	18.0 grs 9710 psi	18.5 grs 10035 psi	
1	e3	Fed. 209A	TGT 12 & DRRT12	17.0 grs 8000 psi	18.0 grs 8840 psi	19.0 grs 9660 psi	
1	e3	Fed. 209A	12SO & DRXXL (Orange)	17.5 grs 9040 psi	18.5 grs 9340 psi	19.5 grs 10070 psi	
1	e3	Fed. 209A	CB 6100-12	16.5 grs 6780 psi			
1	e3	CCI 209	CB 6100-12	16.5 grs 6290 psi	18.0 grs 7270 psi	18.5 grs 7470 psi	
1	Red Dot	Fed. 209A	12SO & DRXXL (Orange)	18.0 grs 8300 psi	19.5 grs 9300 psi	20.5 grs 10300 psi	
1	Red Dot	Fed. 209A	Purple PC	18.0 grs 7400 psi	19.5 grs 8700 psi	20.5 grs 9300 psi	
1	Red Dot	Fed. 209A	TGT 12 & DRRT12	18.0 grs 7900 psi	19.0 grs 8700 psi	20.0 grs 9100 psi	
1	Red Dot	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1	18.0 grs 8700 psi	18.5 grs 9100 psi	20.0 grs 10300 psi	
1	Red Dot	CCI 209	CB 6100-12	18.0 grs 6430 psi			
1	Red Dot	Fed. 209A	CB 6100-12	18.0 grs 6550 psi	19.0 grs 6790 psi	20.0 grs 7910 psi	
1	Amer. Select	Fed. 209A	CB 6100-12	20.0 grs 7300 psi	21.0 grs 7600 psi	21.5 grs 8000 psi	
1	Amer. Select	Fed. 209A	12SO & DRXXL (Orange)	19.5 grs 7100 psi	21.0 grs 7700 psi	22.0 grs 8500 psi	
1	Amer. Select	Fed. 209A	TGT 12 & DRRT12	19.5 grs 7500 psi	20.5 grs 8100 psi	21.5 grs 8800 psi	
1	Amer. Select	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1	19.5 grs 7200 psi	21.0 grs 8400 psi	21.5 grs 8800 psi	
1	Green Dot	Fed. 209A	12SO & DRXXL (Orange)	20.5 grs 7600 psi	21.5 grs 8600 psi	22.5 grs 8700 psi	
1	Green Dot	Fed. 209A	Purple PC	20.5 grs 7300 psi	21.5 grs 8000 psi	22.5 grs 8300 psi	
1	Green Dot	Fed. 209A	TGT 12 & DRRT12	20.0 grs 7000 psi	21.5 grs 7900 psi	22.5 grs 8500 psi	
1	Green Dot	CCI 209	CB 6100-12	19.5 grs 6190 psi			
1	Green Dot	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1	20.0 grs 7800 psi	21.5 grs 8500 psi	22.5 grs 9000 psi	
1	Promo	Fed. 209A	12SO & DRXXL (Orange)	18.0 grs 8300 psi	19.5 grs 9300 psi	20.5 grs 10300 psi	

continued

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-Gauge 7/8 and 1 Ounce Target Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure		
				1200 fps	1250 fps	1290 fps
1	Promo	Fed. 209A	Purple PC	18.0 grs 7400 psi	19.5 grs 8700 psi	20.5 grs 9300 psi
1	Promo	Fed. 209A	TGT 12 & DRRT12	18.0 grs 7900 psi	19.0 grs 8700 psi	20.0 grs 9100 psi

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-Gauge 1 and 1 1/8 Ounce Target Loads

Shot (oz)	Powder	Primer	Wad	1090 fps	1145 fps	1200 fps	1250 fps
				1	Promo	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1
1 1/8	Clay Dot	Fed. 209A	12S3 & DRF3		17.1 grs 7590 psi	19.0 grs 8750 psi	
1 1/8	Clay Dot	Fed. 209A	WAA12		17.0 grs 7680 psi	18.5 grs 8970 psi	
1 1/8	Clay Dot	Rem. 209P	Figure 8 & DRRF8		17.8 grs 6640 psi		18.9 grs 9870 psi
1 1/8	Clay Dot	Fed. 209A	CB 6118-12	16.5 grs 6710 psi	18.0 grs 7870 psi	19.0 grs 9540 psi	
1 1/8	e3	Fed. 209A	CB 6118-12	15.0 grs 7070 psi	16.5 grs 8100 psi	17.5 grs 8940 psi	
1 1/8	e3	Fed. 209A	CB 3118-12AR	15.5 grs 8210 psi	16.5 grs 8960 psi	17.8 grs 9990 psi	
1 1/8	e3	Fed. 209A	CB 4118	15.5 grs 7860 psi	16.5 grs 8365 psi	18.0 grs 9525 psi	
1 1/8	e3	Fed. 209A	Figure 8 & DRRF8	15.5 grs 7930 psi	17.0 grs 8875 psi	18.0 grs 9900 psi	
1 1/8	e3	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	15.5 grs 8290 psi	16.5 grs 8980 psi	18.0 grs 10470 psi	
1 1/8	e3	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1	15.5 grs 8485 psi	16.5 grs 9215 psi	18.0 grs 10755 psi	
1 1/8	e3	Fed. 209A	12S3 & DRF3 & DRXXL (Orange)	15.5 grs 8580 psi	17.0 grs 9260 psi	18.0 grs 10660 psi	
1 1/8	e3	Fed. 209A	Blue Duster	15.5 grs 8655 psi	16.5 grs 9520 psi	18.0 grs 10550 psi	
1 1/8	Amer. Select	Fed. 209A	CB 6118-12	18.5 grs 5330 psi	20.0 grs 6110 psi	20.5 grs 7640 psi	
1 1/8	Amer. Select	Fed. 209A	CB 3118-12	17.5 grs 7100 psi	19.0 grs 8200 psi	20.5 grs 9600 psi	22.0 grs 10600 psi
1 1/8	Amer. Select	Fed. 209A	12S3 & DRF3	17.5 grs 7100 psi	19.0 grs 7600 psi	20.5 grs 9200 psi	22.0 grs 10100 psi
1 1/8	Amer. Select	Fed. 209A	Versalite	17.0 grs 8100 psi	18.5 grs 9600 psi	20.0 grs 10900 psi	21.0 grs 10900 psi
1 1/8	Amer. Select	Fed. 209A	Figure 8 & DRRF8	17.5 grs 8000 psi	19.0 grs 9000 psi	20.0 grs 10300 psi	
1 1/8	Amer. Select	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	17.5 grs 7400 psi	19.0 grs 9600 psi	20.5 grs 9400 psi	
1 1/8	Amer. Select	Fed. 209A	WT 12 (Orange)	18.0 grs 7700 psi	19.0 grs 9300 psi	20.5 grs 10400 psi	
1 1/8	Amer. Select	Fed. 209A	Windjammer		19.0 grs 8700 psi	20.5 grs 9800 psi	21.5 grs 10700 psi
1 1/8	Amer. Select	Rem. 209P	12S3 & DRF3		19.5 grs 7800 psi	21.5 grs 9000 psi	
1 1/8	Amer. Select	Win. 209	12S3 & DRF3		19.5 grs 8100 psi	20.5 grs 9900 psi	
1 1/8	Red Dot	Fed. 209A	CB 6118-12	16.5 grs 7290 psi	17.5 grs 8140 psi	18.5 grs 8690 psi	
1 1/8	Red Dot	CCI 209	12S3 & DRF3		18.0 grs 8200 psi	20.0 grs 9800 psi	
1 1/8	Red Dot	CCI 209M	12S3 & DRF3	17.0 grs 8300 psi	18.0 grs 8600 psi	19.0 grs 8900 psi	
1 1/8	Red Dot	Fed. 209A	12S3 & DRF3	17.0 grs 8400 psi	18.0 grs 8800 psi	19.5 grs 10000 psi	
1 1/8	Red Dot	Fed. 209A	Versalite	17.0 grs 8600 psi	18.0 grs 9400 psi	19.0 grs 10100 psi	20.0 grs 10700 psi
1 1/8	Red Dot	Fed. 209A	RXP 12		18.0 grs 9400 psi	19.0 grs 9900 psi	20.0 grs 10100 psi
1 1/8	Red Dot	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	16.5 grs 8500 psi	17.5 grs 9400 psi	19.0 grs 10400 psi	
1 1/8	Red Dot	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1	17.0 grs 8100 psi	18.0 grs 9200 psi	19.0 grs 10000 psi	
1 1/8	Red Dot	Fed. 209A	WT 12 (Orange)		18.5 grs 9300 psi	20.0 grs 10400 psi	
1 1/8	Red Dot	Fed. 209A	Windjammer	17.5 grs 7600 psi	18.5 grs 8200 psi	19.5 grs 9600 psi	20.5 grs 9500 psi
1 1/8	Red Dot	Fio. 616	12S3 & DRF3	17.5 grs 8200 psi			
1 1/8	Red Dot	Win. 209	12S3 & DRF3	17.0 grs 8400 psi	17.5 grs 9600 psi	19.0 grs 10500 psi	
1 1/8	Red Dot	Rem. 209P	12S3 & DRF3		18.5 grs 8200 psi	19.5 grs 9300 psi	
1 1/8	Green Dot	Fed. 209A	CB 6118-12	18.0 grs 6900 psi	19.5 grs 7220 psi	20.5 grs 7800 psi	
1 1/8	Green Dot	Fed. 209A	12S3 & DRF3	18.5 grs 7800 psi	19.5 grs 8100 psi	20.0 grs 9000 psi	21.5 grs 9500 psi
1 1/8	Green Dot	Fed. 209A	Versalite	18.0 grs 7200 psi	19.0 grs 8000 psi	20.5 grs 9000 psi	21.5 grs 9400 psi
1 1/8	Green Dot	Fed. 209A	Figure 8 & DRRF8	18.0 grs 7000 psi	19.0 grs 7700 psi	20.0 grs 8600 psi	22.0 grs 9200 psi
1 1/8	Green Dot	Fed. 209A	RXP 12		19.0 grs 8000 psi	20.0 grs 8800 psi	21.5 grs 9700 psi

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-Gauge 1 1/8 Ounce Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	Green Dot	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	18.0 grs 7700 psi	19.0 grs 8200 psi	20.0 grs 9200 psi	21.5 grs 9400 psi
1 1/8	Green Dot	Fed. 209A	WAA12SL & DRXL-1 & Jammer XL-1	18.0 grs 7600 psi	19.0 grs 8200 psi	20.0 grs 8800 psi	
1 1/8	Green Dot	Fed. 209A	WT 12 (Orange)		20.0 grs 8400 psi	21.5 grs 8800 psi	
1 1/8	Green Dot	Fed. 209A	Windjammer	18.5 grs 6600 psi	19.5 grs 7700 psi	21.0 grs 8200 psi	22.5 grs 8400 psi
1 1/8	Green Dot	CCI 209	12S3 & DRF3		19.0 grs 7800 psi	22.0 grs 9200 psi	
1 1/8	Green Dot	CCI 209M	12S3 & DRF3		19.5 grs 7500 psi	21.0 grs 8600 psi	22.5 grs 9800 psi
1 1/8	Green Dot	Win. 209	12S3 & DRF3		19.5 grs 8000 psi	20.5 grs 9000 psi	22.5 grs 10500 psi
1 1/8	Green Dot	Rem. 209P	12S3 & DRF3		20.5 grs 6800 psi	21.5 grs 7900 psi	23.0 grs 8800 psi
1 1/8	Unique	CCI 209	12S3 & DRF3			24.0 grs 8300 psi	
1 1/8	Unique	CCI 209M	12S3 & DRF3			23.5 grs 8000 psi	24.0 grs 9100 psi
1 1/8	Unique	Fed. 209A	12S3 & DRF3			22.5 grs 7300 psi	23.5 grs 8100 psi
1 1/8	Unique	Fed. 209A	Versalite			22.0 grs 8000 psi	24.0 grs 8300 psi
1 1/8	Unique	Fed. 209A	Figure 8 & DRRF8			22.5 grs 7300 psi	23.5 grs 7800 psi
1 1/8	Unique	Fed. 209A	RXP 12			22.5 grs 7800 psi	23.5 grs 8400 psi
1 1/8	Unique	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8			22.5 grs 8100 psi	23.0 grs 8400 psi
1 1/8	Unique	Fed. 209A	WT 12 (Orange)			23.5 grs 8300 psi	
1 1/8	Unique	Fed. 209A	Windjammer			22.5 grs 6900 psi	24.0 grs 7700 psi
1 1/8	Unique	Win. 209	12S3 & DRF3			23.0 grs 8600 psi	24.0 grs 9800 psi
1 1/8	Unique	Rem. 209P	12S3 & DRF3	24.0 grs 6900 psi	25.0 grs 7600 psi		
1 1/8	Herco	Fed. 209A	12S3 & DRF3		26.0 grs 8000 psi		
1 1/8	Herco	Fed. 209A	Versalite	26.0 grs 8200 psi			
1 1/8	Herco	Fed. 209A	Figure 8 & DRRF8	26.0 grs 7700 psi			
1 1/8	Herco	Fed. 209A	RXP 12	26.0 grs 8000 psi			
1 1/8	Herco	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	26.0 grs 8300 psi			
1 1/8	Herco	Fed. 209A	Windjammer	26.0 grs 7400 psi			
1 1/8	Pro Reach	CCI 209M	Fed. 12S3				35.2 grs 10330 psi
1 1/8	Pro Reach	Rem. 209P	Fed. 12S3				35.0 grs 10270 psi

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-Gauge 1 1/4 Ounce Loads

(oz)				Velocity / Charge Weight / Pressure			
				1200 fps	1225 fps	1425 fps	1450 fps
1 1/4	Pro Reach	CCI 209M	12S4			30.5 grs 10860 psi	
1 1/4	Pro Reach	CCI 209M	WAA12F114				32.5 grs 11120 psi
1 1/4	Pro Reach	Fed. 209A	WAA12F114			30.5 grs 11190 psi	
1 1/4	Pro Reach	Fed. 209A	12S4			30.0 grs 11010 psi	
1 1/4	Unique	CCI 209M	12S4		24.5 grs 9500 psi		
1 1/4	Unique	Fed. 209A	12S4		24.0 grs 10500 psi		
1 1/4	Unique	Fed. 209A	SP 12		24.0 grs 10400 psi		
1 1/4	Unique	Fed. 209A	WAA12F114		24.0 grs 10600 psi		
1 1/4	Unique	Win. 209	12S4		24.0 grs 9500 psi		
1 1/4	Unique	Rem. 209P	12S4		25.0 grs 9800 psi		
1 1/4	Herco	CCI 209M	12S4		25.5 grs 8700 psi		
1 1/4	Herco	Fed. 209A	12S4		25.0 grs 10200 psi		
1 1/4	Herco	Fed. 209A	SP 12		26.0 grs 9700 psi		

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-Gauge 1 1/4 Ounce Loads

(oz)				Velocity / Charge Weight / Pressure			
				1200 fps	1225 fps	1425 fps	1450 fps
1 1/4	Herco	Fed. 209A	WAA12F114		25.0 grs 10100 psi		
1 1/4	Herco	Win. 209	12S4		25.5 grs 9400 psi		
1 1/4	Herco	Rem. 209P	12S4		25.5 grs 8100 psi		

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-Gauge 1 3/8 and 1 1/2 Ounce Loads

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1150 fps	1200 fps	1225 fps	1250 fps
1 3/8	Blue Dot	CCI 209M	RP 12				35.0 grs 8600 psi
1 3/8	Blue Dot	Fed. 209A	RP 12				34.0 grs 9900 psi
1 3/8	Blue Dot	Rem. 209P	RP 12				36.0 grs 7800 psi
1 3/8	Blue Dot	Win. 209	RP 12				34.5 grs 8600 psi
1 1/2	Herco	Fed. 209A	RP 12	25.5 grs 10100 psi			
1 1/2	Blue Dot	Fed. 209A	RP 12	33.5 grs 8300 psi			

12 GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PAPER TARGET SHELL

12-Gauge 7/8 and 1 Ounce Target Loads

(oz)				Velocity / Charge Weight / Pressure			
				1200 fps	1250 fps	1300 fps	
7/8	Red Dot	Fed. 209A	CB 0178	17.5 grs 6028 psi	18.5 grs 6570 psi	19.5 grs 7196 psi	
7/8	Clay Dot	Fed. 209A	12SO & DRXXL (Orange)	17.5 grs 6400 psi	18.5 grs 6900 psi	19.5 grs 7390 psi	
7/8	e3	Fed. 209A	CB 4100-12B	16.5 grs 6280 psi	17.5 grs 7075 psi	18.5 grs 7400 psi	
7/8	e3	Fed. 209A	WAA12SL & DRXL- 1 & Jammer XL-1	16.5 grs 6960 psi	17.5 grs 7345 psi	18.5 grs 8230 psi	
1	Clay Dot	Fed. 209A	12SO & DRXXL (Orange)	18.0 grs 6770 psi	19.5 grs 8580 psi		
1	Clay Dot	Fed. 209A	CB 6100-12	18.5 grs 8610 psi	19.5 grs 8240 psi	20.5 grs 9210 psi	
1	e3	Fed. 209A	12SO & DRXXL (Orange)	17.5 grs 8535 psi	18.5 grs 10065 psi	19.5 grs 10630 psi	
1	e3	Fed. 209A	CB 6100-12	17.0 grs 7520 psi	18.0 grs 7960 psi	19.0 grs 8820 psi	
1	Red Dot	CCI 209M	12S3 & DRF3			21.0 grs 8700 psi	
1	Red Dot	Fed. 209A	12S3 & DRF3			20.5 grs 9000 psi	
1	Red Dot	Fed. 209A	CB 6100-12	18.0 grs 7680 psi	19.0 grs 8410 psi	20.5 grs 8730 psi	
1	Red Dot	Fed. 209A	12SO & DRXXL (Orange)			20.5 grs 10400 psi	
1	Red Dot	Fed. 209A	Rem. R12L			20.0 grs 9300 psi	
1	Amer. Select	Fed. 209A	CB 6100-12	19.5 grs 6510 psi	21.0 grs 7290 psi	21.5 grs 7930 psi	
1	Promo	CCI 209M	12S3 & DRF3			21.0 grs 8700 psi	
1	Promo	Fed. 209A	12S3 & DRF3			20.5 grs 9000 psi	
1	Promo	Fed. 209A	CB 6100-12	18.0 grs 7680 psi	19.0 grs 8410 psi	20.5 grs 8730 psi	
1	Promo	Fed. 209A	12SO & DRXXL (Orange)			20.5 grs 10400 psi	
1	Promo	Fed. 209A	Rem. R12L			20.0 grs 9300 psi	
1	Green Dot	CCI 209M	12S3 & DRF3			23.0 grs 7800 psi	
1	Green Dot	Fed. 209A	12S3 & DRF3			23.5 grs 9400 psi	
1	Green Dot	Fed. 209A	12SO & DRXXL (Orange)	20.5 grs 7600 psi	21.5 grs 8600 psi	22.5 grs 9200 psi	
1	Green Dot	Fed. 209A	Rem. R12L			21.5 grs 8800 psi	
1	Green Dot	Fed. 209A	CB 6100-12	20.5 grs 6850 psi	22.0 grs 7240 psi		

12 GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PAPER TARGET SHELL

12-Gauge 1 1/8, 1 1/4, 1 3/8 and 1 1/2 Ounce Loads

(oz)				Velocity / Charge Weight / Pressure			
				1145 fps	1200 fps	1235 fps	1250 fps
1 1/8	Clay Dot	Fed. 209A	12S3 & DRF3	18.0 grs 9160 psi	19.5 grs 9750 psi		
1 1/8	Clay Dot	Fed. 209A	CB 6118-12	18.0 grs 7390 psi	19.0 grs 8690 psi		20.5 grs 10390 psi
1 1/8	e3	Fed. 209A	CB 4118-12B	17.0 grs 9385 psi	18.5 grs 9860 psi		
1 1/8	e3	Fed. 209A	CB 3118-12AR	16.5 grs 9375 psi	18.0 grs 10430 psi		
1 1/8	e3	Fed. 209A	Figure 8 & DRRF8	17.0 grs 8765 psi	18.0 grs 9640 psi		
1 1/8	e3	Fed. 209A	RXP 12	17.0 grs 9280 psi	18.0 grs 10320 psi		
1 1/8	e3	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 9815 psi	18.0 grs 10780 psi		
1 1/8	e3	Fed. 209A	CB 6118-12	17.0 grs 8500 psi	18.0 grs 9200 psi		19.0 grs 10410 psi
1 1/8	e3	Fed. 209A	12S3 & DRF3	17.0 grs 9640 psi	18.5 grs 10955 psi		
1 1/8	Red Dot	Fed. 209A	12S3 & DRF3	18.0 grs 8800 psi	19.0 grs 8900 psi		20.5 grs 9900 psi

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PAPER TARGET SHELLS

12-Gauge 1 1/8, 1 1/4, 1 3/8 and 1 1/2 Ounce Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1145 fps	1200 fps	1235 fps	1250 fps
1 1/8	Red Dot	Fed. 209A	Red PC	18.0 grs 8300 psi	19.0 grs 10300 psi		20.5 grs 10700 psi
1 1/8	Red Dot	Fed. 209A	Rem. R12L	18.5 grs 9300 psi	19.5 grs 9500 psi		
1 1/8	Red Dot	Fed. 209A	RXP 12	18.0 grs 8900 psi	19.0 grs 9900 psi		21.0 grs 10000 psi
1 1/8	Red Dot	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	18.0 grs 8600 psi	19.0 grs 10500 psi		
1 1/8	Red Dot	Fed. 209A	Windjammer	18.5 grs 8200 psi	19.0 grs 8700 psi		
1 1/8	Red Dot	Fed. 209A	CB 6118-12	18.0 grs 8550 psi	19.0 grs 9160 psi		20.0 grs 9910 psi
1 1/8	Green Dot	Fed. 209A	12S3 & DRF3	18.5 grs 7400 psi	21.0 grs 7800 psi		23.0 grs 9100 psi
1 1/8	Green Dot	Fed. 209A	Versalite	19.5 grs 6900 psi	21.0 grs 8300 psi		22.5 grs 8500 psi
1 1/8	Green Dot	Fed. 209A	Red PC	20.0 grs 7600 psi	21.0 grs 8800 psi		22.5 grs 9600 psi
1 1/8	Green Dot	Fed. 209A	Rem. R12L	19.0 grs 8000 psi	20.0 grs 8600 psi		
1 1/8	Green Dot	Fed. 209A	RXP 12	18.5 grs 8100 psi	20.0 grs 8600 psi		21.5 grs 9300 psi
1 1/8	Green Dot	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	18.5 grs 8000 psi	19.5 grs 9000 psi		21.5 grs 10500 psi
1 1/8	Green Dot	Fed. 209A	Windjammer	20.5 grs 6600 psi	22.0 grs 7700 psi		
1 1/8	Green Dot	Fed. 209A	CB 6118-12	20.0 grs 7380 psi	21.0 grs 7810 psi		22.5 grs 8840 psi
1 1/8	Promo	Fed. 209A	12S3 & DRF3	18.0 grs 8800 psi	19.0 grs 8900 psi		20.5 grs 9900 psi
1 1/8	Promo	Fed. 209A	Red PC	18.0 grs 8300 psi	19.0 grs 10300 psi		20.5 grs 10700 psi
1 1/8	Promo	Fed. 209A	Rem. R12L	18.5 grs 9300 psi	19.5 grs 9500 psi		
1 1/8	Promo	Fed. 209A	RXP 12	18.0 grs 8900 psi	19.0 grs 9900 psi		21.0 grs 10000 psi
1 1/8	Promo	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	18.0 grs 8600 psi	19.0 grs 10500 psi		
1 1/8	Promo	Fed. 209A	Windjammer	18.5 grs 8200 psi	19.0 grs 8700 psi		
1 1/8	Promo	Fed. 209A	CB 6118-12	18.0 grs 8550 psi	19.0 grs 9160 psi		20.0 grs 9910 psi
1 1/8	Amer. Select	Fed. 209A	12S3 & DRF3	19.0 grs 8200 psi	20.5 grs 10400 psi		
1 1/8	Amer. Select	Fed. 209A	Versalite	19.0 grs 7900 psi	20.0 grs 10100 psi		
1 1/8	Amer. Select	Fed. 209A	Figure 8 & DRRF8	19.0 grs 7600 psi	20.0 grs 9800 psi		
1 1/8	Amer. Select	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8	19.0 grs 8400 psi	20.5 grs 10400 psi		
1 1/8	Amer. Select	Fed. 209A	WT 12 (Orange)	19.0 grs 8100 psi	20.5 grs 10200 psi		
1 1/8	Amer. Select	Fed. 209A	Windjammer	19.5 grs 7100 psi	20.0 grs 9100 psi		
1 1/8	Amer. Select	Rem. 209P	12S3 & DRF3	19.0 grs 8500 psi	21.0 grs 9700 psi		
1 1/8	Amer. Select	Win. 209	12S3 & DRF3	19.0 grs 8900 psi	20.5 grs 9700 psi		
1 1/8	Amer. Select	Fed. 209A	CB 6118-12	19.5 grs 7290 psi	20.5 grs 8130 psi		22.0 grs 9440 psi
1 1/8	Unique	Fed. 209A	12S3 & DRF3		22.0 grs 7200 psi		23.0 grs 8300 psi
1 1/8	Unique	Fed. 209A	Versalite		22.0 grs 7900 psi		23.0 grs 8700 psi
1 1/8	Unique	Fed. 209A	Red PC		22.5 grs 8400 psi		24.5 grs 8500 psi
1 1/8	Unique	Fed. 209A	Rem. R12L		22.0 grs 7800 psi		
1 1/8	Unique	Fed. 209A	RXP 12		21.0 grs 8000 psi		22.0 grs 9500 psi
1 1/8	Unique	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8		21.0 grs 8600 psi		
1 1/8	Unique	Fed. 209A	Windjammer		23.5 grs 7600 psi		
1 1/4	Green Dot	CCI 209M	12S4			23.0 grs 10500 psi	
1 1/4	Green Dot	Fed. 209A	12S4			23.0 grs 10500 psi	
1 1/4	Green Dot	Fed. 209A	Versalite			23.0 grs 9600 psi	
1 1/4	Green Dot	Fed. 209A	SP 12			21.0 grs 9600 psi	
1 1/4	Green Dot	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8			21.0 grs 10500 psi	
1 1/4	Green Dot	Fed. 209A	WAA12F114			23.0 grs 9900 psi	
1 1/4	Green Dot	Rem. 209P	12S4			23.0 grs 9900 psi	
1 1/4	Unique	CCI 209M	12S4			25.5 grs 9700 psi	
1 1/4	Unique	Fed. 209A	12S4			24.0 grs 9800 psi	
1 1/4	Unique	Fed. 209A	Versalite			23.0 grs 8800 psi	

continued

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PAPER TARGET SHELLS

12-Gauge 1 1/8, 1 1/4, 1 3/8 and 1 1/2 Ounce Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1145 fps	1200 fps	1235 fps	1250 fps
1 1/4	Unique	Fed. 209A	SP 12			22.0 grs 9600 psi	
1 1/4	Unique	Fed. 209A	WAA12 & DRA12 & DRXL 1 1/8			22.0 grs 10000 psi	
1 1/4	Unique	Fed. 209A	WAA12F114			23.5 grs 9500 psi	
1 1/4	Unique	Rem. 209P	12S4			25.5 grs 9100 psi	
1 1/4	Unique	Win. 209	12S4			24.5 grs 10600 psi	
1 3/8	Blue Dot	CCI 209M	SP 12				34.5 grs 9500 psi
1 3/8	Blue Dot	Fed. 209A	SP 12				34.0 grs 9900 psi
1 3/8	Blue Dot	Rem. 209P	SP 12				36.0 grs 8300 psi
1 3/8	Blue Dot	Win. 209	SP 12				34.5 grs 9500 psi
1 1/2	Herco	Fed. 209A	SP 12	25.0 grs 10200 psi			
1 1/2	Blue Dot	Fed. 209A	RP 12	32.5 grs 8800 psi			
1 1/2	Blue Dot	CCI 209M	RP 12		35.0 grs 9400 psi		
1 1/2	Blue Dot	Fed. 209A	RP 12		34.0 grs 9300 psi		
1 1/2	Blue Dot	Rem. 209P	RP 12		34.5 grs 10300 psi		
1 1/2	Blue Dot	Win. 209	RP 12		35.0 grs 9600 psi		

12-GAUGE 2 3/4 INCH FIOCCHI PLASTIC TARGET SHELLS

12-Gauge 7/8 and 1 Ounce Target Loads

(oz)				1200 fps	1250 fps	1300 fps	
7/8	Red Dot	Fio. 616	12SO	17.5 grs 6700 psi	19.0 grs 6900 psi	19.5 grs 8800 psi	
7/8	Red Dot	Fio. 616	Purple PC	17.5 grs 6400 psi	19.0 grs 6700 psi	20.0 grs 8600 psi	
7/8	Red Dot	Fio. 616	TGT 12 & DRRT12	17.0 grs 6900 psi	18.5 grs 7000 psi	20.0 grs 7900 psi	
7/8	Red Dot	Fio. 616	WAA12SL & DRXL-1 & Jammer XL-1	17.0 grs 6700 psi	18.5 grs 6800 psi	20.0 grs 8100 psi	
7/8	Green Dot	Fio. 616	Purple PC			22.5 grs 7700 psi	
7/8	Green Dot	Fio. 616	TGT 12 & DRRT12			22.0 grs 7600 psi	
7/8	Green Dot	Fio. 616	WAA12SL & DRXL-1 & Jammer XL-1			22.0 grs 7900 psi	
7/8	Promo	Fio. 616	12SO	17.5 grs 6700 psi	19.0 grs 6900 psi	19.5 grs 8800 psi	
7/8	Promo	Fio. 616	Purple PC	17.5 grs 6400 psi	19.0 grs 6700 psi	20.0 grs 8600 psi	
7/8	Promo	Fio. 616	TGT 12 & DRRT12	17.0 grs 6900 psi	18.5 grs 7000 psi	20.0 grs 7900 psi	
7/8	Promo	Fio. 616	WAA12SL & DRXL-1 & Jammer XL-1	17.0 grs 6700 psi	18.5 grs 6800 psi	20.0 grs 8100 psi	
1	Red Dot	Fio. 616	12SO	18.0 grs 9100 psi			
1	Red Dot	Fio. 616	Purple PC	18.0 grs 8100 psi	19.0 grs 9500 psi	21.0 grs 9800 psi	
1	Red Dot	Fio. 616	TGT 12 & DRRT12	18.0 grs 8500 psi	19.0 grs 9300 psi	20.5 grs 10100 psi	
1	Red Dot	Fio. 616	WAA12SL & DRXL-1 & Jammer XL-1	18.0 grs 8500 psi	19.0 grs 9500 psi	20.5 grs 10300 psi	
1	Green Dot	Fio. 616	12SO	20.0 grs 8100 psi			
1	Green Dot	Fio. 616	Purple PC	20.0 grs 7200 psi	21.0 grs 8200 psi	23.0 grs 8400 psi	
1	Green Dot	Fio. 616	TGT 12 & DRRT12	20.0 grs 7400 psi	21.0 grs 8400 psi	22.5 grs 8600 psi	
1	Green Dot	Fio. 616	WAA12SL & DRXL-1 & Jammer XL-1	20.0 grs 7900 psi	21.0 grs 8100 psi	22.5 grs 9400 psi	
1	Promo	Fio. 616	12SO	18.0 grs 9100 psi			
1	Promo	Fio. 616	Purple PC	18.0 grs 8100 psi	19.0 grs 9500 psi	21.0 grs 9800 psi	
1	Promo	Fio. 616	TGT 12 & DRRT12	18.0 grs 8500 psi	19.0 grs 9300 psi	20.5 grs 10100 psi	
1	Promo	Fio. 616	WAA12SL & DRXL-1 & Jammer XL-1	18.0 grs 8500 psi	19.0 grs 9500 psi	20.5 grs 10300 psi	

12-GAUGE 2 3/4 INCH FIOCCHI PLASTIC TARGET SHELLS

12-Gauge 1 1/8, 1 1/4 and 1 1/2 Ounce Loads

(oz)				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	Amer. Select	Fio. 616	CB 3118-12AR	18.0 grs 7100 psi	19.5 grs 8000 psi	21.0 grs 9000 psi	22.5 grs 10700 psi
1 1/8	Amer. Select	Fio. 616	CB 3118-12AR	18.0 grs 7100 psi	19.5 grs 8000 psi	21.0 grs 9000 psi	22.5 grs 10700 psi
1 1/8	Amer. Select	Fio. 616	12S3 & DRF3	17.5 grs 7400 psi	19.0 grs 8700 psi	20.5 grs 9400 psi	22.0 grs 10300 psi

12-GAUGE 2 3/4 INCH FIOCCHI PLASTIC TARGET SHELLS

12-Gauge 1 1/8, 1 1/4 and 1 1/2 Ounce Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1090 fps	1145 fps	1200 fps	1250 fps
1 1/8	Red Dot	Fio. 616	Versalite	16.5 grs 8100 psi	17.5 grs 9000 psi	18.5 grs 9500 psi	
1 1/8	Red Dot	Fio. 616	Figure 8 & DRRF8	16.0 grs 8000 psi	18.0 grs 8400 psi	19.5 grs 9600 psi	20.5 grs 10200 psi
1 1/8	Red Dot	Fio. 616	RXP 12	16.5 grs 8700 psi	18.0 grs 8700 psi	19.5 grs 9700 psi	
1 1/8	Red Dot	Fio. 616	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 7600 psi	18.0 grs 9000 psi	19.5 grs 9400 psi	
1 1/8	Red Dot	Fio. 616	WAA12SL & DRXL-1 & Jammer XL-1	17.0 grs 7300 psi	18.0 grs 8300 psi		
1 1/8	Red Dot	Fio. 616	Windjammer		18.5 grs 7400 psi	20.0 grs 8600 psi	21.0 grs 9400 psi
1 1/8	Red Dot	Fio. 616	12S3 & DRF3	16.0 grs 8400 psi	18.0 grs 9200 psi	19.0 grs 9700 psi	
1 1/8	Green Dot	Fio. 616	Versalite	18.5 grs 7100 psi	19.5 grs 7500 psi	21.0 grs 8200 psi	22.5 grs 9300 psi
1 1/8	Green Dot	Fio. 616	Figure 8 & DRRF8	18.5 grs 6500 psi	20.0 grs 7100 psi	21.5 grs 8500 psi	23.0 grs 8800 psi
1 1/8	Green Dot	Fio. 616	RXP 12	18.5 grs 6700 psi	20.0 grs 7200 psi	21.5 grs 7900 psi	23.0 grs 9200 psi
1 1/8	Green Dot	Fio. 616	WAA12 & DRA12 & DRXL 1 1/8	18.5 grs 7000 psi	20.0 grs 7600 psi	21.5 grs 8100 psi	23.0 grs 8900 psi
1 1/8	Green Dot	Fio. 616	Windjammer		19.5 grs 7200 psi	21.0 grs 7700 psi	22.5 grs 9000 psi
1 1/8	Green Dot	Fio. 616	12S3 & DRF3	18.5 grs 7200 psi	20.0 grs 7500 psi		
1 1/8	Promo	Fio. 616	Versalite	16.5 grs 8100 psi	17.5 grs 9000 psi	18.5 grs 9500 psi	
1 1/8	Promo	Fio. 616	Figure 8 & DRRF8	16.0 grs 8000 psi	18.0 grs 8400 psi	19.5 grs 9600 psi	20.5 grs 10200 psi
1 1/8	Promo	Fio. 616	RXP 12	16.5 grs 8700 psi	18.0 grs 8700 psi	19.5 grs 9700 psi	
1 1/8	Promo	Fio. 616	WAA12 & DRA12 & DRXL 1 1/8	17.0 grs 7600 psi	18.0 grs 9000 psi	19.5 grs 9400 psi	
1 1/8	Promo	Fio. 616	WAA12SL & DRXL-1 & Jammer XL-1	17.0 grs 7300 psi	18.0 grs 8300 psi		
1 1/8	Promo	Fio. 616	Windjammer		18.5 grs 7400 psi	20.0 grs 8600 psi	21.0 grs 9400 psi
1 1/8	Promo	Fio. 616	12S3 & DRF3	16.0 grs 8400 psi	18.0 grs 9200 psi	19.0 grs 9700 psi	
1 1/8	Unique	Fio. 616	Versalite			24.0 grs 7100 psi	25.0 grs 7800 psi
1 1/8	Unique	Fio. 616	Figure 8 & DRRF8			23.5 grs 7000 psi	24.5 grs 7600 psi
1 1/8	Unique	Fio. 616	RXP 12			22.5 grs 7200 psi	23.5 grs 8200 psi
1 1/8	Unique	Fio. 616	WAA12 & DRA12 & DRXL 1 1/8			23.5 grs 6800 psi	25.0 grs 7800 psi
1 1/8	Unique	Fio. 616	Windjammer			24.0 grs 6400 psi	25.5 grs 6900 psi
1 1/8	Herco	Fio. 616	Versalite				25.5 grs 7700 psi
1 1/8	Herco	Fio. 616	Figure 8 & DRRF8				26.0 grs 7300 psi
1 1/8	Herco	Fio. 616	RXP 12				26.0 grs 7500 psi
1 1/8	Herco	Fio. 616	WAA12 & DRA12 & DRXL 1 1/8				26.0 grs 7900 psi
1 1/8	Herco	Fio. 616	Windjammer				26.5 grs 7700 psi
1 1/4	Green Dot	CCI 209M	Rem. R12H				24.5 grs 8000 psi
1 1/4	Green Dot	Fio. 616	12S4				23.0 grs 9700 psi
1 1/4	Green Dot	Win. 209	WAA12F114				23.0 grs 10000 psi
1 1/4	Unique	Fio. 616	12S4				25.0 grs 8800 psi
1 1/4	Unique	Win. 209	WAA12F114				25.0 grs 8700 psi
1 1/2	Blue Dot	Fio. 616	RP 12		32.5 grs 8700 psi		
1 1/2	Blue Dot	CCI 209M	RP 12			33.0 grs 9500 psi	36.5 grs 10600 psi
1 1/2	Blue Dot	Fio. 616	RP 12			36.5 grs 9000 psi	37.5 grs 9600 psi
1 1/2	Blue Dot	Win. 209	RP 12			35.5 grs 8600 psi	36.5 grs 10300 psi

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 2 3/4 inch 1 1/8, 1 1/4 AND 1 3/8 Ounce Heavy Loads

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1275 fps	1310 fps	1330 fps	1375 fps
1 1/8	Unique	CCI 209M	RXP 12		25.0 grs 10000 psi		
1 1/8	Unique	Fio. 616	RXP 12		26.0 grs 9900 psi		
1 1/8	Unique	Rem. 209P	Versalite		25.5 grs 9900 psi		
1 1/8	Unique	Rem. 209P	RXP 12		24.5 grs 9700 psi		

12-GAUGE 2 3/4 INCH FEDERAL HIGH OVER ALL, REMINGTON PLASTIC SHELLS (STS, NITRO 27, PREMIER RXP AND GUN CLUB)

12-Gauge 2 3/4 inch 1 1/8, 1 1/4 and 1 3/8 Ounce Heavy Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1275 fps	1310 fps	1330 fps	1375 fps
1 1/8	Unique	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8		25.0 grs 10500 psi		
1 1/8	Unique	Rem. 209P	Windjammer		26.5 grs 8600 psi		
1 1/8	Unique	Win. 209	RXP 12		26.0 grs 9800 psi		
1 1/8	Herco	CCI 209M	RXP 12		26.5 grs 9700 psi		
1 1/8	Herco	Win. 209	RXP 12		27.0 grs 9300 psi		
1 1/8	Herco	Fio. 616	RXP 12		27.5 grs 9300 psi		
1 1/8	Herco	Rem. 209P	Versalite		27.0 grs 8800 psi		
1 1/8	Herco	Rem. 209P	RXP 12		27.5 grs 8400 psi		
1 1/8	Herco	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8		27.0 grs 8800 psi		
1 1/8	Herco	Rem. 209P	Windjammer		28.5 grs 8600 psi		
1 1/4	Herco	Rem. 209P	SP 12	27.0 grs 10700 psi			
1 1/4	Herco	Rem. 209P	WAA12F114	26.5 grs 10500 psi			
1 1/4	Herco	Win. 209	SP 12	26.0 grs 10600 psi			
1 1/4	Blue Dot	Win. 209	SP 12	35.5 grs 9100 psi		36.5 grs 9900 psi	
1 1/4	Blue Dot	CCI 209M	SP 12	34.5 grs 9800 psi		35.5 grs 10300 psi	
1 1/4	Blue Dot	Fio. 616	SP 12	34.5 grs 9300 psi		35.5 grs 9900 psi	
1 1/4	Blue Dot	Rem. 209P	CB 1138-12			37.5 grs 10200 psi	
1 1/4	Blue Dot	Rem. 209P	SP 12			37.5 grs 9700 psi	
1 3/8	Blue Dot	CCI 209M	RP 12		35.5 grs 10400 psi		
1 3/8	Blue Dot	Fio. 616	RP 12		35.5 grs 10000 psi		
1 3/8	Blue Dot	Rem. 209P	SP 12		37.5 grs 10300 psi		
1 3/8	Blue Dot	Win. 209	RP 12		35.5 grs 10500 psi		
1 3/8	Blue Dot	Rem. 209P	RP 12		36.5 grs 9900 psi		

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-gauge 2 3/4 inch 1 1/8, 1 1/4 and 1 3/8 Ounce Heavy Loads

(oz)				Velocity / Charge Weight / Pressure			
				1275 fps	1310 fps	1350 fps	1440 fps
1 1/8	Herco	Fed. 209A	WAA12F114				30.0 grs 10500 psi
1 1/8	Herco	Fed. 209A	Red PC				32.0 grs 10500 psi
1 1/8	Green Dot	Fed. 209A	RXP 12		24.0 grs 10400 psi		
1 1/8	Green Dot	Fed. 209A	WAA12 (White)		23.0 grs 10400 psi		
1 1/8	Green Dot	Fed. 209A	Windjammer		24.0 grs 8800 psi		
1 1/8	Unique	Fed. 209A	Versalite		25.0 grs 10000 psi		
1 1/8	Unique	Fed. 209A	RXP 12		26.0 grs 10300 psi		
1 1/8	Unique	Fed. 209A	WAA12 (White)		25.0 grs 9200 psi		
1 1/8	Unique	Fed. 209A	Windjammer		25.0 grs 9700 psi		
1 1/4	Herco	Fed. 209A	SP 12	27.0 grs 10100 psi			
1 1/4	Herco	Fed. 209A	WAA12F114	27.0 grs 10500 psi	28.0 grs 10800 psi		
1 1/4	Herco	Rem. 209P	12S4	27.5 grs 9200 psi			
1 1/4	Herco	Fed. 209A	Red PC		29.0 grs 10000 psi		
1 1/4	Blue Dot	CCI 209M	12S4	35.0 grs 9100 psi			
1 1/4	Blue Dot	Fed. 209A	12S4	34.0 grs 8900 psi			
1 1/4	Blue Dot	Win. 209	12S4	35.0 grs 8700 psi			
1 1/4	Blue Dot	Fed. 209A	RP 12				40.5 grs 10700 psi
1 1/4	Blue Dot	CCI 209M	SP 12			37.5 grs 8300 psi	
1 1/4	Blue Dot	Fed. 209A	SP 12			35.0 grs 10500 psi	
1 1/4	Blue Dot	Win. 209	SP 12			37.0 grs 9000 psi	
1 3/8	Blue Dot	CCI 209M	RP 12	33.0 grs 9600 psi	36.5 grs 9000 psi		
1 3/8	Blue Dot	Fed. 209A	RP 12	34.0 grs 9900 psi	35.5 grs 10700 psi		
1 3/8	Blue Dot	Rem. 209P	RP 12	36.0 grs 7800 psi	39.0 grs 8600 psi		
1 3/8	Blue Dot	Win. 209	RP 12	34.5 grs 8600 psi	36.0 grs 9200 psi		

12-GAUGE 2 3/4 INCH FEDERAL GOLD MEDAL PLASTIC TARGET SHELLS

12-Gauge 2 3/4 inch 1 1/8, 1 1/4 and 1 3/8 Ounce Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1145 fps	1200 fps	1250 fps	1310 fps
1 1/8	20/28	Fed. 209A	12S3		21.7 grs 7000 psi	23.0 grs 7800 psi	
1 1/8	20/28	Fed. 209A	CB-1034-20		21.2 grs 7000 psi	22.5 grs 8100 psi	
1 1/8	20/28	Fed. 209A	12S3		22.2 grs 7000 psi	23.2 grs 7400 psi	
(oz)				1310 fps	1330 fps	1400 fps	1450 fps
1 1/8	Herco	Fed. 209A	WAA12F114			30.0 grs 10700 psi	
1 1/4	Herco	CCI 209M	12S4		29.5 grs 9900 psi		
1 1/4	Herco	Fed. 209A	RP 12		29.0 grs 9400 psi		
1 1/4	Herco	Fed. 209A	SP 12		29.5 grs 9300 psi		
1 1/4	Herco	Fed. 209A	WAA12F114		29.5 grs 9200 psi		
1 1/4	Blue Dot	CCI 209M	12S4		37.0 grs 9000 psi		
1 1/4	Blue Dot	Fed. 209A	12S4		37.0 grs 10300 psi		
1 3/8	Blue Dot	CCI 209M	SP 12	37.0 grs 10600 psi			
1 3/8	Blue Dot	Fed. 209A	SP 12	35.5 grs 10300 psi			
1 3/8	Blue Dot	Rem. 209P	SP 12	38.0 grs 8600 psi			
1 3/8	Blue Dot	Win. 209	SP 12	36.5 grs 10200 psi			
1 3/8	Blue Dot	Fed. 209A	RP 12		37.5 grs 10700 psi		

12-GAUGE 2 3/4 INCH WINCHESTER AA PLASTIC SHELLS

12-Gauge 2 3/4 inch 1 1/8 and 1 1/4 Ounce Heavy Loads

(oz)				1300 fps	1350 fps	1375 fps	1425 fps
1 1/8	Green Dot	Win. 209	Red PC	23.0 grs 10200 psi			
1 1/8	Unique	CCI 209M	WAA12 & DRA12 & DRXL 1 1/8	25.5 grs 9700 psi			
1 1/8	Unique	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	26.0 grs 9700 psi			
1 1/8	Unique	Win. 209	Versalite	25.0 grs 10300 psi			
1 1/8	Unique	Win. 209	Red PC	25.0 grs 9100 psi			
1 1/8	Unique	Win. 209	RXP 12	24.0 grs 9800 psi			
1 1/8	Unique	Win. 209	WAA12 & DRA12 & DRXL 1 1/8	25.5 grs 10000 psi			
1 1/8	Herco	Rem. 209P	WAA12 & DRA12 & DRXL 1 1/8	27.0 grs 8100 psi			
1 1/8	Herco	Win. 209	Versalite	26.5 grs 9900 psi			
1 1/8	Herco	Win. 209	RXP 12	26.5 grs 9100 psi			
1 1/8	Herco	Win. 209	WAA12 & DRA12 & DRXL 1 1/8	26.5 grs 9300 psi			
1 1/4	Herco	Rem. 209P	WAA12F114	27.0 grs 9400 psi			
1 1/4	Blue Dot	Win. 209	SP 12	35.0 grs 8200 psi			
1 1/4	Blue Dot	Win. 209	RP 12			38.0 grs 10200 psi	
1 1/4	Blue Dot	Win. 209	SP 12			37.0 grs 10300 psi	
1 1/4	Blue Dot	Win. 209	WAA12R			37.5 grs 10200 psi	
1 1/4	Blue Dot	Win. 209	CB 1138-12				37.5 grs 10600 psi

12-GAUGE 2 3/4 INCH FIOCCHI PLASTIC SHELLS

12-Gauge 2 3/4 inch 1 1/8, 1 1/4 and 1 3/8 Ounce Heavy Loads

(oz)				1300 fps	1350 fps	1375 fps	1425 fps
1 1/8	Green Dot	CCI 209M	RXP 12	24.0 grs 10000 psi			
1 1/8	Green Dot	Fio. 616	12S3 & DRF3	25.0 grs 9600 psi			
1 1/8	Green Dot	Win. 209	WAA12 & DRA12 & DRXL 1 1/8	25.0 grs 8700 psi			
1 1/8	Unique	CCI 209M	RXP 12	26.5 grs 8400 psi			
1 1/8	Unique	Fio. 616	12S3 & DRF3	27.0 grs 8600 psi			
1 1/8	Unique	Win. 209	WAA12 & DRA12 & DRXL 1 1/8	26.5 grs 8300 psi			
1 1/4	Unique	CCI 209M	12S4	27.0 grs 10300 psi			

12-GAUGE 2 3/4 INCH FIOCCHI PLASTIC SHELLS

12-Gauge 2 3/4 inch 1 1/8, 1 1/4 and 1 3/8 Ounce Heavy Loads continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1300 fps	1350 fps	1375 fps	1425 fps
1 1/4	Unique	Fio. 616	WAA12F114	27.0 grs 10000 psi			
1 1/4	Herco	CCI 209M	SP 12	30.0 grs 9200 psi			
1 1/4	Herco	Fio. 616	12S4	30.0 grs 9500 psi			
1 1/4	Herco	Fio. 616	SP 12	30.5 grs 8600 psi			
1 1/4	Herco	Fio. 616	WAA12F114	30.0 grs 9200 psi			
1 1/4	Herco	Win. 209	WAA12F114	30.0 grs 10100 psi			
1 1/4	Blue Dot	CCI 209M	SP 12	41.0 grs 7600 psi			
1 1/4	Blue Dot	Fio. 616	12S4	40.0 grs 8300 psi			
1 1/4	Blue Dot	Fio. 616	SP 12	41.0 grs 7700 psi			
1 1/4	Blue Dot	Fio. 616	WAA12F114	39.5 grs 7500 psi			
1 1/4	Blue Dot	Win. 209	WAA12F114	38.5 grs 8300 psi			
1 3/8	Blue Dot	CCI 209M	RP 12	37.0 grs 9600 psi	40.0 grs 10100 psi		
1 3/8	Blue Dot	Fio. 616	RP 12	38.0 grs 9100 psi			
1 3/8	Blue Dot	Win. 209	RP 12	38.0 grs 9500 psi	40.0 grs 9900 psi		

12-GAUGE 3 INCH FEDERAL GAME LOAD PLASTIC SHELLS WITH ROLLED PAPER BASE WAD

12-Gauge 3 inch Shotshells with Rolled Paper Base Wad

(oz)				Velocity / Charge Weight / Pressure			
				1155 fps	1245 fps	1300 fps	1350 fps
1 3/8	Herco	Fed. 209A	12S3 & DRF3			30.5 grs 10000 psi	
1 3/8	Herco	Fed. 209A	RXP 12			30.5 grs 9300 psi	
1 3/8	Herco	Fed. 209A	WAA12 (White)			30.5 grs 9700 psi	
1 3/8	Blue Dot	Fed. 209A	RXP 12			38.0 grs 9000 psi	
1 3/8	Blue Dot	Fed. 209A	WAA12 (White)			38.0 grs 8800 psi	
1 3/8	Blue Dot	Fed. 209A	12S4				40.0 grs 9400 psi
1 3/8	Blue Dot	Fed. 209A	SP 12				40.0 grs 8900 psi
1 1/2	Blue Dot	Fed. 209A	12S3 & DRF3			38.0 grs 9700 psi	
1 1/2	Blue Dot	Fed. 209A	RXP 12			38.5 grs 9600 psi	
1 1/2	Blue Dot	Fed. 209A	WAA12 (White)			37.5 grs 9800 psi	
1 5/8	Blue Dot	Fed. 209A	SP 12			38.0 grs 10400 psi	
1 3/4	Blue Dot	Fed. 209A	RP 12		39.0 grs 10500 psi		
1 7/8	Blue Dot	Fed. 209A	RP 12	34.0 grs 10500 psi			
1 7/8	Blue Dot	Fed. 209A	SP 12	36.0 grs 10300 psi			

12-Gauge 3 inch Federal One-Piece Plastic Shells

1 3/8	Herco	Fed. 209A	12S3 & DRF3			31.0 grs 10500 psi	
1 3/8	Blue Dot	Fed. 209A	12S3 & DRF3			40.5 grs 7900 psi	
1 3/8	Herco	Fed. 209A	RXP 12			32.0 grs 10100 psi	
1 3/8	Blue Dot	Fed. 209A	WAA12 (White)			38.0 grs 9800 psi	
1 3/8	Blue Dot	Fed. 209A	RXP 12				42.0 grs 8000 psi
1 3/8	Blue Dot	Fed. 209A	WAA12 (White)				44.0 grs 9900 psi
1 1/2	Blue Dot	Fed. 209A	12S4			40.0 grs 9700 psi	
1 1/2	Blue Dot	Fed. 209A	SP 12			40.0 grs 9000 psi	
1 5/8	Blue Dot	Fed. 209A	12S4			40.0 grs 10100 psi	
1 5/8	Blue Dot	Fed. 209A	SP 12			40.0 grs 9400 psi	

12-GAUGE 3 INCH FEDERAL GAME LOAD PLASTIC WITH 7/16 FIBER BASE WAD

12-Gauge 3 inch Shotgun Load Data

(oz)				Velocity / Charge Weight / Pressure		
				1150 fps	1175 fps	
1 3/4	Blue Dot	Fed. 209A	RP 12		39.0 grs 10500 psi	
1 7/8	Blue Dot	Fed. 209A	SP 12	36.5 grs 9900 psi		
1 7/8	Blue Dot	Fed. 209A	WAA12R		32.5 grs 11200 psi	
2	Blue Dot	Fed. 209A	SP 12	33.0 grs 11400 psi		

12-GAUGE 3 INCH FEDERAL GAME LOAD PLASTIC WITH 7/16 FIBER BASE WAD

12-Gauge 3 inch Fiocchi Plastic Shells

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1155 fps	1245 fps	1300 fps	1350 fps
1 3/8	Herco	CCI 209M	12S3 & DRF3			30.0 grs 10000 psi	
1 3/8	Blue Dot	CCI 209M	12S3 & DRF3			37.0 grs 9000 psi	
1 3/8	Herco	Fio. 616	12S3 & DRF3			31.5 grs 9100 psi	
1 3/8	Herco	Fio. 616	RXP 12			32.5 grs 8600 psi	
1 3/8	Herco	Fio. 616	WAA12 (White)			31.5 grs 8900 psi	
1 3/8	Herco	Win. 209	12S3 & DRF3			29.5 grs 10600 psi	
1 3/8	Blue Dot	Win. 209	12S3 & DRF3			37.5 grs 8800 psi	
1 3/8	Blue Dot	CCI 209M	12S4				38.0 grs 10400 psi
1 3/8	Herco	Fio. 616	12S4				32.0 grs 10700 psi
1 3/8	Herco	Fio. 616	SP 12				32.5 grs 10100 psi
1 3/8	Blue Dot	Win. 209	12S4				38.5 grs 10100 psi
1 1/2	Blue Dot	CCI 209M	12S4			38.0 grs 10400 psi	
1 1/2	Blue Dot	Fio. 616	12S4			39.0 grs 10300 psi	
1 1/2	Blue Dot	Fio. 616	SP 12			39.0 grs 9700 psi	
1 1/2	Blue Dot	Win. 209	12S4			39.0 grs 10600 psi	
1 5/8	Blue Dot	Fio. 616	12S4			39.0 grs 10700 psi	
1 5/8	Blue Dot	Fio. 616	SP 12			39.5 grs 9700 psi	
1 7/8	Blue Dot	Fio. 616	RP 12	34.5 grs 10700 psi			

12-GAUGE 3-INCH REM.-PETERS SP PLASTIC SHELLS

12-Gauge 3 inch Rem. - Peters SP Plastic Shells with Separate Base Wad

1 3/8	Herco	CCI 209M	12S3 & DRF3			29.5 grs 10000 psi	
1 3/8	Herco	CCI 209M	RXP 12			30.0 grs 9200 psi	
1 3/8	Herco	CCI 209M	WAA12 (White)			30.0 grs 10000 psi	
1 3/8	Blue Dot	CCI 209M	12S3 & DRF3			42.0 grs 8400 psi	
1 3/8	Blue Dot	CCI 209M	RXP 12			42.5 grs 8000 psi	
1 3/8	Blue Dot	CCI 209M	WAA12 (White)			42.0 grs 8500 psi	
1 1/2	Blue Dot	CCI 209M	12S4			39.5 grs 9800 psi	
1 1/2	Blue Dot	CCI 209M	SP 12			40.0 grs 9400 psi	
1 5/8	Blue Dot	CCI 209M	12S4			38.5 grs 10200 psi	
1 5/8	Blue Dot	CCI 209M	SP 12			39.0 grs 9800 psi	
1 5/8	Blue Dot	CCI 209M	WAA12F114			38.5 grs 10500 psi	
1 3/4	Blue Dot	CCI 209M	RP 12			38.5 grs 10700 psi	
1 7/8	Blue Dot	CCI 209M	RP 12			34.0 grs 10300 psi	

12-GAUGE 3 1/2 INCH FEDERAL PLASTIC SHELLS

12-Gauge 3 1/2 inch Shotshell Load Data

(oz)				1150 fps	1200 fps	1220 fps	1255 fps
1 7/8	Blue Dot	CCI 209M	12SO		41.0 grs 9100 psi		
1 7/8	Blue Dot	CCI 209M	R 12L		40.5 grs 9600 psi		
1 7/8	Blue Dot	CCI 209M	WAA12 SL		41.0 grs 8900 psi		
1 7/8	Blue Dot	Win. 209	12SO		40.0 grs 9000 psi		
1 7/8	Blue Dot	CCI 209M	12SO				43.0 grs 9800 psi
1 7/8	Blue Dot	CCI 209M	R 12L				42.5 grs 10100 psi
1 7/8	Blue Dot	CCI 209M	WAA12 SL				43.0 grs 9500 psi
1 7/8	Blue Dot	Win. 209	12SO				42.5 grs 10100 psi
2	Blue Dot	CCI 209M	12SO			42.5 grs 10000 psi	
2	Blue Dot	CCI 209M	R 12L			42.0 grs 10000 psi	
2	Blue Dot	CCI 209M	WAA12 SL			42.5 grs 9800 psi	
2	Blue Dot	Win. 209	12SO			41.0 grs 9900 psi	
2 1/4	Blue Dot	CCI 209M	12S4	38.5 grs 11100 psi			
2 1/4	Blue Dot	CCI 209M	SP 12	38.5 grs 11200 psi			
2 1/4	Blue Dot	CCI 209M	WAA12F114	38.5 grs 11100 psi			
2 1/4	Blue Dot	Win. 209	12S4	38.0 grs 10900 psi			

12-GAUGE 3 1/2 INCH REMINGTON PLASTIC SHELLS

12-Gauge 3 1/2 inch Remington Plastic SP

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1150 fps	1200 fps	1220 fps	1255 fps
1 7/8	Blue Dot	CCI 209M	12SO		38.0 grs 10100 psi		
1 7/8	Blue Dot	CCI 209M	R 12L		38.0 grs 10300 psi		
1 7/8	Blue Dot	CCI 209M	WAA12 SL		38.0 grs 10000 psi		
1 7/8	Blue Dot	Win. 209	R 12L		37.5 grs 10500 psi		
1 7/8	Blue Dot	CCI 209M	12SO				39.0 grs 10600 psi
1 7/8	Blue Dot	CCI 209M	R 12L				39.0 grs 10900 psi
1 7/8	Blue Dot	CCI 209M	WAA12 SL				39.0 grs 10400 psi
1 7/8	Blue Dot	Win. 209	R 12L				38.5 grs 11000 psi
2	Blue Dot	CCI 209M	12SO			39.5 grs 10800 psi	
2	Blue Dot	CCI 209M	R 12L			39.5 grs 11100 psi	
2	Blue Dot	CCI 209M	WAA12 SL			39.0 grs 10700 psi	
2	Blue Dot	Win. 209	R 12L			39.0 grs 11200 psi	
2 1/4	Blue Dot	CCI 209M	12S4	37.0 grs 11100 psi			
2 1/4	Blue Dot	CCI 209M	SP 12	38.0 grs 11100 psi			
2 1/4	Blue Dot	Win. 209	SP 12	38.0 grs 11500 psi			

12-GAUGE 3 1/2 INCH WINCHESTER PLASTIC SHELLS

12-Gauge 3 1/2 inch Shotshell Load Data

1 7/8	Blue Dot	CCI 209M	WAA12 SL		38.0 grs 10100 psi		
1 7/8	Blue Dot	Win. 209	12SO		38.5 grs 10600 psi		
1 7/8	Blue Dot	Win. 209	R 12L		38.5 grs 10300 psi		
1 7/8	Blue Dot	Win. 209	WAA12 SL		38.5 grs 10000 psi		
1 7/8	Blue Dot	CCI 209M	WAA12 SL				39.5 grs 10500 psi
1 7/8	Blue Dot	Win. 209	12SO				40.5 grs 10700 psi
1 7/8	Blue Dot	Win. 209	R 12L				40.0 grs 10700 psi
1 7/8	Blue Dot	Win. 209	WAA12 SL				40.0 grs 10800 psi
2	Blue Dot	CCI 209M	WAA12 SL			39.0 grs 11200 psi	
2	Blue Dot	Win. 209	12SO			40.5 grs 11000 psi	
2	Blue Dot	Win. 209	R 12L			39.0 grs 10600 psi	
2	Blue Dot	Win. 209	WAA12 SL			40.0 grs 11200 psi	
2 1/4	Blue Dot	Win. 209	SP 12	37.0 grs 11200 psi			

16-GAUGE SHOTSHELL LOAD DATA

16-Gauge 2 3/4 inch Federal Game Load Plastic Shells with Paper Base Wad

(oz)				1185 fps	1240 fps	1260 fps	1295 fps
1 1/8	Green Dot	Fed. 209A	SP 16	19.0 grs 10600 psi			
1 1/8	Unique	Fed. 209A	SP 16	21.5 grs 8900 psi	22.5 grs 9600 psi		
1 1/8	Herco	Fed. 209A	SP 16	22.0 grs 9100 psi	23.5 grs 10100 psi		24.5 grs 10300 psi
1 1/8	Blue Dot	Fed. 209A	SP 16				32.0 grs 8600 psi
1 1/4	Blue Dot	Fed. 209A	SP 16			30.5 grs 10200 psi	

16-Gauge 2 3/4 inch Fiochi Plastic Shells

(oz)				1185 fps	1240 fps	1260 fps	1295 fps
1 1/8	Unique	Fio. 616	SP 16	20.5 grs 9900 psi			
1 1/8	Herco	Fio. 616	SP 16	21.0 grs 10200 psi	23.5 grs 10700 psi		
1 1/8	Blue Dot	Fio. 616	SP 16		31.0 grs 8900 psi		32.5 grs 9200 psi

16-Gauge 2 3/4 inch Remington SP Plastic Shells with Plastic Base Wad

1 1/8	Blue Dot	Rem. 209P	SP 16		27.0 grs 9900 psi		
-------	----------	-----------	-------	--	-------------------	--	--

20-GAUGE SHOTSHELL LOAD DATA

20-GAUGE 2 3/4 INCH REMINGTON PLASTIC SHELLS (STS)

20-Gauge 2 3/4 inch Remington Plastic Shells (STS)

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1155 fps	1200 fps	1250 fps	1290 fps
3/4	Amer. Select	Rem. 209P	RXP 20		13.5 grs 10320 psi	14.0 grs 11330 psi	
3/4	Amer. Select	Rem. 209P	CB-1034-20		13.5 grs 11100 psi		
3/4	Green Dot	Rem. 209P	RXP 20		14.0 grs 9960 psi		16.0 grs 11300 psi
3/4	Green Dot	Rem. 209P	CB 1078-20		14.0 grs 9810 psi	15.0 grs 10510 psi	
3/4	Green Dot	Rem. 209P	CB-1034-20	12.4 grs 9100 psi	13.2 grs 9500 psi	14.2 grs 11100 psi	
3/4	Green Dot	Cheddite	CB-1034-20	12.4 grs 8600 psi	13.3 grs 9600 psi	14.2 grs 11200 psi	
3/4	Unique	Rem. 209P	CB-1034-20	14.5 grs 7500 psi	15.4 grs 8200 psi	16.5 grs 9100 psi	
3/4	20/28	Rem. 209P	CB-1034-20	13.8 grs 6400 psi	14.4 grs 7200 psi	15.4 grs 8200 psi	
7/8	20/28	Rem. 209P	Windjammer		15.5 grs 9150 psi	16.5 grs 10510 psi	
7/8	20/28	Rem. 209P	Orange Duster		15.5 grs 10110 psi	16.5 grs 10950 psi	
7/8	20/28	Rem. 209P	WAA 20		15.5 grs 9690 psi	16.5 grs 10970 psi	
7/8	20/28	Rem. 209P	RXP 20		15.5 grs 9310 psi	16.5 grs 10180 psi	
7/8	20/28	Rem. 209P	CB 1078-20		15.5 grs 10060 psi	16.5 grs 10720 psi	
7/8	20/28	Rem. 209P	Versalite		15.5 grs 9580 psi	16.5 grs 10860 psi	
7/8	20/28	Win. 209	CB 1078-20		15.5 grs 10010 psi		
7/8	20/28	Win. 209	Windjammer		15.5 grs 9150 psi		
7/8	20/28	Win. 209	WAA20		15.5 grs 10620 psi		
7/8	20/28	Win. 209	RXP 20		15.5 grs 10110 psi		
7/8	20/28	Win. 209	Orange Duster		15.5 grs 10550 psi		
7/8	Unique	Rem. 209P	RXP 20	15.5 grs 10000 psi	16.5 grs 10700 psi		
7/8	Unique	Rem. 209P	CB 1078-20	15.5 grs 9500 psi	16.5 grs 10600 psi		
7/8	Unique	Rem. 209P	Orange Duster	16.5 grs 7700 psi	17.5 grs 8100 psi		
7/8	Unique	Rem. 209P	20S1	15.5 grs 10000 psi	16.5 grs 10800 psi		
7/8	Unique	Rem. 209P	Versalite		16.5 grs 10200 psi		
7/8	Unique	Rem. 209P	WAA20		16.5 grs 10900 psi		
7/8	Unique	Rem. 209P	Windjammer		16.0 grs 10400 psi		
7/8	Unique	CCI 209	RXP 20		16.5 grs 9900 psi		
7/8	Unique	CCI 209M	RXP 20	15.5 grs 11000 psi	16.0 grs 11300 psi		
7/8	Unique	Fio. 616	RXP 20	16.0 grs 10700 psi	16.5 grs 11200 psi		
7/8	Unique	Win. 209	RXP 20		16.5 grs 11300 psi		
7/8	Herco	Rem. 209P	RXP 20		17.0 grs 10600 psi		
7/8	Herco	Rem. 209P	CB 1078-20	16.0 grs 9800 psi	17.5 grs 9800 psi		
7/8	Herco	Rem. 209P	20S1	16.0 grs 10000 psi	17.0 grs 10500 psi		
7/8	Herco	Rem. 209P	Versalite		17.5 grs 10400 psi		
7/8	Herco	Rem. 209P	WAA20		17.0 grs 10700 psi		
7/8	Herco	Rem. 209P	Windjammer		17.0 grs 10100 psi		
7/8	Herco	CCI 209	RXP 20		17.5 grs 9400 psi		
7/8	Herco	CCI 209M	RXP 20	16.5 grs 10500 psi	17.0 grs 10800 psi		
7/8	Herco	Fio. 616	RXP 20	16.5 grs 10100 psi	17.0 grs 10700 psi		
7/8	Herco	Win. 209	RXP 20		17.0 grs 10600 psi		
1	Blue Dot	CCI 209	SP 20	22.0 grs 9500 psi	23.0 grs 10300 psi		
1	Blue Dot	CCI 209M	SP 20	21.5 grs 10500 psi	22.5 grs 10900 psi		
1	Blue Dot	Fio. 616	SP 20	22.5 grs 9800 psi	23.5 grs 11000 psi		
1	Blue Dot	Rem. 209P	SP 20	21.5 grs 9000 psi	24.0 grs 11100 psi		
1	Blue Dot	Win. 209	SP 20	21.5 grs 10600 psi	22.0 grs 11100 psi		

20-GAUGE 2 3/4 INCH WINCHESTER PLASTIC SHELLS

20-Gauge 2 3/4 inch Winchester AA Plastic Shells

3/4	Amer. Select	Win. 209	WAA20		13.5 grs 10510 psi	14.5 grs 11800 psi	
3/4	Amer. Select	Win. 209	CB 1078-20		14.0 grs 10540 psi	14.5 grs 11800 psi	

20-GAUGE 2 3/4 INCH WINCHESTER PLASTIC SHELLS

20-Gauge 2 3/4 inch Winchester AA Plastic Shells continued

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1155 fps	1200 fps	1250 fps	1290 fps
3/4	Amer. Select	Win. 209	CB-1034-20		13.7 grs 11000 psi		
3/4	Green Dot	Win. 209	WAA20		14.5 grs 9940 psi	15.0 grs 10650 psi	
3/4	Green Dot	Win. 209	CB 1078-20		14.0 grs 9930 psi	15.0 grs 10860 psi	
3/4	Green Dot	Win. 209	CB-1034-20		14.0 grs 10300 psi	14.8 grs 11100 psi	
3/4	Unique	Win. 209	CB 1078-20				17.0 grs 9980 psi
3/4	Unique	Win. 209	CB-1034-20		15.4 grs 8200 psi	16.4 grs 9200 psi	
3/4	20/28	Win. 209	CB-1034-20		14.5 grs 7200 psi	15.5 grs 7900 psi	
7/8	20/28	Win. 209	WAA20		15.5 grs 8880 psi	16.5 grs 9740 psi	
7/8	20/28	Win. 209	CB 1078-20		15.7 grs 9370 psi	16.7 grs 10490 psi	
7/8	20/28	Win. 209	Windjammer		15.7 grs 9470 psi	16.7 grs 10690 psi	
7/8	20/28	Win. 209	Versalite		16.0 grs 9430 psi	17.0 grs 10420 psi	
7/8	20/28	Win. 209	Orange Duster		15.7 grs 9750 psi	16.7 grs 10630 psi	
7/8	20/28	Rem. 209P	CB 1078-20		15.5 grs 9980 psi		
7/8	20/28	Rem. 209P	Windjammer		15.5 grs 9580 psi		
7/8	20/28	Rem. 209P	Versalite		15.5 grs 9400 psi		
7/8	20/28	Rem. 209P	Orange Duster		15.5 grs 9990 psi		
7/8	20/28	Rem. 209P	WAA20		15.5 grs 9890 psi		
7/8	Unique	Win. 209	WAA20	15.0 grs 10200 psi			
7/8	Unique	Win. 209	CB 1078-20	15.0 grs 10200 psi	16.0 grs 11200 psi		
7/8	Unique	Win. 209	RXP 20	15.0 grs 8700 psi	16.0 grs 9000 psi		
7/8	Unique	Win. 209	WAA20F1	15.0 grs 11000 psi	15.5 grs 11200 psi		
7/8	Herco	Win. 209	CB 1078-20	16.0 grs 10500 psi	16.5 grs 11000 psi		
1	Herco	Win. 209	RXP 20	16.5 grs 9600 psi			
1	Herco	Win. 209	SP 20	16.5 grs 10000 psi			
1	20/28	Win. 209	RXP 20		16.5 grs 11620 psi		
1	Blue Dot	Win. 209	RXP 20			23.0 grs 11300 psi	
1	Blue Dot	Win. 209	SP 20			23.5 grs 11400 psi	

20-Gauge 2 3/4 inch Federal Plastic Target Shells

7/8	20/28	Fed. 209A	20S1		16.5 grs 8370 psi	17.2 grs 8970 psi	
7/8	20/28	Fed. 209A	Windjammer		16.5 grs 8210 psi	17.5 grs 8690 psi	
7/8	20/28	CCI 209	20S1		16.0 grs 8350 psi		
7/8	20/28	CCI 209	RXP 20			17.5 grs 10210 psi	
7/8	20/28	CCI 209	Windjammer		17.0 grs 8060 psi	18.0 grs 8480 psi	
7/8	Green Dot	Fed. 209A	Versalite		15.5 grs 11470 psi		
7/8	Green Dot	Fed. 209A	Windjammer		15.5 grs 11350 psi		
7/8	Green Dot	Fed. 209A	WAA20		15.0 grs 10960 psi		
7/8	Green Dot	CCI 209M	20S1	14.5 grs 9100 psi	16.5 grs 9300 psi		
7/8	Unique	Fed. 209A	RXP 20		16.5 grs 9170 psi		
7/8	Unique	Fed. 209A	Windjammer		17.0 grs 9880 psi		
7/8	Unique	Fed. 209A	WAA20		16.5 grs 9450 psi		
7/8	Unique	Fed. 209A	Versalite		17.0 grs 9990 psi		
7/8	Unique	CCI 209M	20S1	16.0 grs 8700 psi	17.0 grs 9100 psi		
7/8	Herco	Fed. 209A	WAA20		17.5 grs 10070 psi		
7/8	Herco	Fed. 209A	RXP 20		17.5 grs 9420 psi		
7/8	Herco	Fed. 209A	Windjammer		18.0 grs 9880 psi		
7/8	Herco	CCI 209M	20S1		17.5 grs 7600 psi	18.5 grs 9800 psi	

20-Gauge 2 3/4 inch Remington Plastic Shells (STS)

(oz)				1300 fps	1350 fps	1400 fps	1425 fps
7/8	Pro Reach	Rem. 209P	Orange Duster	20.2 grs 8380 psi	20.9 grs 8760 psi		22.4 grs 11220 psi

20-GAUGE 2 3/4 INCH WINCHESTER PLASTIC SHELLS (STS)**20-Gauge 2 3/4 inch Winchester AA-HS Plastic Shells**

Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1300 fps	1350 fps	1400 fps	1425 fps
7/8	Pro Reach	Win. 209	20S1		19.2 grs 11180 psi		
7/8	Pro Reach	Win. 209	RXP 20			21.0 grs 10990 psi	
7/8	Pro Reach	Win. 209	Orange Duster	18.9 grs 10720 psi	19.5 grs 10960 psi		
7/8	Pro Reach	Cheddite	Orange Duster	18.8 grs 10420 psi	19.3 grs 11320 psi		

20-GAUGE 2 3/4 INCH FEDERAL PLASTIC TARGET SHELLS**20-Gauge 2 3/4 inch Shotshell Load Data**

(oz)				1300 fps	1350 fps	1400 fps	1425 fps
7/8	Pro Reach	Fed. 209A	RXP 20				22.8 grs 11090 psi
7/8	Pro Reach	Fed. 209A	Win. AA20	20.1 grs 7970 psi	21.4 grs 9270 psi	21.9 grs 10830 psi	
7/8	Pro Reach	Fed. 209A	20S1	20.1 grs 8490 psi	20.9 grs 9280 psi	22.0 grs 11140 psi	

28-GAUGE SHOTSHELL LOAD DATA**28-Gauge 2 3/4 inch Remington Plastic Shells (STS, Premier)**

(oz)				1200 fps	1250 fps	1290 fps	
3/4	20/28	Rem. 209P	PT-28	12.8 grs 11830 psi			
3/4	20/28	Rem. 209P	Duster 2834	12.8 grs 11200 psi	13.1 grs 12360 psi		
3/4	20/28	Rem. 209P	CB 5034-HS	12.4 grs 11620 psi			
3/4	Unique	Rem. 209P	PT-28	13.3 grs 11260 psi			
3/4	Unique	Rem. 209P	28S1	13.2 grs 11520 psi			
3/4	Unique	Rem. 209P	Duster 2834	14.0 grs 9600 psi			
3/4	Unique	Rem. 209P	PC	14.0 grs 11200 psi			
3/4	Herco	Win. 209	PT-28	13.9 grs 11700 psi			
3/4	Herco	Rem. 209P	PT-28	14.5 grs 11360 psi			
3/4	Herco	Rem. 209P	28S1	14.0 grs 11030 psi			
3/4	Herco	Rem. 209P	Duster 2834	14.8 grs 9600 psi			
3/4	Herco	Rem. 209P	PC	14.5 grs 10800 psi			

28-Gauge 2 3/4 inch Winchester AA (HS) Plastic Shells

3/4	20/28	Win. 209	Duster 2834	13.0 grs 9880 psi	14.0 grs 11110 psi		
3/4	20/28	Win. 209	CB 5034-HS	13.0 grs 10580 psi	13.5 grs 11690 psi		
3/4	20/28	Win. 209	PT-28	13.2 grs 10550 psi	14.1 grs 12160 psi		
3/4	20/28	Win. 209	Win. AA -HS	13.0 grs 11670 psi			
3/4	Unique	Win. 209	Win. AA -HS	13.1 grs 11300 psi			
3/4	Herco	Win. 209	Win. AA -HS	14.0 grs 10900 psi			

410 BORE SHOTSHELL LOAD DATA**410 Bore 2 1/2 inch Remington Plastic Shells (STS, Premier)**

(oz)				1200 fps	1230 fps	1250 fps	1300 fps
1/2	410	Rem. 209 STS	SP410	12.0 grs 9500 psi	12.7 grs 9700 psi		
1/2	410	Rem. 209 STS	Fed. 410 SC	12.2 grs 10700 psi			
1/2	410	Rem. 209 STS	WAA41	12.3 grs 8800 psi			
1/2	410	Rem. 209 STS	CB 1050-41	12.3 grs 8700 psi			
1/2	410	Rem. 209 STS	Duster 4150		12.8 grs 9900 psi		
1/2	410	CCI 209M	SP410	12.2 grs 9800 psi			
1/2	2400	CCI 209M	SP410	13.5 grs 11000 psi			
1/2	Power Pro 300-MP	Rem. 209P	Rem. SP410			17.4 grs 7500 psi	18.0 grs 7700 psi

410 Bore 2 1/2 inch Winchester AA Plastic Shells

1/2	410	CCI 209M	WAA41	11.5 grs 11100 psi	11.9 grs 11800 psi		
1/2	410	Win. 209	CB 1050-41	11.5 grs 10100 psi	11.9 grs 10900 psi		
1/2	410	Win. 209	Duster 4150	11.4 grs 11100 psi			
1/2	410	Win. 209	SP410	11.5 grs 10800 psi			
1/2	2400	Win. 209	WAA41	13.0 grs 11700 psi			

410 BORE 2 3/4 INCH WINCHESTER PLASTIC SHELLS							
410 Bore 2 1/2 inch Winchester AA (HS) Plastic Shells							
Shot (oz)	Powder	Primer	Wad	Velocity / Charge Weight / Pressure			
				1200 fps	1230 fps	1250 fps	1300 fps
1/2	410	Win. 209	Fed. 209 SC	12.5 grs 10415 psi			
1/2	410	Win. 209	Win. AA410HS	12.0 grs 10570 psi			
1/2	410	Win. 209	Duster 4150	12.0 grs 10740 psi			
1/2	Power Pro 300-MP	Win. 209	Win. 41HS	14.9 grs 8600 psi		15.6 grs 9400 psi	16.4 grs 10700 psi
410 Bore 2 1/2 inch Federal Plastic Target Shells							
1/2	410	CCI 209M	Fed. 410 SC	11.5 grs 10600 psi			
1/2	410	Fed. 209A	WAA41	11.5 grs 10500 psi	11.8 grs 11500 psi	1/16" spacer required	
1/2	410	Fed. 209A	CB 1050-41	11.5 grs 10500 psi	11.8 grs 11400 psi	1/16" spacer required	
1/2	410	Fed. 209A	Duster 4150	11.5 grs 10000 psi	11.9 grs 11800 psi		
1/2	410	Fed. 209A	SP410	11.5 grs 10700 psi	11.8 grs 11800 psi	1/16" spacer required	
1/2	410	Fed. 209A	Fed. 410 SC	11.5 grs 10500 psi	11.9 grs 12000 psi		
1/2	Power Pro 300-MP	Fed. 209A	CB 5050-410HS	16.0 grs 8000 psi		16.5 grs 8300 psi	17.5 grs 8800 psi
410 Bore 3 inch Remington Plastic Shells (STS, Premier)							
11/16	410	Rem. 209P	Rem. SP410	13.5 grs 12600 psi			
11/16	Power Pro 300-MP	Rem. 209P	Rem. SP410	17.8 grs 9000 psi			
410 Bore 3 inch Federal Plastic Target Shells							
11/16	Power Pro 300-MP	Fed. 209A	Rem. SP410	17.0 grs 10600 psi			

EXTRA-LITE® RELOADING DATA							
12 Gauge 2 3/4 inch Federal High Over All, Remington STS, Nitro 27, Gun Club and Premier Plastic Shells							
Shot (oz)	Primer	Wad	Velocity / Charge Weight / Pressure				
			1100 fps	1150 fps	1200 fps	1250 fps	1300 fps
3/4	Rem. 209P	CB0178				15.0 grs 6740 psi	16.0 grs 7490 psi
7/8	Rem. 209P	TGT 12		14.5 grs 7210 psi	15.5 grs 8210 psi	16.2 grs 8970 psi	17.2 grs 9970 psi
7/8	Rem. 209P	CB0178		15.0 grs 6580 psi	15.8 grs 7450 psi	16.8 grs 8430 psi	17.6 grs 9330 psi
7/8	Win. 209	TGT 12		14.5 grs 7460 psi	15.5 grs 8700 psi	16.5 grs 9320 psi	17.5 grs 10180 psi
7/8	Fed. 209A	CB0178			15.0 grs 8410 psi	15.9 grs 9540 psi	
7/8	Cheddite	CB0178			15.4 grs 7900 psi	16.3 grs 9010 psi	17.2 grs 10240 psi
7/8	Rem. 209P	CB1100		14.2 grs 6280 psi	15.2 grs 7090 psi	16.2 grs 8390 psi	17.2 grs 10160 psi
7/8	Fio. 616	CB0178			15.5 grs 6700 psi		17.5 grs 9240 psi
7/8	CCI 209	TGT 12			15.2 grs 8600 psi		17.2 grs 10250 psi
7/8	CCI 209M	TGT 12			15.0 grs 8780 psi		17.0 grs 10680 psi
7/8	Nobel Sport	CB0178					17.8 grs 9850 psi
1	Rem. 209P	CB4100	15.0 grs 7440 psi	15.7 grs 8470 psi	16.5 grs 9190 psi		
1	Rem. 209P	TGT 12	14.5 grs 8970 psi	15.5 grs 9600 psi	16.5 grs 10680 psi		
1	Rem. 209P	CB1100	14.5 grs 7460 psi	15.5 grs 8660 psi	16.5 grs 9760 psi		
1	Win. 209	CB4100	14.9 grs 8060 psi	15.5 grs 8810 psi	16.3 grs 9800 psi		
1	Win. 209	TGT 12	14.5 grs 8770 psi	15.5 grs 10060 psi	16.5 grs 10790 psi		
1	Win. 209	CB1100	14.5 grs 8150 psi	15.5 grs 9000 psi	16.7 grs 10350 psi		
1	Cheddite	CB4100	14.5 grs 7676 psi	15.6 grs 8970 psi	16.5 grs 10400 psi		
1	Cheddite	TGT 12	14.5 grs 8930 psi	15.5 grs 10100 psi	16.4 grs 10770 psi		
1	Cheddite	CB1100	14.5 grs 8020 psi	15.5 grs 8700 psi	16.5 grs 9940 psi		
1	Fed. 209A	CB4100	14.0 grs 8590 psi	15.0 grs 9200 psi	16.0 grs 10410 psi		
1	Fed. 209A	TGT 12	14.0 grs 9810 psi				
1	Fed. 209A	CB1100	14.0 grs 9150 psi	15.0 grs 10210 psi			

EXTRA-LITE® RELOADING DATA

12 Gauge 2 3/4 inch Winchester AA (HS) Plastic Shells

Shot (oz)	Primer	Wad	Velocity / Charge Weight / Pressure				
			1100 fps	1150 fps	1200 fps	1250 fps	1300 fps
3/4	Win. 209	CB0178				15.0 grs 7220 psi	16.0 grs 8240 psi
7/8	Win. 209	CB0178		14.5 grs 7410 psi	15.5 grs 8300 psi	16.5 grs 9070 psi	17.5 grs 9950 psi
7/8	Win. 209	CB4100		14.8 grs 7330 psi	15.5 grs 7780 psi	16.5 grs 8990 psi	17.2 grs 9920 psi
7/8	Fed. 209A	CB0178			15.0 grs 8420 psi	16.0 grs 9800 psi	16.9 grs 10680 psi
7/8	Cheddite	CB0178		14.4 grs 6970 psi	15.4 grs 7850 psi	16.4 grs 8650 psi	17.4 grs 9440 psi
7/8	Win. 209	CB1100		14.2 grs 7140 psi	15.2 grs 8120 psi	16.3 grs 8430 psi	17.3 grs 9680 psi
7/8	Fio. 616	CB0178			15.5 grs 7950 psi	16.5 grs 8730 psi	17.5 grs 9700 psi
7/8	CCI 209	TGT 12		14.5 grs 7890 psi	15.5 grs 8740 psi	16.5 grs 9840 psi	17.5 grs 10440 psi
7/8	CCI 209M	TGT 12			15.2 grs 9190 psi	16.2 grs 10240 psi	17.2 grs 10820 psi
1	Win. 209	CB4100	14.8 grs 8420 psi	15.8 grs 9440 psi	16.8 grs 10510 psi		
1	Win. 209	TGT 12	14.7 grs 8690 psi	15.7 grs 9940 psi	16.5 grs 10660 psi		
1	Win. 209	CB1100	14.8 grs 8550 psi	15.9 grs 9050 psi	16.9 grs 10080 psi		
1	Cheddite	CB4100	14.5 grs 8160 psi	15.5 grs 8910 psi	16.5 grs 10320 psi		
1	Cheddite	TGT 12	14.7 grs 8930 psi	15.7 grs 9880 psi	16.3 grs 10870 psi		
1	Cheddite	CB1100	14.6 grs 8590 psi	15.6 grs 9590 psi	16.6 grs 10380 psi		
1	Fed. 209A	CB4100	14.0 grs 8300 psi	15.0 grs 9480 psi	16.2 grs 10500 psi		
1	Fed. 209A	TGT 12	14.2 grs 9870 psi	15.1 grs 10460 psi			
1	Fed. 209A	CB1100	14.2 grs 9300 psi	15.2 grs 10380 psi	16.0 grs 10740 psi		
1	Rem. 209P	TGT 12	14.5 grs 8810 psi	15.5 grs 9900 psi	16.5 grs 10680 psi		
1	Rem. 209P	CB4100	14.5 grs 7770 psi	15.5 grs 8740 psi	16.5 grs 10060 psi		

12 Gauge 2 3/4 inch Federal Gold Medal Plastic Shells

3/4	Fed. 209A	CB6100					16.0 grs 6990 psi
7/8	Fed. 209A	CB6100		15.0 grs 6390 psi	15.8 grs 6650 psi	16.8 grs 7820 psi	17.6 grs 8710 psi
7/8	Fed. 209A	12SO		15.0 grs 6750 psi	16.0 grs 7760 psi	17.0 grs 8910 psi	18.0 grs 10440 psi
7/8	Cheddite	CB6100		15.0 grs 5360 psi	16.0 grs 6180 psi	17.2 grs 7300 psi	18.2 grs 8610 psi
7/8	Fio. 616	CB6100			16.2 grs 6590 psi		18.2 grs 7900 psi
7/8	Win. 209	CB6100			16.2 grs 7630 psi		18.2 grs 9390 psi
7/8	CCI 209M	CB6100			16.3 grs 6820 psi		18.2 grs 8520 psi

12 Gauge 2 3/4 inch Federal Gold Medal Plastic Shells continued

1	Fed. 209A	12SO		16.0 grs 8730 psi	17.0 grs 9900 psi		
1	Fed. 209A	CB6100		15.7 grs 8280 psi	16.7 grs 9350 psi	17.7 grs 10470 psi	
1	Cheddite	12SO		16.2 grs 8300 psi	17.1 grs 9360 psi	18.1 grs 10250 psi	
1	Cheddite	CB6100		16.0 grs 7560 psi	17.4 grs 8490 psi	18.5 grs 9990 psi	
1	Win. 209	12SO			17.3 grs 9700 psi	18.3 grs 10500 psi	

12 Gauge 2 3/4 inch Federal Gold Medal Paper Shells

7/8	Fed. 209A	CB6100			15.4 grs 6640 psi	16.5 grs 7900 psi	17.4 grs 8890 psi
7/8	Fed. 209A	12SO			15.5 grs 7720 psi	16.5 grs 8680 psi	17.9 grs 10210 psi
7/8	Fio. 616	CB6100			16.0 grs 5830 psi	17.0 grs 7040 psi	18.0 grs 7630 psi
7/8	Win. 209	CB6100			16.2 grs 6170 psi	17.3 grs 7310 psi	18.4 grs 8770 psi
7/8	CCI 209	CB6100			16.2 grs 6760 psi		18.2 grs 8070 psi
7/8	CCI 209M	12SO			16.0 grs 7980 psi		18.0 grs 9980 psi
1	Fed. 209A	12SO		16.5 grs 8803 psi	17.5 grs 9860 psi		
1	Fed. 209A	CB6100		16.4 grs 9060 psi	17.4 grs 10270 psi		
1	Cheddite	12SO		16.7 grs 8720 psi	17.7 grs 9540 psi	18.8 grs 10420 psi	
1	Cheddite	CB6100		16.5 grs 7410 psi	17.7 grs 8996 psi	18.8 grs 10040 psi	
1	Win. 209	CB6100		16.8 grs 7130 psi	17.5 grs 7551 psi	19.0 grs 9340 psi	

PISTOL/REVOLVER LOAD DATA

221 Fireball

Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
45-gr Speer SP	2400	CCI 400	Rem.	1.830	15.0	2762
45-gr Speer SP	Reloder 7	CCI 400	Rem.	1.830	18.3	2775
50-gr Speer TNT	2400	CCI 400	Rem.	1.830	14.5	2693
50-gr Speer TNT	Reloder 7	CCI 400	Rem.	1.830	17.9	2638
52-gr Speer HP	2400	CCI 400	Rem.	1.830	14.3	2607
52-gr Speer HP	Reloder 7	CCI 400	Rem.	1.830	17.7	2606

25 Auto

35-gr Speer HP	Bullseye	CCI 500	Speer	.870	1.7DNR	1040
50-gr Speer TMJ RN	Bullseye	CCI 500	Speer	.870	1.3DNR	812

32 Auto

60-gr Speer GDHP	Bullseye	CCI 500	Speer	.940	2.6DNR	1030
60-gr Speer GDHP	Unique	CCI 500	Speer	.940	3.2DNR	971
60-gr Speer GDHP	Power Pistol	CCI 500	Speer	.940	3.6DNR	1030

32 S&W Long

90-gr RCBS mould # 82303	Bullseye	CCI 500	Rem.	1.190	2.3	794
90-gr RCBS mould # 82303	Red Dot	CCI 500	Rem.	1.190	2.3	769
98-gr Speer HBWC	Bullseye	CCI 500	Rem.	.920	1.8	777
98-gr RCBS mould # 82061	Bullseye	CCI 500	Rem.	1.280	2.3	770
98-gr RCBS mould # 82061	Unique	CCI 500	Rem.	1.280	2.8	769
98-gr RCBS mould # 82061	2400	CCI 500	Rem.	1.280	5.6	801

32-20 Winchester

98-gr RCBS mould # 82061	Bullseye	CCI 500	Starline	1.530	2.9	937
98-gr RCBS mould # 82061	Unique	CCI 500	Starline	1.530	3.5	969
98-gr RCBS mould # 82061	Power Pistol	CCI 500	Starline	1.530	4.4	1033

32 H&R Magnum

85-gr Federal JHP	Power Pistol	Fed. 100	Federal	1.325	5.1	1113
85-gr Federal JHP	BE-86	Fed. 100	Federal	1.325	4.8	1125
85-gr Speer JHP	Unique	CCI 500	Federal	1.340	4.7	1240
95-gr LSW(Swaged)	Power Pistol	Fed. 100	Federal	1.330	5.1	1109
95-gr LSW(Swaged)	BE-86	Fed. 100	Federal	1.330	4.8	1125
98-gr Speer HBWC	Bullseye	CCI 500	Federal	1.075	2.3	810
100-gr Speer JHP	Bullseye	CCI 500	Federal	1.345	3.6	1000
100-gr Speer JHP	Unique	CCI 500	Federal	1.345	4.4	1074
100-gr Speer JHP	2400	CCI 500	Federal	1.345	7.7	1091

327 Federal

100-gr Hornady XTP	2400	Fed. 200	Federal	1.470	14.3	1618
100-gr Speer JHP	2400	Fed. 200	Federal	1.450	14.1	1628
85-gr Hornady XTP	BE-86	Fed. 200	Federal	1.470	8.6	1721
85-gr Federal JHP	BE-86	Fed. 200	Federal	1.450	8.6	1717
100-gr Hornady XTP	BE-86	Fed. 200	Federal	1.470	8.0	1540
100-gr Speer JHP	BE-86	Fed. 200	Federal	1.450	7.7	1535
85-gr Hornady XTP	Power Pistol	Fed. 200	Federal	1.470	9.5	1753
85-gr Federal JHP	Power Pistol	Fed. 200	Federal	1.450	9.5	1746
100-gr Hornady XTP	Power Pistol	Fed. 200	Federal	1.470	8.6	1572
100-gr Speer JHP	Power Pistol	Fed. 200	Federal	1.450	8.5	1570

380 Auto

90-gr Federal JHP	BE-86	Fed. 100	Federal	.940	4.1	1038
90-gr Speer GDHP	Bullseye	CCI 500	Win.	.970	3.4	981
90-gr Speer GDHP	Unique	CCI 500	Win.	.970	4.6C	1034
90-gr Speer GDHP	Power Pistol	CCI 500	Win.	.970	4.8C	1020
95-gr Federal FMC	BE-86	Fed. 100	Federal	.972	4.3	1047

380 Auto continued

Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
95-gr RN coated	Sport Pistol	Fed. 100	Federal	.950	2.7	922

9mm Luger

Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
95-gr RN coated	Sport Pistol	Fed. 100	Federal	1.015	4.4	1223
115-gr Federal FMC	BE-86	Fed. 100	Federal	1.120	6.1	1219
115-gr Federal JHP	BE-86	Fed. 100	Federal	1.120	6.3	1238
115-gr Speer GDHP	Bullseye	CCI 500	Speer	1.125	4.7	1144
115-gr Speer GDHP	Amer. Select	CCI 500	Speer	1.125	5.4	1102
115-gr Speer CPRN	Sport Pistol	Fed. 100	Federal	1.135	5.0	1171
115-gr Speer GDHP	Sport Pistol	Fed. 100	Federal	1.125	4.7	1132
115-gr Speer TMJ	Sport Pistol	Fed. 100	Federal	1.135	4.8	1164
115-gr Federal FMC	Sport Pistol	Fed. 100	Federal	1.150	4.8	1151
115-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.095	4.7	1147
115-gr RN-NLG coated	Sport Pistol	Fed. 100	Federal	1.120	4.7	1170
115-gr Blue RN coated	Sport Pistol	Fed. 100	Federal	1.110	4.4	1125
115-gr TSJ coated	Sport Pistol	Fed. 100	Federal	1.120	4.3	1130
115-gr RN coated	Sport Pistol	Fed. 100	Federal	1.110	4.4	1125
115-gr Speer GDHP	Unique	CCI 500	Speer	1.125	6.3	1244
115-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.125	6.7	1212
115-gr Speer GDHP	Blue Dot	CCI 500	Speer	1.125	8.5	1258
124-gr Federal FMC	BE-86	Fed. 100	Federal	1.120	5.8	1167
124-gr Federal JHP	BE-86	Fed. 100	Federal	1.120	5.9	1175
124-gr Speer GDHP	Bullseye	CCI 500	Speer	1.120	4.4	1059
124-gr Speer GDHP	Amer. Select	CCI 500	Speer	1.120	5.0	1053
124-gr Speer GDHP	Sport Pistol	Fed. 100	Federal	1.120	4.4	1071
124-gr Speer TMJ RN	Sport Pistol	Fed. 100	Federal	1.135	4.3	1057
124-gr Federal FMC	Sport Pistol	Fed. 100	Federal	1.150	4.5	1089
124-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.100	4.4	1087
124-gr Acme RN coated	Sport Pistol	Fed. 100	Federal	1.050	3.9	1066
124-gr Speer GDHP	Unique	CCI 500	Speer	1.120	5.8	1180
124-gr Speer GDHP	Blue Dot	CCI 500	Speer	1.120	7.9	1238
125-gr Blue RN coated	Sport Pistol	Fed. 100	Federal	1.110	4.1	1065
125-gr cast RN	Sport Pistol	Fed. 100	Federal	1.120	4.2	1108
125-gr Cast RN	BE-86	Fed. 100	Federal	1.120	5.7	1179
135-gr Blue TC coated	Sport Pistol	Fed. 100	Federal	1.110	3.7	985
135-gr RN coated	Sport Pistol	Fed. 100	Federal	1.160	3.7	999
145-gr Acme RN coated	Sport Pistol	Fed. 100	Federal	1.100	3.5	949
147-gr Speer GDHP	Sport Pistol	Fed. 100	Federal	1.130	3.7	890
147-gr Speer TMJ FN	Sport Pistol	Fed. 100	Federal	1.130	4.1	969
147-gr Federal FP	Sport Pistol	Fed. 100	Federal	1.065	3.5	890
147-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.100	3.6	894
147-gr Blue FP coated	Sport Pistol	Fed. 100	Federal	1.110	3.4	909
147-gr Blue RN coated	Sport Pistol	Fed. 100	Federal	1.100	3.2	878
147-gr Federal JHP	BE-86	Fed. 100	Federal	1.120	5.1	1020
147-gr FP Federal	BE-86	Fed. 100	Federal	1.080	4.7	999
147-gr Speer GDHP	Unique	CCI 500	Speer	1.130	4.3	954
147-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.130	5.0	975
147-gr Speer GDHP	Blue Dot	CCI 500	Speer	1.130	5.8	1001
160-gr RN coated	Sport Pistol	Fed. 100	Federal	1.165	3.0	851
165-gr Extreme plated	Sport Pistol	Fed. 100	Federal	1.140	3.1	775

9mm Luger +P

95-gr RN coated	Sport Pistol	Fed. 100	Federal	1.015	4.7	1272
115-gr Speer CPRN	Sport Pistol	Fed. 100	Federal	1.135	5.4	1225

continued

9mm Luger +P continued						
Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
115-gr Speer GDHP	Sport Pistol	Fed. 100	Federal	1.125	5.0	1185
115-gr Speer TMJ RN	Sport Pistol	Fed. 100	Federal	1.135	5.2	1229
115-gr Federal FMC	Sport Pistol	Fed. 100	Federal	1.150	5.1	1200
115-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.095	5.1	1208
115-gr Acme RN coated	Sport Pistol	Fed. 100	Federal	1.120	5.0	1217
115-gr Federal Syntech coated	Sport Pistol	Fed. 100	Federal	1.120	4.7	1196
115-gr Blue RN coated	Sport Pistol	Fed. 100	Federal	1.110	4.7	1172
124-gr Speer GDHP	Sport Pistol	Fed. 100	Federal	1.120	4.7	1122
124-gr Speer TMJ RN	Sport Pistol	Fed. 100	Federal	1.135	4.6	1105
124-gr Federal FMC	Sport Pistol	Fed. 100	Federal	1.150	4.8	1140
124-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.100	4.7	1140
124-gr Acme RN coated	Sport Pistol	Fed. 100	Federal	1.050	4.2	1111
125-gr Blue RN coated	Sport Pistol	Fed. 100	Federal	1.110	4.4	1115
125-gr Cast RN	Sport Pistol	Fed. 100	Federal	1.120	4.4	1140
135-gr Blue TC coated	Sport Pistol	Fed. 100	Federal	1.110	4.0	1021
135-gr RN coated	Sport Pistol	Fed. 100	Federal	1.160	3.9	1036
145-gr Acme RN coated	Sport Pistol	Fed. 100	Federal	1.100	3.7	981
147-gr Speer GDHP	Sport Pistol	Fed. 100	Federal	1.130	3.9	928
147-gr Speer TMJ FN	Sport Pistol	Fed. 100	Federal	1.130	4.3	1002
147-gr Federal FP	Sport Pistol	Fed. 100	Federal	1.065	3.7	929
147-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.100	3.8	934
147-gr Blue FP coated	Sport Pistol	Fed. 100	Federal	1.110	3.7	956
147-gr Blue RN coated	Sport Pistol	Fed. 100	Federal	1.100	3.4	911
160-gr RN coated	Sport Pistol	Fed. 100	Federal	1.165	3.2	887
165-gr Extreme plated	Sport Pistol	Fed. 100	Federal	1.140	3.3	815
357 SIG						
125-gr Speer JHP	BE-86	Fed. 100	Federal	1.135	8.2	1388
125-gr Speer FMC	BE-86	Fed. 100	Federal	1.135	8.3	1413
125-gr Speer TMJ	BE-86	Fed. 100	Federal	1.135	8.3	1404
125-gr Speer GDHP	Unique	CCI 500	Speer	1.135	8.0	1344
125-gr Speer GDHP	Herco	CCI 500	Speer	1.135	8.1	1277
125-gr Speer GDHP	Blue Dot	CCI 500	Speer	1.135	11.0C	1416
147-gr Speer TMJ	BE-86	Fed. 100	Federal	1.135	7.6	1234
147-gr Federal JHP	BE-86	Fed. 100	Federal	1.135	7.4	1231
147-gr Speer GDHP	Unique	CCI 500	Speer	1.135	6.6	1101
147-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.135	7.5	1152
147-gr Speer GDHP	Blue Dot	CCI 500	Speer	1.135	8.8	1218
38 Super Auto +P						
115-gr Speer GDHP	Herco	CCI 500	Win.	1.260	7.8C	1276
115-gr Speer GDHP	Blue Dot	CCI 500	Win.	1.260	10.0C	1362
124-gr Speer GDHP	Bullseye	CCI 500	Win.	1.260	5.2	1158
124-gr Speer GDHP	Unique	CCI 500	Win.	1.260	6.2	1208
124-gr Speer GDHP	Herco	CCI 500	Win.	1.260	7.3	1272
124-gr Speer GDHP	Blue Dot	CCI 500	Win.	1.260	9.2	1312
38 Special						
110-gr Federal JHP	BE-86	Fed. 100	Federal	1.420	5.7	1091
110-gr Speer GDHP	Bullseye	CCI 500	Speer	1.455	4.6	990
110-gr Speer GDHP	Amer. Select	CCI 500	Speer	1.455	4.3DNR	887
110-gr Speer GDHP	Unique	CCI 500	Speer	1.455	5.8	1065
110-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.455	6.6	1074
125-gr Federal JHP	BE-86	Fed. 100	Federal	1.425	5.4	1002
125-gr Cast RNFP	BE-86	Fed. 100	Federal	1.460	5.4	1023
125-gr Oregon Trails lead	Bullseye	Rem. 1 1/2	Rem.	1.450	4.8	1024

38 Special continued						
Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
125-gr Oregon Trails lead	Amer. Select	Rem. 1 1/2	Rem.	1.450	4.7	989
125-gr Meister RNFP	Red Dot	Rem. 1 1/2	Rem.	1.450	4.6	1025
125-gr Meister RNFP	Unique	Rem. 1 1/2	Rem.	1.450	6.0	1075
125-gr Cast RNFP	Sport Pistol	Fed. 100	Federal	1.460	4.1	909
125-gr Speer GDHP	Bullseye	CCI 500	Speer	1.440	4.5DNR	914
125-gr Speer GDHP	Amer. Select	CCI 500	Speer	1.440	4.1DNR	839
125-gr Speer GDHP	Unique	CCI 500	Speer	1.440	5.7DNR	980
125-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.440	6.1DNR	986
130-gr Federal FMC	BE-86	Fed. 100	Federal	1.425	5.4	913
130-gr RN coated	Sport Pistol	Fed. 100	Federal	1.450	4.2	880
140-gr Hornady FP lead	Bullseye	Rem. 1 1/2	Rem.	1.450	4.5	945
140-gr Hornady FP lead	Red Dot	Rem. 1 1/2	Rem.	1.450	4.5	960
140-gr Hornady FP lead	Amer. Select	Rem. 1 1/2	Rem.	1.450	4.5	988
140-gr Hornady FP lead	Unique	Rem. 1 1/2	Rem.	1.450	5.5	985
147-gr RCBS mould # 82077	Bullseye	CCI 500	Speer	1.530	3.5	838
147-gr RCBS mould # 82077	Red Dot	CCI 500	Speer	1.530	3.4	794
147-gr RCBS mould # 82077	Unique	CCI 500	Speer	1.530	4.6	820
148-gr Speer HBWC	Sport Pistol	Fed. 100	Federal	Flush	2.7	701
148-gr Speer HBWC	Bullseye	CCI 500	Speer	Flush	3.1	799
148-gr Speer HBWC	Red Dot	CCI 500	Speer	Flush	3.0	806
158-gr Cast RNFP	BE-86	Fed. 100	Federal	1.465	4.6	982
158-gr Speer LSWC	Sport Pistol	Fed. 100	Federal	1.440	3.4	762
158-gr Cast RNFP	Sport Pistol	Fed. 100	Federal	1.465	3.5	778
158-gr Speer LSWC (Swaged)	Bullseye	CCI 500	Speer	1.440	3.5	814
158-gr Speer LSWC (Swaged)	Red Dot	CCI 500	Speer	1.440	3.4	793
158-gr Speer LSWC (Swaged)	Unique	CCI 500	Speer	1.440	4.7	815
158-gr Speer LSWC (Swaged)	Power Pistol	CCI 500	Speer	1.440	5.4	948
38 Special +P						
110-gr Federal JHP	BE-86	Fed. 100	Federal	1.420	6.4	1134
110-gr Speer GDHP	Bullseye	CCI 500	Speer	1.445	5.2	1098
110-gr Speer GDHP	Amer. Select	CCI 500	Speer	1.445	4.8	967
110-gr Speer GDHP	Unique	CCI 500	Speer	1.445	6.3	1117
110-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.445	7.4	1192
125-gr Federal JHP	BE-86	Fed. 100	Federal	1.420	6.1	1019
125-gr Speer GDHP	Bullseye	CCI 500	Speer	1.440	4.8	1021
125-gr Speer GDHP	Amer. Select	CCI 500	Speer	1.440	4.7DNR	931
125-gr Speer GDHP	Unique	CCI 500	Speer	1.440	6.0	1082
125-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.440	6.8	1082
130-gr Federal FMC	BE-86	Fed. 100	Federal	1.470	6.1	1019
130-gr RN coated	Sport Pistol	Fed. 100	Federal	1.450	4.7	960
135-gr Speer GDHP	Unique	CCI 500	Speer	1.450	5.2	988
135-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.450	6.4	1065
158-gr Federal JHP	BE-86	Fed. 100	Federal	1.500	5.7	849
158-gr Speer LSWC (Swaged)	Bullseye	CCI 500	Speer	1.440	3.9	874
158-gr Speer LSWC (Swaged)	Red Dot	CCI 500	Speer	1.440	3.8	846
158-gr Speer LSWC (Swaged)	Unique	CCI 500	Speer	1.440	5.2	919
158-gr Speer LSWC (Swaged)	Power Pistol	CCI 500	Speer	1.440	6.0	1037
357 Magnum						
110-gr Federal JHP	BE-86	Fed. 100	Federal	1.550	9.6	1324
110-gr Speer JHP	Bullseye	CCI 500	Speer	1.575	8.7	1403
110-gr Speer JHP	Unique	CCI 500	Speer	1.575	9.7	1447
110-gr Speer JHP	Power Pistol	CCI 500	Speer	1.575	10.5	1451
110-gr Speer JHP	Blue Dot	CCI 500	Speer	1.575	16.0	1680

357 Magnum continued						
Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
125-gr Federal JHP	BE-86	Fed. 100	Federal	1.550	9.1	1263
125-gr Cast RNFP	BE-86	Fed. 100	Federal	1.590	9.4	1682
125-gr Cast RNFP	Sport Pistol	Fed. 100	Federal	1.590	7.3	1239
125-gr Speer GDHP	Power Pro 300-MP	Fed. 100	Federal	1.580	22.3C	1450
125-gr Speer GDHP	Unique	CCI 500	Speer	1.580	9.6	1343
125-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.580	10.5	1345
125-gr Speer GDHP	2400	CCI 500	Speer	1.580	17.5	1409
125-gr Oregon Trails lead	Amer. Select	Fed. 100	Rem.	1.580	3.9	856
135-gr Speer GDHP	Unique	CCI 500	Speer	1.590	7.8	1185
135-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.590	9.6	1291
135-gr Speer GDHP	2400	CCI 500	Speer	1.590	16.0	1377
140-gr Hornady FP lead	Amer. Select	Fed. 100	Rem.	1.540	3.6	825
140-gr Hornady FP lead	Unique	Fed. 100	Rem.	1.540	4.0	820
158-gr Federal JHP	BE-86	Fed. 100	Federal	1.570	7.8	1075
158-gr Cast RNFP	BE-86	Fed. 100	Federal	1.570	8.1	1156
158-gr Federal JSP	BE-86	Fed. 100	Federal	1.565	8.1	1075
158-gr Speer DCHP	Power Pro 300-MP	Fed. 100	Federal	1.570	18.6	1690
158-gr Speer DCHP	Unique	CCI 500	Speer	1.575	7.7	1040
158-gr Speer DCHP	Power Pistol	CCI 500	Speer	1.575	8.5	1078
158-gr Speer DCHP	Blue Dot	CCI 500	Speer	1.575	10.2	1188
158-gr Speer DCHP	2400	CCI 500	Speer	1.575	14.8	1265
158-gr Speer LSWC (Swaged)	Bullseye	CCI 500	Speer	1.570	4.8	939
158-gr Speer LSWC (Swaged)	Unique	CCI 500	Speer	1.570	6.0	1034
158-gr Cast RNFP	Sport Pistol	Fed. 100	Federal	1.570	6.2	1041
158-gr Speer LSWC	Sport Pistol	Fed. 100	Federal	1.570	6.2	1062
158-gr RN lead	Amer. Select	Fed. 100	Rem.	1.585	4.0	840
158-gr RN lead	Unique	Fed. 100	Rem.	1.585	4.5	859
170-gr Speer DCSP	Power Pro 300-MP	Fed. 100	Federal	1.590	17.5	1620
170-gr Speer DCSP	Blue Dot	CCI 500	Speer	1.590	9.4	1002
170-gr Speer DCSP	2400	CCI 500	Speer	1.590	14.5	1166
38-40 Winchester						
180-gr RCBS mould # 82306	Bullseye	CCI 300	Win.	1.575	5.3	810
180-gr RCBS mould # 82306	Red Dot	CCI 300	Win.	1.575	5.2	817
180-gr RCBS mould # 82306	Amer. Select	CCI 300	Win.	1.575	5.2	788
180-gr RCBS mould # 82306	Unique	CCI 300	Win.	1.575	7.4	846
40 S&W						
135-gr Federal JHP	BE-86	Fed. 100	Federal	1.120	8.9	1343
135-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.120	6.7	1253
140-gr FP coated	Sport Pistol	Fed. 100	Federal	1.125	5.7	1183
155-gr Federal JHP	BE-86	Fed. 100	Federal	1.120	7.5	1193
155-gr Speer TMJ FN	Sport Pistol	Fed 100	Federal	1.120	5.7	1107
155-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.120	5.6	1101
155-gr Speer GDHP	Bullseye	CCI 500	Speer	1.120	6.0	1023
155-gr Speer GDHP	Amer. Select	CCI 500	Speer	1.120	5.6	1001
155-gr Speer GDHP	Unique	CCI 500	Speer	1.120	8.0	1207
155-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.120	9.0	1213
155-gr Speer GDHP	Blue Dot	CCI 500	Speer	1.120	11.0	1221
165-gr Federal JHP	BE-86	Fed. 100	Federal	1.120	6.5	1123
165-gr Federal FMC	BE-86	Fed. 100	Federal	1.120	7.5	1167
165-gr Speer GDHP	Sport Pistol	Fed. 100	Federal	1.120	5.2	1042
165 gr Speer TMJ FN	Sport Pistol	Fed. 100	Federal	1.120	5.5	1059
165-gr Federal FMJ	Sport Pistol	Fed. 100	Federal	1.120	5.6	1070
165-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.120	5.1	1031

40 S&W continued						
Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
165-gr Federal Syntech coated	Sport Pistol	Fed. 100	Federal	1.125	5.3	1047
165-gr Blue RNFP coated	Sport Pistol	Fed. 100	Federal	1.125	4.8	1028
165-gr Speer GDHP	Bullseye	CCI 500	Speer	1.120	5.8	1022
165-gr Speer GDHP	Unique	CCI 500	Speer	1.120	7.2	1064
165-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.120	7.8	1081
180-gr Federal JHP	BE-86	Fed. 100	Federal	1.120	6.3	1020
180-gr Federal FMC	BE-86	Fed. 100	Federal	1.120	6.6	1068
180-gr Speer CPFN	Sport Pistol	Fed. 100	Federal	1.120	5.0	975
180-gr Speer GDHP SB	Sport Pistol	Fed. 100	Federal	1.120	4.3	924
180-gr Speer GDHP	Sport Pistol	Fed. 100	Federal	1.120	4.6	942
180-gr Speer TMJ FN	Sport Pistol	Fed. 100	Federal	1.120	4.9	976
180-gr Federal FMJ	Sport Pistol	Fed. 100	Federal	1.120	5.0	978
180-gr Federal JHP	Sport Pistol	Fed. 100	Federal	1.120	4.6	958
180-gr Acme FP coated	Sport Pistol	Fed. 100	Federal	1.160	5.0	1010
180-gr Blue RNFP coated	Sport Pistol	Fed. 100	Federal	1.130	4.4	963
180-gr Speer GDHP	Bullseye	CCI 500	Speer	1.120	5.5	929
180-gr Speer GDHP	Amer. Select	CCI 500	Speer	1.120	5.1	865
180-gr Speer GDHP	Unique	CCI 500	Speer	1.120	6.7	1000
180-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.120	7.2	1013
180-gr Speer GDHP	Blue Dot	CCI 500	Speer	1.120	8.9	1018
200-gr Acme RN coated	Sport Pistol	Fed. 100	Federal	1.100	3.6	846
200-gr Blue RNFP coated	Sport Pistol	Fed. 100	Federal	1.105	3.8	858
220-gr FP coated	Sport Pistol	Fed. 100	Federal	1.125	2.9	728
10mm Auto						
140-gr FP coated	Sport Pistol	Fed. 150	Federal	1.250	7.5	1360
155-gr JHP Federal	BE-86	Fed. 150	Federal	1.250	9.3	1403
155-gr Speer GDHP	Unique	CCI 300	Hornady	1.250	8.5	1246
155-gr Speer GDHP	Blue Dot	CCI 300	Hornady	1.250	12.0	1291
165-gr JHP Federal	BE-86	Fed. 150	Federal	1.250	8.7	1327
165-gr Speer GDHP	BE-86	Fed. 150	Federal	1.250	9.0	1344
165-gr Speer GDHP	Unique	CCI 300	Hornady	1.255	8.3	1194
165-gr Speer GDHP	Power Pistol	CCI 300	Hornady	1.255	10.0	1314
165-gr Speer GDHP	Blue Dot	CCI 300	Hornady	1.255	11.5	1273
180-gr FMJ Federal	BE-86	Fed. 150	Federal	1.250	8.5	1265
180-gr JHP Federal	BE-86	Fed. 150	Federal	1.250	8.2	1256
180-gr Speer GDHP	Unique	CCI 300	Hornady	1.250	8.0	1138
180-gr Speer GDHP	Blue Dot	CCI 300	Hornady	1.250	11.0	1295
180-gr Speer GDHP	2400	CCI 300	Hornady	1.250	12.8	1214
190-gr JHP Federal	BE-86	Fed. 150	Federal	1.250	7.6	1182
220-gr FP coated	Sport Pistol	Fed. 150	Federal	1.250	4.7	929
41 Remington Magnum						
210-gr JHP Federal	BE-86	Fed. 150	Federal	1.550	10.8	1229
210-gr Speer DCHP	Unique	CCI 300	Win.	1.575	9.7	1123
210-gr Speer DCHP	2400	CCI 300	Win.	1.575	19.0	1223
44 S&W Special						
200-gr Speer GDHP	Power Pistol	CCI 300	Rem.	1.490	8.6	976
200-gr Speer GDHP	Bullseye	CCI 300	Rem.	1.490	5.9	884
200-gr Cast RNFP	Sport Pistol	Fed. 150	Federal	1.450	5.8	854
200-gr Speer GDHP	Red Dot	CCI 300	Rem.	1.490	5.9	868
200-gr Speer GDHP	Amer. Select	CCI 300	Rem.	1.490	5.7DNR	821
200-gr Speer GDHP	Unique	CCI 300	Rem.	1.490	7.8	855
225-gr cast SWC GC	Bullseye	CCI 300	Rem.	1.500	5.5	903
225-gr cast SWC GC	Unique	CCI 300	Rem.	1.500	7.8	1043

continued

DNR = Do Not Reduce

44 S&W Special continued						
Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
225-gr cast SWC GC	Power Pistol	CCI 300	Rem.	1.500	7.7	952
240-gr Speer LSWC (Swaged)	Bullseye	CCI 300	Rem.	1.475	5.2	793
240-gr Cast RNFP	Sport Pistol	Fed. 150	Federal	1.450	5.0	737
240-gr Speer LSWC	Sport Pistol	Fed. 150	Federal	1.475	5.1	758
240-gr Speer LSWC (Swaged)	Unique	CCI 300	Rem.	1.475	6.3	820
250-gr cast (Keith)	Bullseye	CCI 300	Rem.	1.580	5.3	835
250-gr cast (Keith)	Unique	CCI 300	Rem.	1.580	6.9	921
250-gr cast (Keith)	Power Pistol	CCI 300	Rem.	1.580	8.0	954
250-gr cast (Keith)	2400	CCI 300	Rem.	1.580	13.0	965
44 Remington Magnum						
180-gr Federal JHP	BE-86	Fed. 150	Federal	1.550	14.0	1632
200-gr Speer Mag HP	Power Pro 300-MP	Fed. 150	Federal	1.590	29.0	1760
200-gr Speer Mag JHP	Unique	CCI 300	Speer	1.590	12.4	1399
200-gr Speer Mag JHP	Power Pistol	CCI 300	Speer	1.590	15.5	1573
200-gr Speer Mag JHP	Blue Dot	CCI 300	Speer	1.590	16.0	1495
200-gr Speer Mag JHP	2400	CCI 300	Speer	1.590	24.0	1589
200-gr Cast RNFP	Sport Pistol	Fed. 150	Federal	1.585	9.7	1217
210-gr Speer GDHP	Unique	CCI 300	Speer	1.600	12.5	1392
210-gr Speer GDHP	Power Pistol	CCI 300	Speer	1.600	14.5	1504
210-gr Speer GDHP	2400	CCI 300	Speer	1.600	23.5	1566
225-gr Speer JHP-SWC	2400	CCI 300	Speer	1.575	21.4	1526
225-gr cast SWC GC	Unique	CCI 300	Speer	1.610	11.0	1259
225-gr cast SWC GC	2400	CCI 300	Speer	1.610	21.0	1482
240-gr Federal JHP	BE-86	Fed. 150	Federal	1.565	11.6	1322
240-gr cast RNFP	BE-86	Fed. 150	Federal	1.580	11.8	1324
240-gr Speer LSWC	Bullseye	CCI 300	Speer	1.605	6.0	894
240-gr Cast RNFP	Sport Pistol	Fed. 150	Federal	1.580	8.6	1091
240-gr Speer LSWC	Sport Pistol	Fed. 150	Federal	1.605	8.6	1084
240-gr Speer LSWC	Red Dot	CCI 300	Speer	1.605	6.5	905
240-gr Speer LSWC	Green Dot	CCI 300	Speer	1.605	7.0	901
240-gr Speer LSWC	Unique	CCI 300	Speer	1.605	7.0	899
240-gr Speer DCSP	Power Pro 300-MP	Fed. 150	Federal	1.575	25.0	1570
240-gr Speer DCHP	Unique	CCI 300	Speer	1.575	10.3	1175
240-gr Speer DCHP	Blue Dot	CCI 300	Speer	1.575	13.7	1285
240-gr Speer DCHP	2400	CCI 300	Speer	1.575	21.0	1434
250-gr cast (Keith)	Unique	CCI 300	Speer	1.710	11.0	1211
250-gr cast (Keith)	2400	CCI 300	Speer	1.710	20.0	1390
270-gr Speer DCSP	Power Pro 300-MP	Fed. 150	Federal	1.585	22.0	1400
270-gr Speer DCSP	2400	CCI 300	Speer	1.585	17.5	1182
44 Russian						
200-gr RCBS mould # 82307	Bullseye	CCI 300	Starline	1.245	4.0	826
200-gr RCBS mould # 82307	Red Dot	CCI 300	Starline	1.245	3.8	796
200-gr RCBS mould # 82307	Amer. Select	CCI 300	Starline	1.245	3.7	763
200-gr RCBS mould # 82307	Unique	CCI 300	Starline	1.245	5.4	887
44 S&W Special						
200-gr RCBS mould # 82307	Bullseye	CCI 300	Rem.	1.435	6.4	1032
200-gr RCBS mould # 82307	Red Dot	CCI 300	Rem.	1.435	6.0	999
200-gr RCBS mould # 82307	Amer. Select	CCI 300	Rem.	1.435	5.8	933
200-gr RCBS mould # 82307	Unique	CCI 300	Rem.	1.435	8.7	1143
44-40 Winchester						
200-gr RCBS mould # 82307	Bullseye	CCI 300	Rem.	1.580	6.1	885
200-gr RCBS mould # 82307	Red Dot	CCI 300	Rem.	1.580	5.9	866
200-gr RCBS mould # 82307	Amer. Select	CCI 300	Rem.	1.580	6.0	856
200-gr RCBS mould # 82307	Unique	CCI 300	Rem.	1.580	8.6	951

45 S&W Schofield						
Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
230-gr RCBS mould # 82308	Bullseye	CCI 300	Starline	1.410	4.3	697
230-gr RCBS mould # 82308	Amer. Select	CCI 300	Starline	1.410	4.3	707
230-gr RCBS mould # 82308	Unique	CCI 300	Starline	1.410	6.1	728
45 G.A.P.						
185-gr Speer GDHP	Bullseye	CCI 500	Speer	1.070	6.1	1037
185-gr Speer GDHP	Unique	CCI 500	Speer	1.070	7.7	1009
185-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.070	7.8	993
200-gr Speer GDHP	Bullseye	CCI 500	Speer	1.070	5.4	943
200-gr Speer GDHP	Unique	CCI 500	Speer	1.070	6.8	988
200-gr Speer GDHP	Power Pistol	CCI 500	Speer	1.070	7.6	977
45 Auto						
185-gr Cast LSWC	BE-86	Fed. 150	Federal	1.235	7.5	1074
185-gr MC SWC	BE-86	Fed. 150	Federal	1.165	7.5	1049
185-gr Federal JHP	BE-86	Fed. 150	Federal	1.190	7.9	1076
185-gr Speer GDHP	Bullseye	CCI 300	Speer	1.200	6.4	986
185-gr SWC coated	Sport Pistol	Fed. 100	Federal	1.265	5.9	1038
185-gr Speer GDHP	Amer. Select	CCI 300	Speer	1.200	6.2	941
185-gr Speer TMJ Match	Sport Pistol	Fed. 150	Federal	1.275	6.8	1032
185-gr Federal FMJ SWC	Sport Pistol	Fed. 150	Federal	1.165	6.4	1025
185-gr Federal JHP	Sport Pistol	Fed. 150	Federal	1.190	6.7	1071
185-gr Cast LSWC	Sport Pistol	Fed. 150	Federal	1.235	6.4	1080
185-gr Speer GDHP	Unique	CCI 300	Speer	1.200	8.2	1015
185-gr Speer GDHP	Power Pistol	CCI 300	Speer	1.200	9.5	1047
200-gr Cast LSWC	BE-86	Fed. 150	Federal	1.235	6.7	1013
200-gr Cast LRN	BE-86	Fed. 150	Federal	1.175	7.3	1052
200-gr SWC coated	Sport Pistol	Fed. 100	Federal	1.255	5.2	956
200-gr Speer GDHP	Sport Pistol	Fed. 150	Federal	1.200	6.2	980
200-gr Speer Lead SWC	Sport Pistol	Fed. 150	Federal	1.190	5.7	985
200-gr Speer TMJ Match	Sport Pistol	Fed. 150	Federal	1.275	6.4	986
200-gr Acme SWC coated	Sport Pistol	Fed. 150	Federal	1.235	6.0	1012
200-gr Blue SWC coated	Sport Pistol	Fed. 150	Federal	1.240	5.6	982
200-gr Cast LRNFP	Sport Pistol	Fed. 150	Federal	1.175	6.4	1044
200-gr Cast LSWC	Sport Pistol	Fed. 150	Federal	1.235	5.8	1005
200-gr Speer LSWC (Swaged)	Bullseye	CCI 300	Speer	1.190	4.6	807
200-gr Speer LSWC (Swaged)	Red Dot	CCI 300	Speer	1.190	4.5	831
200-gr Speer LSWC (Swaged)	Unique	CCI 300	Speer	1.190	5.4	790
200-gr Speer GDHP	Bullseye	CCI 300	Speer	1.200	5.8	934
200-gr Speer GDHP	Unique	CCI 300	Speer	1.200	7.3	984
200-gr Speer GDHP	Power Pistol	CCI 300	Speer	1.200	8.3	952
200-gr Speer GDHP	Blue Dot	CCI 300	Speer	1.200	10.5	1010
230-gr Cast LRN	BE-86	Fed. 150	Federal	1.200	6.2	929
230-gr Federal FMJ	BE-86	Fed. 150	Federal	1.265	7.1	943
230-gr Federal JHP	BE-86	Fed. 150	Federal	1.210	6.8	927
230-gr Speer CPRN	Sport Pistol	Fed. 150	Federal	1.265	6.0	912
230-gr Speer GDHP	Sport Pistol	Fed. 150	Federal	1.200	5.1	837
230-gr Speer Lead RN	Sport Pistol	Fed. 150	Federal	1.260	5.6	918
230-gr Speer TMJ RN	Sport Pistol	Fed. 150	Federal	1.260	5.8	879
230-gr Federal FMJ	Sport Pistol	Fed. 150	Federal	1.265	5.9	914
230-gr Federal JHP	Sport Pistol	Fed. 150	Federal	1.210	5.3	867
230-gr Acme RN coated	Sport Pistol	Fed. 150	Federal	1.265	5.5	916
230-gr Federal Syntech coated	Sport Pistol	Fed. 150	Federal	1.235	5.2	910
230-gr Blue RN coated	Sport Pistol	Fed. 150	Federal	1.240	5.2	905
230-gr Cast LRN	Sport Pistol	Fed. 150	Federal	1.200	5.1	905

continued

45 Auto continued						
Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
230-gr Speer LRN	Unique	CCI 300	Speer	1.270	5.8	849
230-gr Speer LRN	Red Dot	CCI 300	Speer	1.270	5.1	841
230-gr Speer LRN	Green Dot	CCI 300	Speer	1.270	5.3	842
230-gr Speer LRN	Herco	CCI 300	Speer	1.270	6.4	845
230-gr Speer TMJ RN	Bullseye	CCI 300	Speer	1.260	5.7	840
230-gr Speer TMJ RN	Red Dot	CCI 300	Speer	1.260	5.3	839
230-gr Speer TMJ RN	Unique	CCI 300	Speer	1.260	6.5	832
230-gr Speer TMJ RN	Power Pistol	CCI 300	Speer	1.260	8.1	916
45 Auto +P						
185-gr Federal JHP	BE-86	Fed. 150	Federal	1.210	8.8	1152
185-gr SWC coated	Sport Pistol	Fed. 100	Federal	1.265	6.2	1079
185 gr Speer TMJ Match	Sport Pistol	Fed. 150	Federal	1.275	7.1	1077
185 gr Fed FMJ SWC	Sport Pistol	Fed. 150	Federal	1.165	6.7	1074
185 gr Fed JHP	Sport Pistol	Fed. 150	Federal	1.190	7.0	1111
185 gr Cast LSWC	Sport Pistol	Fed. 150	Federal	1.235	6.6	1110
200-gr SWC coated	Sport Pistol	Fed. 100	Federal	1.255	5.4	983
200 gr Speer GDHP	Sport Pistol	Fed. 150	Federal	1.200	6.6	1039
200 gr Speer Lead SWC	Sport Pistol	Fed. 150	Federal	1.190	6.0	1021
200 gr Speer TMJ Match	Sport Pistol	Fed. 150	Federal	1.275	6.7	1035
200 gr Acme SWC coated	Sport Pistol	Fed. 150	Federal	1.235	6.3	1055
200 gr Blue SWC coated	Sport Pistol	Fed. 150	Federal	1.240	5.9	1023
200 gr Cast LRNFP	Sport Pistol	Fed. 150	Federal	1.175	6.7	1086
200 gr Cast LSWC	Sport Pistol	Fed. 150	Federal	1.235	6.1	1052
230-gr Federal FMC	BE-86	Fed. 150	Federal	1.265	7.4	977
230-gr Federal JHP	BE-86	Fed. 150	Federal	1.210	6.9	935
230 gr Speer CPRN	Sport Pistol	Fed. 150	Federal	1.265	6.4	964
230 gr Speer GDHP	Sport Pistol	Fed. 150	Federal	1.200	5.3	872
230 gr Speer Lead RN	Sport Pistol	Fed. 150	Federal	1.260	5.9	954
230 gr Speer TMJ RN	Sport Pistol	Fed. 150	Federal	1.260	6.2	938
230 gr Fed FMJ	Sport Pistol	Fed. 150	Federal	1.265	6.2	958
230 gr Fed JHP	Sport Pistol	Fed. 150	Federal	1.210	5.6	910
230 gr Acme RN coated	Sport Pistol	Fed. 150	Federal	1.265	5.7	947
230 gr Fed Syntech coated	Sport Pistol	Fed. 150	Federal	1.235	5.5	950
230 gr Blue RN coated	Sport Pistol	Fed. 150	Federal	1.240	5.5	945
230 gr Cast LRN	Sport Pistol	Fed. 150	Federal	1.200	5.3	934
45 Colt						
200-gr Speer LSWC (Swaged)	Bullseye	CCI 300	Win.	1.515	7.5	988
200-gr Speer LSWC (Swaged)	Red Dot	CCI 300	Win.	1.515	7.3	1001
200-gr Speer LSWC (Swaged)	Green Dot	CCI 300	Win.	1.515	8.3	980
200-gr Speer LSWC (Swaged)	Unique	CCI 300	Win.	1.515	9.5	1061
200-gr Speer LSWC (Swaged)	Herco	CCI 300	Win.	1.515	9.5	1021
200-gr Speer GDHP	Bullseye	CCI 300	Win.	1.555	7.9	994
200-gr Speer GDHP	Red Dot	CCI 300	Win.	1.555	7.6	981
200-gr Speer GDHP	Green Dot	CCI 300	Win.	1.555	8.8	991
200-gr Speer GDHP	Unique	CCI 300	Win.	1.555	9.8	1048
200-gr Speer GDHP	Power Pistol	CCI 300	Win.	1.555	9.2	885
200-gr Speer GDHP	Herco	CCI 300	Win.	1.555	10.0	1032
225-gr Federal JSP	BE-86	Fed. 150	Federal	1.590	8.5	914
230-gr Speer GDHP	Bullseye	CCI 300	Win.	1.600	7.1	890
230-gr Speer GDHP	Unique	CCI 300	Win.	1.600	9.0	932
230-gr Speer GDHP	Power Pistol	CCI 300	Win.	1.600	9.5	878
230-gr Speer GDHP	Herco	CCI 300	Win.	1.600	9.4	918
230-gr Speer GDHP	Blue Dot	CCI 300	Win.	1.600	13.0	1036

45 Colt continued						
Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
230-gr RCBS mould # 82308	Bullseye	CCI 300	Win.	1.585	6.0	815
230-gr RCBS mould # 82308	Amer. Select	CCI 300	Win.	1.585	6.0	782
230-gr RCBS mould # 82308	Unique	CCI 300	Win.	1.585	8.5	850
250-gr Cast RNFP	BE-86	Fed. 150	Federal	1.570	8.3	946
250-gr Speer DCHP	Unique	CCI 300	Win.	1.600	7.8DNR	840
250-gr Speer DCHP	Power Pistol	CCI 300	Win.	1.600	8.8DNR	845
250-gr Speer DCHP	2400	CCI 300	Win.	1.600	15.0DNR	826
250-gr Speer LSWC (Swaged)	Bullseye	CCI 300	Win.	1.600	7.0	879
250-gr Speer LSWC	Sport Pistol	Fed. 150	Federal	1.600	6.6	761
250-gr Cast RNFP	Sport Pistol	Fed. 150	Federal	1.570	6.3	755
250-gr Speer LSWC (Swaged)	Unique	CCI 300	Win.	1.600	9.5	941
250-gr Speer LSWC (Swaged)	Blue Dot	CCI 300	Win.	1.600	12.9	1028
250-gr Speer LSWC (Swaged)	2400	CCI 300	Win.	1.600	15.4	972
260-gr Speer JHP	Bullseye	CCI 300	Win.	1.590	7.1DNR	841
260-gr Speer JHP	Power Pistol	CCI 300	Win.	1.590	8.4DNR	852
260-gr Speer JHP	Blue Dot	CCI 300	Win.	1.590	13.0DNR	941
300-gr Cast FP	BE-86	Fed. 150	Federal	1.580	7.3	871
300-gr Cast RNFP	Sport Pistol	Fed. 150	Federal	1.580	5.2	679
454 Casull						
250-gr Speer DCHP	2400	CCI 400	Starline	1.670	26.0	1531
260-gr Speer JHP	Power Pro 300-MP	Fed. 205	Federal	1.670	31.0	1665
270-gr hard cast SWC	Unique	CCI 400	Starline	1.750	11.0	1155
270-gr hard cast SWC	Power Pistol	CCI 400	Starline	1.750	11.0	1114
300-gr Speer JSP	Power Pro 300-MP	Fed. 205	Federal	1.760	29.5	1535
300-gr Speer JSP	2400	CCI 400	Win.	1.760	24.0	1325
300-gr Speer DCHP	Power Pro 300-MP	Fed. 205	Federal	1.740	31.0C	1740
300-gr Speer DCHP	2400	CCI 400	Win.	1.750	27.0	1479
250-gr Speer DCHP	Power Pistol	Fed. 210	Hornady	2.090	21.0	1514
460 S&W Magnum						
250-gr. Speer GDHP	Power Pistol	Fed. 210	Federal	2.090	21.0 RR	1514
250-gr. Speer GDHP	2400	Fed. 210	Federal	2.090	31.0 RR	1553
260-gr Speer JHP	Power Pro 300-MP	Fed. 210	Federal	2.090	36.0	1835
300-gr Speer DCHP	Power Pro 300-MP	Fed. 210	Federal	2.150	38.0	1930
300-gr Speer DCHP	Power Pistol	Fed. 210	Hornady	2.150	24.0	1525
300-gr Speer DCHP	2400	Fed. 210	Hornady	2.150	36.0	1782
300-gr Speer JSP	Power Pro 300-MP	Fed. 210	Federal	2.170	28.0	1610
300-gr Speer JSP	Power Pistol	Fed. 210	Hornady	2.170	20.0 RR	1359
300-gr Speer JSP	2400	Fed. 210	Hornady	2.170	30.0 RR	1551
480 Ruger						
Cartridge/Bullet	Powder	Primer	Case	Min OAL	Max Chg	Velocity
				inches	grains	fps
275-gr Speer DCHP	Power Pro 300-MP	Fed. 150	Ruger	1.640	38.0C	1910
275-gr Speer DCHP	Unique	CCI 300	Hornady	1.640	16.0	1400
275-gr Speer DCHP	Power Pistol	CCI 300	Hornady	1.640	17.5	1465
275-gr Speer DCHP	2400	CCI 300	Hornady	1.640	29.0	1560
325-gr Speer DCSP	Power Pro 300-MP	Fed. 150	Ruger	1.650	29.5C	1620
325-gr Speer DCSP	Unique	CCI 300	Hornady	1.650	13.0	1178
325-gr Speer DCSP	2400	CCI 300	Hornady	1.650	25.0	1435
400-gr Speer DCSP	Power Pro 300-MP	Fed. 150	Ruger	1.650	24.2C	1370
400-gr Speer DCSP	2400	CCI 300	Hornady	1.650	18.0	1081
500 S&W Magnum						
350-gr Speer DCSP	Power Pro 300-MP	Fed. 215	Starline	2.070	49.0	2000
350-gr Speer DCSP	Power Pistol	Fed. 215	Starline	2.070	27.0	1564
350-gr Speer DCSP	2400	Fed. 215	Starline	2.070	42.0	1642

continued

DNR = Do Not Reduce

C = Compressed Charge

RR = Reduced Recoil

CENTERFIRE RIFLE LOAD DATA

17 Remington

Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
25-gr Hornady HP	Reloder 15	Rem. 7 1/2	Rem.	2.140	22.8	3915
204 Ruger						
32-gr Nosler Ballistic Tip	AR-Comp	Fed. 205	Federal	2.250	28.1	4096
32-gr Nosler Ballistic Tip	Reloder 15	Fed. 205	Federal	2.250	29.0	4115
32-gr Speer TNT	Power Pro Varmint	Fed. 205	Federal	2.230	28.7	4081
32-gr Nosler Ballistic Tip	Power Pro 1200-R	Fed. 205	Federal	2.250	25.5	4003
32-gr Nosler Ballistic Tip	Reloder 10x	Fed. 205	Federal	2.250	25.7	4023
39-gr Speer TNT	Power Pro 1200-R	Fed. 205	Federal	2.230	24.0	3682
39-gr Speer TNT	AR-Comp	Fed. 205	Federal	2.230	26.8	3774
39-gr Speer TNT	Reloder 15	Fed. 205	Federal	2.230	28.8	3756
39-gr Sierra BlitzKing	Power Pro 1200-R	Fed. 205	Federal	2.230	24.0	3679
39-gr Sierra BlitzKing	Reloder 10x	Fed. 205	Federal	2.230	25.1	3711
39-gr Sierra BlitzKing	AR-Comp	Fed. 205	Federal	2.230	26.9	3777
39-gr Sierra BlitzKing	Reloder 15	Fed. 205	Federal	2.230	27.7	3804
39-gr Sierra BlitzKing	Power Pro Varmint	Fed. 205	Federal	2.230	27.6	3796
218 Bee						
45-gr Speer FN5P	2400	CCI 400	Win.	1.655	8.3	2151
221 Fireball						
40-gr Speer SP	2400	Rem. 7 1/2	Rem.	1.800	15.5	2700
50-gr Sierra Spitzer	2400	Rem. 7 1/2	Rem.	1.800	13.8	2410
60-gr Sierra Spitzer	2400	Rem. 7 1/2	Rem.	1.825	13.3	2200
60-gr Sierra Spitzer	Reloder 7	Rem. 7 1/2	Rem.	1.825	18.1	2250
22 Hornet						
33-gr Speer TNT HP	2400	CCI 500	Win.	1.680	11.5C	2985
40-gr Hornady V-Max	Power Pro 300-MP	Fed. 205	Win.	1.810	11.7C	2950
40-gr Hornady V-Max	Power Pro 300-MP	Fed. 205	Federal	1.810	11.7C	2944
40-gr Speer SP	2400	CCI 500	Win.	1.723	9.1	2557
40-gr Speer SP	Reloder 7	CCI 500	Win.	1.723	11.0	2265
45-gr Speer SP	Power Pro 300-MP	Fed. 205	Win.	1.723	11.5	2770
45-gr Speer SP	Power Pro 300-MP	Fed. 205	Federal	1.723	11.5	2763
45-gr Speer SP	2400	CCI 500	Win.	1.723	9.0	2506
45-gr Speer SP	Reloder 7	CCI 500	Win.	1.723	10.6	2170
45-gr Speer SP	Power Pro 300-MP	Fed. 205M	Win.	1.723	11.5	2763
222 Remington						
40-gr Hornady V-Max	Power Pro Varmint	Fed. 205	Federal	2.130	25.6	3414
40-gr Speer SP	Reloder 7	CCI 400	Rem.	2.040	22.0	3617
40-gr Nosler Ballistic Tip	Reloder TS11	Fed. 205	Federal	2.130	23.6C	3618
40-gr Nosler Ballistic Tip	Power Pro 1200-R	Fed. 205	Federal	2.130	22.6	3411
40-gr Speer SP	Reloder 10X	CCI 400	Rem.	2.040	23.0	3346
40-gr Speer SP	Reloder TS11	Fed. 205	Federal	2.030	23.5C	3621
40-gr Hornady V-Max	Reloder TS11	Fed. 205	Federal	2.130	23.3	3616
43-gr Speer TNT Green	Reloder TS11	Fed. 205	Federal	2.095	22.4	3464
45-gr Speer SP	Reloder 7	CCI 400	Rem.	2.130	21.5	3424
45-gr Speer SP	Reloder 10X	CCI 400	Rem.	2.130	22.0	3163
45-gr Speer Spitzer SP	Reloder TS11	Fed. 205	Federal	2.080	22.7	3443
50-gr Speer TNT HP	Reloder TS11	Fed. 205	Federal	2.130	22.2	3308
50-gr Speer TNT Green	Reloder TS11	Fed. 205	Federal	2.085	20.6	3150
50-gr Hornady V-Max	Power Pro Varmint	Fed. 205	Federal	2.130	25.3	3130
50-gr Nosler Ballistic Tip	Reloder 10X	Rem. 6 1/2	Rem.	2.110	21.0	3023
50-gr Sierra BlitzKing	Power Pro 1200-R	Fed. 205	Federal	2.130	20.7	3110
50-gr Hornady V-Max	Reloder TS11	Fed. 205	Federal	2.130	21.2	3249

222 Remington continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
52-gr Sierra HPBT	Power Pro Varmint	Fed. 205	Federal	2.125	24.9	3066
52-gr Speer HP	Reloder 7	CCI 400	Rem.	2.110	20.0	3115
52-gr Speer BTHP	Reloder TS11	Fed. 205	Federal	2.130	21.6	3238
55-gr Hornady V-Max	Reloder TS11	Fed. 205	Federal	2.130	20.5	3067
55-gr Hornady V-Max	Power Pro Varmint	Fed. 205	Federal	2.160	24.3	2943
55-gr Speer SP	Reloder 7	CCI 400	Rem.	2.130	20.0	3045
55-gr Speer Spitzer SP	Reloder TS11	Fed. 205	Federal	2.130	21.1	3120
55-gr Nosler Ballistic Tip	Reloder TS11	Fed. 205	Federal	2.130	20.7	3096
55-gr Sierra BlitzKing	Reloder TS11	Fed. 205	Federal	2.130	20.4	3077
223 Remington						
40-gr Hornady V-Max	Reloder TS11	Fed. 205	Federal	2.230	24.5	3775
40-gr Hornady V-Max	Power Pro Varmint	Fed. 205	Federal	2.250	27.9	3700
40-gr Speer SP	Reloder 7	CCI 400	IMI	2.060	20.5	3011
40-gr Speer SP	Reloder 10X	CCI 400	IMI	2.060	24.5	3481
40-gr Speer SP	Reloder TS11	Fed. 205	Federal	2.060	24.7	3771
40-gr Nosler Ballistic Tip	Reloder TS11	Fed. 205	Federal	2.240	24.5	3760
40-gr Nosler Ballistic Tip	Power Pro 1200-R	Fed. 205	Federal	2.155	26.8	3805
43-gr Speer TNT Green	Reloder TS11	Fed. 205	Federal	2.150	23.1	3584
43-gr Speer TNT Green	Power Pro 1200-R	Fed. 205	Federal	2.155	24.2	3584
43-gr Speer TNT Green	Power Pro 1200R	Fed. 205M	Federal	2.155	24.2	3584
45-gr Speer SP	Reloder 7	CCI 400	IMI	2.155	20.0	3059
45-gr Speer SP	Reloder 10X	CCI 400	IMI	2.155	24.0	3292
45-gr Speer Spitzer SP	Reloder TS11	Fed. 205	Federal	2.155	23.8	3595
45-gr Speer SP	Power Pro 1200-R	Fed. 205	Federal	2.155	24.4	3537
45-gr Speer SP	Power Pro 1200-R	Fed. 205M	IMI	2.155	24.4	3537
50-gr Speer TNT Green	Reloder 10x	Fed. 205	Federal	2.15	22.0	3245
50-gr Hornady V-Max	Reloder TS11	Fed. 205	Federal	2.230	22.4	3369
50-gr Hornady V-Max	Power Pro Varmint	Fed. 205	Federal	2.250	26.3	3377
50-gr Nosler Ballistic Tip	Reloder 10X	WSR	Win.	2.200	24.2	3389
50-gr Speer TNT HP	Reloder TS11	Fed. 205	Federal	2.235	23.7	3448
50-gr Speer TNT Green	Reloder TS11	Fed. 205	Federal	2.150	21.6	3270
50-gr Sierra BlitzKing	Power Pro 1200-R	Fed. 205	Federal	2.250	23.8	3394
52-gr Speer HP	Reloder 7	CCI 400	IMI	2.200	20.5	2931
52-gr Speer HP	Reloder 10X	CCI 400	IMI	2.200	22.5	3179
52-gr Speer HP	Reloder TS11	Fed. 205	Federal	2.200	22.6	3317
52-gr Hornady A-Max	AR-Comp	Fed. 205	Federal	2.230	25.3	3417
52-gr Sierra BTHP	AR-Comp	Fed. 205	Federal	2.250	25.2	3414
52-gr Sierra HPBT	Power Pro 1200-R	Fed. 205	Federal	2.250	23.1	3320
52-gr Sierra HPBT	Power Pro Varmint	Fed. 205	Federal	2.250	25.8	3358
55-gr Sierra BTHP	AR-Comp	Fed. 205	Federal	2.240	25.6	3359
55-gr Speer SP	Reloder 10X	CCI 400	IMI	2.175	23.0	3159
55-gr Speer Spitzer SP	Reloder TS11	Fed. 205	Federal	2.175	22.6	3260
55-gr Nosler Ballistic Tip	Reloder TS11	Fed. 205	Federal	2.260	22.3	3226
55-gr Sierra BlitzKing	Reloder TS11	Fed. 205	Federal	2.230	21.7	3192
55-gr Sierra BlitzKing	Power Pro 1200-R	Fed. 205	Federal	2.250	22.9	3228
55-gr Hornady V-Max	Reloder TS11	Fed. 205	Federal	2.230	21.8	3192
68-gr Hornady BTHP	AR-Comp	Fed. 205	Federal	2.250	23.4	2969
68-gr Hornady BTHP	Power Pro 2000-MR	Fed. 205	Federal	2.250	28.0C	3109
69-gr Sierra BTHP	Reloder 15	Fed. 205M	Win.	2.260	25.5	2956
69-gr Sierra BTHP	AR-Comp	Fed. 205	Federal	2.260	23.2	2969
69-gr Sierra BTHP	Power Pro 2000-MR	Fed. 205	Federal	2.260	26.6	3070
75-gr Speer Gold Dot	Reloder TS15.5	Fed. 205	Federal	2.230	24.8C	2880
75-gr Hornady A-Max	AR-Comp	Fed. 205	Federal	2.390	22.9	2816

continued

C = Compressed Charge

223 Remington continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
75-gr Hornady A-Max	Power Pro 2000-MR	Fed. 205	Federal	2.390	26.4	2953
77-gr Sierra MatchKing	Reloder TS15.5	Fed. 205	Federal	2.250	25.1C	2807
77-gr Sierra BTHP	AR-Comp	Fed. 205	Federal	2.260	22.1	2757
77-gr Sierra BTHP	Power Pro 2000-MR	Fed. 205	Federal	2.260	25.2	2856
77-gr Sierra HPBT	Reloder 15	Fed. 205M	Win.	2.260	24.1	2783
80-gr Sierra MatchKing	AR-Comp	Fed. 205	Federal	2.550	22.7	2726
80-gr Sierra MatchKing	Reloder TS15.5	Fed. 205	Federal	2.350*	25.5C	2805
80-gr Sierra MatchKing	Power Pro 2000-MR	Fed. 205	Federal	2.550	25.1	2815
80.5gr Berger Fullbore OTM	Reloder TS15.5	Fed. 205	Federal	2.260	25.0C	2825
85-gr Nosler RDF	Reloder TS15.5	Fed. 205	Federal	2.300*	24.5C	2691
90-gr Sierra BTHP	AR-Comp	Fed. 205	Federal	2.550	21.6	2530
90-gr Sierra BTHP	Power Pro 2000-MR	Fed. 205	Federal	2.550	23.8	2617
22-250 Remington						
40-gr Hornady V-Max	Power Pro Varmint	Fed. 210	Federal	2.350	38.0	4289
40-gr Speer SP	Reloder 10X	CCI 200	Rem.	2.235	35.5	4164
40-gr Speer SP	Reloder 15	CCI 200	Rem.	2.235	40.0	4027
40-gr Nosler Ballistic Tip	Power Pro 1200-R	Fed. 210	Federal	2.340	35.1	4258
43-gr Speer TNT Green	Reloder 15	Fed. 210	Federal	2.320	38.5	4125
43-gr Speer TNT Green	Reloder 10x	Fed. 210	Federal	2.320	34.0	4077
45-gr Speer SP	Reloder 10X	CCI 200	Rem.	2.235	34.5	3974
45-gr Speer SP	Reloder 15	CCI 200	Rem.	2.235	39.0	3897
45-gr Speer SP	AR-Comp	Fed. 210	Federal	2.235	37.6	4117
45-gr Speer SP	AR-Comp	Fed. 210	Rem.	2.235	37.6	4117
50-gr Speer TNT HP	Reloder TS15.5	Fed. 210	Federal	2.320	37.2	3855
50-gr Speer TNT Green	Reloder 15	Fed. 210	Federal	2.320	36.5	3868
50-gr Speer TNT Green	Reloder 10x	Fed. 210	Federal	2.320	32.0	3774
50-gr Hornady V-Max	Power Pro Varmint	Fed. 210	Federal	2.350	36.2	3903
50-gr Hornady V-Max	Reloder 15	Win. LRP	Rem.	2.350	38.1	3916
50-gr Sierra BlitzKing	Power Pro 1200-R	Fed. 210	Federal	2.350	31.7	3868
52-gr Sierra HPBT	Power Pro 1200-R	Fed. 210	Federal	2.350	30.8	3705
52-gr Sierra HPBT	Power Pro Varmint	Fed. 210	Federal	2.350	36.1	3849
52-gr Speer HP	Reloder 10X	CCI 200	Rem.	2.350	33.0	3744
52-gr Speer HP	Reloder 15	CCI 200	Rem.	2.350	37.5	3662
52-gr Speer HP	AR-Comp	Fed. 210	Rem.	2.350	34.8	3847
52-gr Hornady A-Max	AR-Comp	Fed. 210	Federal	2.350	34.7	3827
55-gr Speer SP	AR-Comp	Fed. 210	Federal	2.350	34.5	3682
55-gr Speer Spitzer SP	Reloder TS15.5	Fed. 210	Federal	2.350	37.5	3762
55-gr Hornady V-Max	Power Pro Varmint	Fed. 210	Federal	2.350	34.7	3716
55-gr Hornady V-Max	Power Pro 2000-MR	Fed. 210	Federal	2.350	38.5	3730
55-gr Hornady V-Max	Reloder 15	Win. LRP	Rem.	2.350	37.5	3775
55-gr Sierra BlitzKing	AR-Comp	Fed. 210	Federal	2.350	34.6	3746
69-gr Sierra BTHP	AR-Comp	Fed. 210	Federal	2.350	32.1	3320
70-gr Speer Semi-SP	Power Pro 2000-MR	Fed. 210	Federal	2.235	35.3	3290
70-gr Speer SP	Power Pro 2000-MR	Fed. 210	Rem.	2.330	35.3	3284
70-gr Speer SP	Reloder 7	CCI 200	Rem.	2.330	25.0	2753
75-gr Hornady A-Max	AR-Comp	Fed. 210	Federal	2.490	31.2	3159
80-gr Hornady A-Max	AR-Comp	Fed. 210	Federal	2.500	30.7	3038
80-gr Sierra Match King	AR-Comp	Fed. 210	Federal	2.600	29.8	3026
220 Swift						
40-gr Hornady V-Max	Power Pro Varmint	Fed. 210	Federal	2.680	40.0	4275
40-gr Speer SP	Reloder 15	CCI 200	Win.	2.625	41.0	3996
40-gr Speer SP	Reloder 19	CCI 200	Win.	2.625	46.0C	3746
43-gr Speer TNT Green	Reloder 15	Fed. 210	Federal	2.610	42.0	4124

220 Swift continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
45-gr Speer SP	Power Pro 1200-R	Fed. 210	Federal	2.650	32.0	3890
45-gr Speer SP	Reloder 15	CCI 200	Win.	2.650	41.5	4010
45-gr Speer SP	Reloder 19	CCI 200	Win.	2.650	46.0C	3732
50-gr Speer TNT Green	Reloder 15	Fed. 210	Federal	2.610	37.5	3841
52-gr Speer HP	Reloder 15	CCI 200	Win.	2.680	39.5	3742
52-gr Speer HP	Reloder 19	CCI 200	Win.	2.680	46.0C	3645
52-gr Sierra HPBT	Power Pro Varmint	Fed. 210	Federal	2.680	36.9	3786
55-gr Hornady V-Max	Power Pro Varmint	Fed. 210	Federal	2.680	35.7	3636
55-gr Hornady V-Max	Power Pro 2000-MR	Fed. 210	Federal	2.680	41.0	3920
55-gr Speer SP	Reloder 15	CCI 200	Win.	2.650	39.0	3656
55-gr Speer SP	Reloder 19	CCI 200	Win.	2.650	46.0C	3710
70-gr Speer SP	Reloder 15	CCI 200	Win.	2.570	36.0	3231
70-gr Speer SP	Reloder 19	CCI 200	Win.	2.570	42.0C	3219
223 WSSM						
40-gr Nosler Ballistic Tip	Power Pro 1200-R	Fed. 210	Federal	2.100	40.4	4344
45-gr Speer SP	Power Pro 1200-R	Fed. 210	Federal	2.100	38.6	4081
50-gr Sierra BlitzKing	Power Pro 1200-R	Fed. 210	Federal	2.100	37.4	3972
50-gr Speer SP	Power Pro Varmint	Fed. 205	Federal	2.100	42.7	3989
50-gr Speer SP	Power Pro 2000-MR	Fed. 215	Win.	2.100	46.3	4040
50-gr Speer SP	Reloder 10X	Fed. 210	Win.	2.100	38.5	3929
50-gr Speer SP	Reloder 15	Fed. 210	Win.	2.100	44.5	4036
50-gr Speer SP	Power Pro Varmint	Fed. 205M	Win.	2.100	42.7	3989
52-gr Hornady A-Max	AR-Comp	Fed. 210	Win.	2.222	39.5	3839
55-gr Speer HP TNT	Power Pro 2000-MR	Fed. 210	Win.	2.210	45.0	3860
55-gr Speer SP	Power Pro 2000-MR	Fed. 210	Win.	2.210	45.0	3859
55-gr Speer SP	Reloder 15	Fed. 210	Win.	2.210	42.5	3867
55-gr Speer SP	Reloder 17	Fed. 210	Win.	2.210	46.6	3865
55-gr Speer SP	Reloder 19	Fed. 210	Win.	2.210	49.5C	3746
70-gr Speer Semi-SP	Power Pro 2000-MR	Fed. 215	Win.	2.080	41.0	3450
70-gr Speer SP	Power Pro 2000-MR	Fed. 215	Win.	2.080	41.0	3451
70-gr Speer SP	Reloder 19	Fed. 210	Win.	2.080	45.5	3478
70-gr Speer SP	Reloder 22	Fed. 210	Win.	2.080	47.5	3523
224 Valkyrie						
60-gr Nosler Ballistic Tip	Power Pro 2000-MR	Fed. 205M	Federal	2.170	31.5C	3395
60-gr Nosler Ballistic Tip	Power Pro Varmint	Fed. 205M	Federal	2.170	28.2	3278
60-gr Nosler Ballistic Tip	Reloder 15	Fed. 205M	Federal	2.170	28.6C	3252
60-gr Nosler Ballistic Tip	AR-Comp	Fed. 205M	Federal	2.170	26.4	3229
75-gr Speer Gold Dot	Reloder TS15.5	Fed. 205	Federal	2.160	25.4C	2828
77-gr Sierra MatchKing	Reloder TS15.5	Fed. 205	Federal	2.170	24.6	2772
80-gr Sierra MatchKing	Reloder TS15.5	Fed. 205	Federal	2.260	25.4	2791
80.5gr Berger Fullbore OTM	Reloder TS15.5	Fed. 205	Federal	2.260	24.1	2732
85-gr Nosler RDF	Reloder TS15.5	Fed. 205	Federal	2.220	23.9C	2642
90-gr Sierra MatchKing	Reloder TS15.5	Fed. 205	Federal	2.250	23.9C	2620
90-gr Sierra MatchKing	Power Pro 2000-MR	Fed. 205M	Federal	2.250	27.1C	2763
90-gr Sierra MatchKing	Reloder 15	Fed. 205M	Federal	2.250	25.2C	2679
90-gr Sierra MatchKing	Power Pro Varmint	Fed. 205M	Federal	2.250	24.5	2667
90-gr Sierra MatchKing	AR-Comp	Fed. 205M	Federal	2.250	22.7C	2574
6mm PPC						
75-gr Speer HP	Reloder 7	CCI BR4	Sako	2.115	25.0	3011
85-gr Speer BTSP	Reloder 7	CCI BR4	Sako	2.115	24.0	2863
243 Winchester						
55-gr Nosler Ballistic Tip	Power Pro 1200-R	Fed. 210	Federal	2.625	39.3	3947
58-gr Hornady V-Max	Power Pro 1200-R	Fed. 210	Federal	2.625	36.4	3761

continued

C = Compressed Charge

243 Winchester continued

Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
58-gr Hornady V-Max	Power Pro Varmint	Fed. 210	Federal	2.600	40.6	3782
65-gr Hornady V-Max	Power Pro 1200-R	Fed. 210	Federal	2.625	34.7	3544
65-gr Hornady V-Max	Power Pro Varmint	Fed. 210	Federal	2.600	39.4	3607
65-gr Hornady V-Max	Power Pro 2000-MR	Fed. 210	Federal	2.600	44.5	3710
70-gr Speer TNT HP	AR-Comp	Fed. 210	Federal	2.625	37.4	3431
70-gr Speer TNT HP	Reloder 10X	Fed. 210	Win.	2.625	36.5	3421
70-gr Speer TNT HP	Reloder 15	Fed. 210	Win.	2.625	43.5	3506
70-gr Speer TNT HP	Reloder TS15.5	Fed. 210	Federal	2.625	41.7	3553
70 gr Nolser Ballistic Tip	Reloder TS16	Fed. 210	Federal	2.670	46.0	3637
70 gr Speer TNT HP	Reloder TS16	Fed. 210	Federal	2.625	46.8	3649
70-gr Sierra BTHP	AR-Comp	Fed. 210	Federal	2.625	38.5	3486
70-gr Speer TNT HP	AR-Comp	Fed. 210	Federal	2.625	37.4	3431
70-gr Speer TNT HP	Power Pro 1200-R	Fed. 210	Federal	2.625	33.3	3384
75-gr Speer HP	Reloder TS15.5	Fed. 210	Federal	2.590	40	3411
75-gr Speer TNT HP	Power Pro 1200-R	Fed. 210	Federal	2.625	31.6	3218
75-gr Hornady V-Max	Power Pro Varmint	Fed. 210	Federal	2.640	36.7	3347
75-gr Hornady V-Max	Power Pro 2000-MR	Fed. 210	Federal	2.640	41.0	3440
75-gr Hornady V-Max	Power Pro 4000-MR	Fed. 210	Federal	2.640	45.3C	3400
75-gr Hornady V-Max	AR-Comp	Fed. 210	Federal	2.640	37.4	3379
75-gr Hornady V-Max	Reloder TS15.5	Fed. 210	Federal	2.640	39.2	3407
75-gr Speer HP	Reloder 10X	Fed. 210	Win.	2.590	36.0	3240
75-gr Speer HP	Reloder 15	Fed. 210	Win.	2.590	43.0	3400
75 gr Speer HP	Reloder TS16	Fed. 210	Federal	2.590	44.5	3483
75-gr Hornady V-Max	Reloder TS16	Fed. 210	Federal	2.640	44.8	3544
80-gr Sierra SBT	AR-Comp	Fed. 210	Federal	2.635	36.2	3232
80-gr Speer SP	Reloder TS16	Fed. 210	Federal	2.615	44.0	3413
85-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.625	40.0	3240
85-gr Speer BTSP	Power Pro 4000-MR	Fed. 210	Federal	2.625	45.5C	3310
85-gr Speer BTSP	Power Pro Varmint	Fed. 210	Federal	2.625	36.4	3179
85-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.625	43.7	3316
85-gr Speer BTSP	Reloder 10X	Fed. 210	Win.	2.625	35.0	3122
85-gr Speer BTSP	Reloder 15	Fed. 210	Win.	2.625	41.0	3218
85-gr Speer BTSP	Reloder TS16	Fed. 210	Federal	2.625	42.2	3290
85-gr Barnes TSX	Reloder TS16	Fed. 210	Federal	2.630	42.3	3303
85-gr Speer BTSP	Reloder 19	Fed. 210	Win.	2.625	48.0C	3182
85-gr Speer BTSP	AR-Comp	Fed. 210	Federal	2.625	36.4	3170
90-gr Speer SP	Reloder 15	Fed. 210	Win.	2.625	38.0	3020
90-gr Speer SP	Reloder TS16	Fed. 210	Federal	2.625	41.9	3185
90-gr Speer SP	Reloder 19	Fed. 210	Win.	2.625	47.0C	3079
90-gr Speer SP	Reloder 22	Fed. 210	Win.	2.625	48.0C	3063
95-gr Federal Fusion	Power Pro 2000-MR	Fed. 210	Federal	2.650	35.0	2900
95-gr Nosler Ballistic Tip	Reloder TS16	Fed. 210	Federal	2.660	40.5	3114
95-gr Berger Hybrid Hunting	Reloder TS16	Fed. 210	Federal	2.670	40.6	3129
100-gr Speer GS	Reloder 15	Fed. 210	Win.	2.625	34.0	2691
100-gr Speer Grand Slam	Reloder TS16	Fed. 210	Federal	2.580	39.5	3015
100-gr Sierra GameKing	Reloder TS16	Fed. 210	Federal	2.570	40.8	3071
105-gr Berger Hybrid Target	Reloder TS16	Fed. 210	Federal	2.710	39.9	2984
100-gr Speer GS	Reloder 17	Fed. 210	Federal	2.625	40.8	3044
100-gr Speer GS	Reloder 19	Fed. 210	Win.	2.625	43.5	2903
100-gr Speer GS	Reloder 22	Fed. 210	Win.	2.625	45.5	2966
100-gr Nosler Partition	Reloder TS23	Fed. 210	Federal	2.610	42.5	3045
100-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.625	40.8	3044
100-gr Speer BTSP	Reloder TS23	Fed. 210	Federal	2.630	45.1	3140

243 Winchester continued

Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
100-gr Sierra GameKing	Reloder TS23	Fed. 210	Federal	2.560	44.5	3130
100-gr Nosler Partition	Reloder 26	Fed. 210	Federal	2.610	47.1	3169
100-gr Speer BTSP	Reloder 26	Fed. 210	Federal	2.630	48.1	3211
100-gr Sierra GameKing	Reloder 26	Fed. 210	Federal	2.560	47.9	3202
105-gr Hornady V-Max	Power Pro 4000-MR	Fed. 210	Federal	2.630	42.1C	2985
105-gr Hornady A-Max	Reloder TS23	Fed. 210	Federal	2.630	43.8	3014
105-gr Hornady A-Max	Reloder 26	Fed. 210	Federal	2.630	46.7	3078
6mm Creedmoor						
75-gr Speer HP	Reloder TS15.5	CCI 200	Hornady	2.550	42.8	3549
90-gr Speer Spitzer SP	Reloder TS15.5	CCI 200	Hornady	2.700	38.6	3167
6mm Remington						
55-gr Nosler Ballistic Tip	Power Pro 1200-R	Fed. 210	Federal	2.775	37.8	3828
58-gr Hornady V-Max	Power Pro 1200-R	Fed. 210	Federal	2.775	37.7	3800
65-gr Hornady V-Max	Power Pro 1200-R	Fed. 210	Federal	2.775	35.9	3580
65-gr Hornady V-Max	Power Pro 2000-MR	Fed. 210	Federal	2.825	44.7	3690
70-gr Nolsler Ballistic Tip	Reloder TS16	Fed. 210	Federal	2.825	47.5	3583
70-gr Speer TNT HP	Reloder TS16	Fed. 210	Federal	2.775	47.0	3525
70-gr Speer TNT HP	Reloder 17	Fed. 210	Federal	2.775	48.5C	3682
70-gr Speer TNT HP	Reloder 19	CCI 200	Rem.	2.775	53.0C	3507
70-gr Speer TNT HP	Reloder 22	CCI 200	Rem.	2.775	54.0C	3497
70-gr Speer TNT HP	Power Pro 1200-R	Fed. 210	Federal	2.775	33.5	3371
75-gr Speer HP	Power Pro 1200-R	Fed. 210	Federal	2.775	32.1	3219
75-gr Hornady V-Max	Power Pro 2000-MR	Fed. 210	Federal	2.825	42.7	3480
75-gr Hornady V-Max	Power Pro 4000-MR	Fed. 210	Federal	2.825	47.0C	3365
75-gr Speer HP	Reloder TS16	Fed. 210	Federal	2.775	47.2	3494
75-gr Hornady V-Max	Reloder TS16	Fed. 210	Federal	2.725	46.0	3482
75-gr Speer HP	Reloder 19	CCI 200	Rem.	2.775	52.0C	3440
75-gr Speer HP	Reloder 22	CCI 200	Rem.	2.775	53.0C	3474
85-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.775	41.8	3280
85-gr Speer BTSP	Power Pro 4000-MR	Fed. 210	Federal	2.775	47.0C	3300
85-gr Speer BTSP	Reloder TS16	Fed. 210	Federal	2.775	44.3	3380
85-gr Barnes TSX	Reloder TS16	Fed. 210	Federal	2.825	45.9	3411
85-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.775	46.0	3441
85-gr Speer BTSP	Reloder 19	CCI 200	Rem.	2.775	50.5C	3269
85-gr Speer BTSP	Reloder 22	CCI 200	Rem.	2.775	52.0C	3285
90-gr Speer SP	Reloder TS16	Fed. 210	Federal	2.775	45.6	3310
90-gr Speer SP	Reloder 19	CCI 200	Rem.	2.775	47.0	3063
90-gr Speer SP	Reloder 22	CCI 200	Rem.	2.775	51.0C	3258
95-gr Nosler Ballistic Tip	Reloder TS16	Fed. 210	Federal	2.825	45.0	3226
95-gr Berger Hybrid Hunting	Reloder TS16	Fed. 210	Federal	2.825	44.7	3238
95-gr Federal Fusion	Power Pro 2000-MR	Fed. 210	Federal	2.840	36.5	2950
100-gr Speer GS	Power Pro 2000-MR	Fed. 210	Federal	2.775	40.0	3000
100-gr Speer BTSP	Reloder TS16	Fed. 210	Federal	2.800	43.8	3168
100-gr Sierra GameKing	Reloder TS16	Fed. 210	Federal	2.760	43.7	3153
105-gr Berger Hybrid Target	Reloder TS16	Fed. 210	Federal	2.875	43.0	3070
100-gr Speer GS	Reloder 17	Fed. 210	Federal	2.800	44.0	3163
100-gr Speer GS	Reloder 19	CCI 200	Rem.	2.780	45.0	2835
100-gr Speer GS	Reloder 22	CCI 200	Rem.	2.780	47.0	2971
100-gr Nosler Partition	Reloder TS23	Fed. 210	Federal	2.800	46.0	3124
100-gr Speer BTSP	Reloder TS23	Fed. 210	Federal	2.800	46.6	3167
100-gr Sierra GameKing	Reloder TS23	Fed. 210	Federal	2.750	46.1	3157
105-gr Hornady A-Max	Power Pro 4000-MR	Fed. 210	Federal	2.810	44.0C	3025
105-gr Hornady A-Max	Reloder TS23	Fed. 210	Federal	2.810	45.0	3063

243 WSSM						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
70-gr Speer TNT HP	Reloder 15	Fed. 210	Win.	2.250	41.0	3478
70-gr Speer TNT HP	Reloder 17	Fed. 210	Win.	2.250	49.0C	3745
70-gr Speer TNT HP	Reloder 19	Fed. 210	Win.	2.250	49.5C	3464
70-gr Speer TNT HP	Power Pro Varmint	Fed. 210	Win.	2.250	42.5	3644
75-gr Speer HP	Reloder 15	Fed. 210	Win.	2.165	41.0	3478
75-gr Speer HP	Reloder 19	Fed. 210	Win.	2.165	49.5C	3464
80-gr Speer SP	Reloder 17	Fed. 210	Win.	2.255	44.5	3512
80-gr Speer SP	Power Pro Varmint	Fed. 210	Win.	2.255	37.9	3305
85-gr Speer BTSP	Reloder 17	Fed. 210	Win.	2.255	45.5	3452
85-gr Speer BTSP	Reloder 15	Fed. 210	Win.	2.255	39.0	3260
85-gr Speer BTSP	Reloder 19	Fed. 210	Win.	2.255	47.0C	3272
85-gr Speer BTSP	Power Pro Varmint	Fed. 210	Win.	2.255	38.8	3278
90-gr Speer SP	Reloder 19	Fed. 210	Win.	2.360	45.0	3218
90-gr Speer SP	Reloder 22	Fed. 210	Win.	2.360	46.5	3250
100-gr Speer GS	Reloder 17	Fed. 210	Win.	2.290	41.0	3128
100-gr Speer GS	Reloder 19	Fed. 210	Win.	2.360	40.5	2915
100-gr Speer GS	Reloder 22	Fed. 210	Win.	2.360	43.5	3004
100-gr Speer BTSP	Reloder 17	Federal 210	Win.	2.360	41.0	3128
257 Roberts						
75-gr Hornady V-Max	Power Pro 2000-MR	Fed. 210	Federal	2.780	45.5	3550
75-gr Sierra HP	Reloder 15	Win. LRP	Win.	2.775	41.8	3340
85-gr Nosler Ballistic Tip	Varmint	Fed. 210	Federal	2.780	39.3	3252
85-gr Nosler Ballistic Tip	AR-Comp	Fed. 210	Federal	2.780	38.9	3244
85-gr Nosler Ballistic Tip	Reloder 15	Fed. 210	Federal	2.780	40.1	3277
85-gr Nosler Ballistic Tip	Reloder TS15.5	Fed. 210	Federal	2.780	43	3342
85-gr Nosler Ballistic Tip	Power Pro 2000-MR	Fed. 210	Federal	2.780	42.9	3303
85-gr Nosler Ballistic Tip	Reloder 17	Fed. 210	Federal	2.780	45.6	3290
87-gr Hornady SP	Power Pro 2000-MR	Fed. 210	Federal	2.780	43.7	3290
87-gr Speer Spitzer	Reloder 15	Win. LRP	Win.	2.775	41.0	3185
87-gr Speer Spitzer SP	Reloder TS15.5	Fed. 210	Federal	2.760	43.2	3302
100-gr Speer Spitzer	Reloder 19	Win. LRP	Win.	2.775	44.7	2930
100-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.780	41.5	3055
100-gr Barnes TSX	Reloder TS15.5	Fed. 210	Federal	2.780	40.7	3072
100-gr Speer HP	Reloder TS15.5	Fed. 210	Federal	2.760	40.6	3039
100-gr Nosler Ballistic Tip	Reloder TS15.5	Fed. 210	Federal	2.780	40.1	3049
100-gr Nosler Ballistic Tip	Reloder 17	Fed. 210	Federal	2.780	43.3	3044
100-gr Nosler Ballistic Tip	Power Pro 4000-MR	Fed. 210	Federal	2.780	46.4C	3073
100-gr Nosler Ballistic Tip	Reloder 19	Fed. 210	Federal	2.780	47.2C	3079
100-gr Nosler Ballistic Tip	Reloder 22	Fed. 210	Federal	2.780	47.4C	2986
100-gr Sierra MatchKing	Reloder TS15.5	Fed. 210	Federal	2.780	39.9	3068
110-gr Nosler AccuBond	Reloder TS15.5	Fed. 210	Federal	2.780	39	2888
117-gr Sierra GameKing	Reloder 17	Fed. 210	Federal	2.775	41.6	2830
117-gr Sierra GameKing	Power Pro 4000-MR	Fed. 210	Federal	2.775	43.4C	2869
117-gr Sierra GameKing	Reloder 19	Fed. 210	Federal	2.775	45.0C	2882
117-gr Sierra GameKing	Reloder 22	Fed. 210	Federal	2.775	45.3C	2854
117-gr Sierra GameKing	Reloder TS23	Fed. 210	Federal	2.775	45.0C	2885
117-gr Sierra GameKing	Reloder 26	Fed. 210	Federal	2.775	47.9C	2944
120-gr Sierra BTHP	Reloder 22	Win. LRP	Win.	2.775	44.0	2785
120-gr Speer BTSP	Reloder 22	Win. LRP	Win.	2.770	43.0	2635
120-gr Nosler Partition	Reloder 17	Fed. 210	Federal	2.760	41.0	2786
120-gr Nosler Partition	Power Pro 4000-MR	Fed. 210	Federal	2.760	43.1C	2818
120-gr Nosler Partition	Reloder 19	Fed. 210	Federal	2.760	44.2C	2822
120-gr Nosler Partition	Reloder 22	Fed. 210	Federal	2.760	44.6C	2800

257 Roberts continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
120-gr Nosler Partition	Reloder TS23	Fed. 210	Federal	2.760	44.3C	2832
120-gr Nosler Partition	Reloder 26	Fed. 210	Federal	2.760	46.5C	2874
25-06 Remington						
75-gr Hornady V-Max	Power Pro 2000-MR	Fed. 210	Federal	3.100	50.5	3630
85-gr Nosler Ballistic Tip	Varmint	Fed. 210	Federal	3.130	45.4	3419
85-gr Nosler Ballistic Tip	AR-Comp	Fed. 210	Federal	3.130	44.5	3411
85-gr Nosler Ballistic Tip	Reloder 15	Fed. 210	Federal	3.130	46.5	3467
85-gr Nosler Ballistic Tip	Reloder 17	Fed. 210	Federal	3.130	54.3	3591
85-gr Nosler Ballistic Tip	Power Pro 2000-MR	Fed. 210	Federal	3.130	49.4	3501
87-gr Hornady SP	Power Pro 2000-MR	Fed. 210	Federal	3.120	48.5	3400
87-gr Speer SP	AR-Comp	Fed. 210	Federal	3.115	44.0	3313
87-gr Speer SP	Reloder 15	CCI 200	Rem.	3.115	47.0	3268
87-gr Speer SP	Reloder 17	Fed. 210	Federal	3.115	54.5	3547
87-gr Speer SP	Reloder 19	CCI 200	Rem.	3.115	60.0C	3452
87-gr Speer SP	Varmint	Fed. 210	Federal	3.115	37.3	3105
87-gr Speer SP	Power Pro 4000-MR	Fed. 210	Federal	3.115	56.1	3469
100-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	3.095	47.5	3215
100-gr Speer BTSP	Power Pro 4000-MR	Fed. 210	Federal	3.095	53.1	3253
100-gr Speer SP	Reloder 19	CCI 200	Rem.	3.095	57.0	3226
100-gr Speer SP	Reloder 22	CCI 200	Rem.	3.095	58.0	3248
100-gr Nosler Ballistic Tip	Reloder 17	Fed. 210	Federal	3.140	51.1	3321
100-gr Nosler Ballistic Tip	Power Pro 4000-MR	Fed. 210	Federal	3.140	53.5	3333
100-gr Nosler Ballistic Tip	Reloder 19	Fed. 210	Federal	3.140	54.2	3327
100-gr Nosler Ballistic Tip	Reloder 22	Fed. 210	Federal	3.140	56.4	3312
100-gr Nosler Ballistic Tip	Reloder TS23	Fed. 210	Federal	3.130	54.2	3306
100-gr Nosler Ballistic Tip	Reloder 25	Fed. 210	Federal	3.140	59.6	3332
100-gr Speer BTSP	Reloder TS23	Fed. 210	Federal	3.095	55.0	3323
100-gr Speer SP	Reloder 25	CCI 200	Rem.	3.095	60.0C	3224
100-gr Nosler Ballistic Tip	Reloder 26	Fed. 210	Federal	3.130	56.6	3348
100-gr Speer BTSP	Reloder 26	Fed. 210	Federal	3.095	55.6	3352
100-gr Speer BTSP	Reloder 17	Fed. 210	Federal	3.095	51.3	3301
117-gr Sierra GameKing	Power Pro 4000-MR	Fed. 210	Federal	3.110	51.1	3092
117-gr Sierra GameKing	Reloder 17	Fed. 210	Federal	3.110	49.9	3095
117-gr Sierra GameKing	Reloder 19	Fed. 210	Federal	3.110	52.0	3098
117-gr Sierra GameKing	Reloder 22	Fed. 210	Federal	3.110	53.8	3092
117-gr Sierra GameKing	Reloder 25	Fed. 210	Federal	3.110	56.6	3108
120-gr Speer BTSP	Power Pro 4000-MR	Fed. 210	Federal	3.200	50.4	3020
120-gr Speer BTSP	Reloder TS23	Fed. 210	Federal	3.130	48.2	2988
120-gr Nosler Partition	Reloder TS23	Fed. 210	Federal	3.020	50.2	3012
120-gr Speer BTSP	Reloder 26	Fed. 210	Federal	3.130	49.7	3020
120-gr Nosler Partition	Reloder 17	Fed. 210	Federal	3.080	48.1	3021
120-gr Nosler Partition	Power Pro 4000-MR	Fed. 210	Federal	3.080	50.7	3035
120-gr Nosler Partition	Reloder 19	Fed. 210	Federal	3.080	51.1	3036
120-gr Nosler Partition	Reloder 22	Fed. 210	Federal	3.080	53.1	3036
120-gr Nosler Partition	Reloder 25	Fed. 210	Federal	3.080	56.1	3048
120-gr Nosler Partition	Reloder 26	Fed. 210	Federal	3.020	51.3	3026
120-gr Speer BTSP	Reloder 17	Fed. 210	Rem.	3.200	48.5	3046
120-gr Sierra BTSP	Reloder 22	CCI 200	Rem.	3.200	52.0	2931
120-gr Speer BTSP	Reloder TS23	Fed. 210	Rem.	3.200	51.3	3030
120-gr Sierra BTSP	Reloder 25	CCI 200	Rem.	3.200	58.0C	3071
120-gr Speer BTSP	Reloder 26	Fed. 210	Rem.	3.200	53.8	3061
25 WSSM						
87-gr Hornady SP	Power Pro 2000-MR	Fed. 210	Win.	2.315	46.0	3340

continued

C = Compressed Charge

25 WSSM continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
87-gr Speer SP	Power Pro 2000-MR	Fed. 210	Win.	2.270	46.0	3339
87-gr Speer SP	Reloder 10X	CCI 200	Win.	2.270	39.0	3313
87-gr Speer SP	Reloder 15	CCI 200	Win.	2.270	45.5	3428
87-gr Speer SP	Reloder 17	Fed. 210	Win.	2.270	52.0C	3499
87-gr Speer SP	Reloder 19	CCI 200	Win.	2.270	52.0C	3333
100-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Win.	2.270	44.0	3140
100-gr Speer SP	Reloder 10X	CCI 200	Win.	2.270	35.0	2984
100-gr Speer SP	Reloder 15	CCI 200	Win.	2.270	41.5	3110
100-gr Speer SP	Reloder 17	Fed. 210	Win.	2.270	47.5	3311
100-gr Speer SP	Reloder 19	CCI 200	Win.	2.270	49.5C	3180
100-gr Speer BTSP	Reloder 17	Fed. 210	Win.	2.270	47.5	3311
120-gr Speer BTSP	Reloder 17	Fed. 210	Win.	2.270	45.0	3041
120-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Win.	2.270	40.0	2800
120-gr Sierra BTSP	Reloder 10X	CCI 200	Win.	2.270	31.5	2607
120-gr Sierra BTSP	Reloder 15	CCI 200	Win.	2.270	38.0	2792
120-gr Sierra BTSP	Reloder 17	Fed. 210	Win.	2.270	45.0	3041
120-gr Sierra BTSP	Reloder 19	CCI 200	Win.	2.270	46.0C	2914
257 Weatherby Magnum						
87-gr Speer SP	Reloder 19	CCI 250	Federal	3.150	68.0	3637
87-gr Speer SP	Reloder 22	CCI 250	Federal	3.150	71.0	3661
87-gr Speer SP	Reloder 25	CCI 250	Federal	3.150	73.0C	3670
100-gr Speer SP	Reloder 19	CCI 250	Federal	3.150	65.0	3405
100-gr Speer SP	Reloder 22	CCI 250	Federal	3.150	68.0	3450
100-gr Speer SP	Reloder 25	CCI 250	Federal	3.150	73.0	3545
120-gr Sierra BTSP	Reloder 22	CCI 250	Federal	3.170	63.0	3120
120-gr Sierra BTSP	Reloder 25	CCI 250	Federal	3.170	67.0	3236
260 Remington						
90-gr Speer TNT HP	Power Pro 2000-MR	Fed. 210	Federal	2.650	48.2	3440
90-gr Speer TNT HP	Reloder 15	CCI 200	Rem.	2.650	45.5	3311
90-gr Speer TNT	Reloder TS15.5	Fed. 210	Federal	2.650	45.8	3439
90-gr Speer TNT HP	Reloder TS16	Fed. 210	Federal	2.650	41.5	3389
90-gr Speer TNT HP	Reloder 19	CCI 200	Rem.	2.650	50.0C	2985
90-gr Speer TNT HP	AR-Comp	Fed. 210	Federal	2.650	42.0	3364
95-gr Hornady V-Max	AR-Comp	Fed. 210	Federal	2.775	40.0	3259
95-gr Hornady V-Max	Reloder TS16	Fed. 210	Federal	2.775	46.0	3277
120-gr Sierra BTHP	AR-Comp	Fed. 210	Federal	2.785	35.4	2768
120-gr Speer Gold Dot	Reloder TS15.5	Fed. 210	Federal	2.700	39.9	2924
120-gr Speer SP	AR-Comp	Fed. 210	Federal	2.720	33.8	2688
120-gr Nosler Ballistic Tip	AR-Comp	Fed. 210	Federal	2.775	34.8	2734
120-gr Speer SP	Power Pro 2000-MR	Fed. 210	Federal	2.720	40.0	2830
120-gr Speer SP	Reloder 15	CCI 200	Rem.	2.720	39.0	2819
120-gr Nosler Ballistic Tip	Reloder TS16	Fed. 210	Federal	2.760	44.0	3022
120-gr Speer SP	Reloder TS16	Fed. 210	Federal	2.720	42.3	2939
120-gr Barnes TSX	Reloder TS16	Fed. 210	Federal	2.720	43.6	2987
120-gr Speer SP	Reloder 17	Fed. 210	Federal	2.720	44.0	2912
120-gr Speer SP	Reloder 19	CCI 200	Rem.	2.720	48.0C	2950
129-gr Hornady SST	AR-Comp	Fed. 210	Federal	2.785	34.9	2686
130-gr Berger Hybrid OTM	Reloder TS16	Fed. 210	Federal	2.800	42.9	2915
140-gr Hornady SST	AR-Comp	Fed. 210	Federal	2.785	33.0	2510
140-gr Sierra BTSP	AR-Comp	Fed. 210	Federal	2.665	33.2	2517
140-gr Sierra GameKing	Reloder TS16	Fed. 210	Federal	2.680	41.0	2764
140-gr Speer Spitzer SP	Reloder TS15.5	Fed. 210	Federal	2.745	35	2550
140-gr Speer SP	Reloder TS16	Fed. 210	Federal	2.745	38.9	2663

260 Remington continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
140-gr Speer SP	Reloder 17	Fed. 210	Federal	2.745	41.0	2645
140-gr Speer SP	Reloder 19	CCI 200	Rem.	2.745	45.5C	2731
140-gr Speer SP	Reloder 22	CCI 200	Rem.	2.745	46.0C	2701
140-gr Speer SP	Reloder TS23	Fed. 210	Federal	2.745	43.0	2670
140-gr Sierra GameKing	Reloder TS23	Fed. 210	Federal	2.665	44.9	2753
140-gr Hornady SST	Reloder TS23	Fed. 210	Federal	2.745	44.0	2715
140-gr Sierra MatchKing	Reloder TS23	Fed. 210	Federal	2.800	44.2	2748
142-gr Sierra MatchKing	Reloder TS16	Fed. 210	Federal	2.790	41.7	2772
142-gr Sierra MatchKing	Reloder TS23	Fed. 210	Federal	2.800	44.1	2711
6.5 Creedmoor						
90-gr Speer TNT HP	Reloder TS15.5	Fed. 205	Federal	2.700	45.0C	3466
120-gr Barned Tipped TSX	Reloder TS15.5	Fed. 205	Federal	2.720	37.3	2831
120-gr Nosler Ballistic Tip	Reloder TS16	CCI 200	Hornady	2.740	45.5	3008
120-gr Speer Gold Dot	Reloder TS15.5	Fed. 205	Federal	2.700	40.8	2983
120-gr Sierra MatchKing	Reloder TS15.5	Fed. 205	Federal	2.720	41.4	2992
120-gr Nosler Ballistic Tip	Reloder TS15.5	Fed. 205	Federal	2.775	38.3	2917
120-gr Speer Spitz SP	Reloder TS16	CCI 200	Hornady	2.760	45.0	3018
120-gr Speer Spitz SP	AR-Comp	CCI 200	Hornady	2.760	36.0	2762
120-gr Speer Spitz SP	Varmint	CCI 200	Hornady	2.760	37.9	2845
120-gr Speer Spitz SP	Reloder 15	CCI 200	Hornady	2.760	40.0	2900
120-gr Speer Spitz SP	Power Pro 2000-MR	CCI 200	Hornady	2.760	40.2	2876
120-gr Speer Spitz SP	Reloder 17	CCI 200	Hornady	2.760	43.4	2990
120-gr Speer Spitz SP	Power Pro 4000-MR	CCI 200	Hornady	2.760	47.5	3040
120-gr Speer Spitz SP	Reloder 19	CCI 200	Hornady	2.760	48.2	3031
129-gr Hornady SST	Reloder TS15.5	Fed. 205	Federal	2.670	38.3	2847
129-gr Hornady SST	Reloder TS16	CCI 200	Hornady	2.825	44.4	2949
130-gr Federal Terminal Ascent	Reloder TS15.5	Fed. 205	Federal	2.810	36.1	2762
130-gr Barnes TSX	Reloder TS16	CCI 200	Hornady	2.740	44.5	2883
130-gr Berger Hybrid Match	Reloder TS15.5	Fed. 205	Federal	2.810	37.9	2828
130-gr Berger Hybrid OTM	Reloder TS16	CCI 200	Hornady	2.825	44.0	2932
140-gr Federal Fusion	Reloder TS15.5	Fed. 205	Federal	2.700	37.8	2705
140-gr Sierra GameKing	Reloder TS16	CCI 200	Hornady	2.640	43.8	2813
140-gr Speer Spitz SP	Reloder TS16	CCI 200	Hornady	2.760	42.4	2766
140-gr Berger Hybrid Target	Reloder TS16	CCI 200	Hornady	2.825	43.6	2821
140-gr Hornady SST	Reloder TS16	CCI 200	Hornady	2.825	42.6	2794
140-gr Speer Spitz SP	AR-Comp	CCI 200	Hornady	2.760	34.0	2521
140-gr Speer Spitz SP	Varmint	CCI 200	Hornady	2.760	36.6	2619
140-gr Speer Spitz SP	Reloder 15	CCI 200	Hornady	2.760	38.5	2673
140-gr Speer Spitz SP	Reloder TS15.5	Fed. 205	Federal	2.760	35.6	2641
140-gr Speer Spitz SP	Power Pro 2000-MR	CCI 200	Hornady	2.760	38.4	2654
140-gr Speer Spitz SP	Reloder 17	CCI 200	Hornady	2.760	41.8	2765
140-gr Speer Spitz SP	Power Pro 4000-MR	CCI 200	Hornady	2.760	45.0	2793
140-gr Speer Spitz SP	Reloder 19	CCI 200	Hornady	2.760	45.0	2802
140-gr Speer Spitz SP	Reloder TS23	CCI 200	Hornady	2.760	45.8	2799
142-gr Sierra MatchKing	Reloder TS16	CCI 200	Hornady	2.800	43.9	2823
6.5 Grendel						
90-gr Speer TNT HP	Reloder TS11	Fed. 205	Federal	2.190	27.6	2919
120-gr Speer Gold Dot	Reloder TS15.5	Fed. 205	Federal	2.260	27.4C	2490
120-gr Sierra MatchKing	Reloder TS11	Fed. 205	Federal	2.240	23.4	2398
120-gr Sierra MatchKing	Reloder TS15.5	Fed. 205	Federal	2.250	28.2C	2525
120-gr Federal Fusion	Reloder TS11	Fed. 205	Federal	2.260	22.5	2343
120-gr Speer Gold Dot	Reloder TS11	Fed. 205	Federal	2.260	22.8	2372
140-gr Speer Spitzer SP	Reloder TS15.5	Fed. 205	Federal	2.140	26.7C	2288

continued

C = Compressed Charge

6.5 X 55 Swedish Mauser (military) (51,000 PSI)						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
90-gr Speer HP	Reloder 17	Fed. 210	Federal	2.850	48.5	3223
90-grain Speer TNT HP	Reloder 17	CCI 200	Rem.	2.850	48.5	3223
120-gr Speer SP	Reloder 19	CCI 200	Rem.	3.000	41.0	2655
120-gr Speer SP	Reloder 22	CCI 200	Rem.	3.000	42.0	2670
140-gr Speer SP	Reloder TS23	Fed. 210	Rem.	2.900	40.0	2483
140-gr Sierra GameKing	ReloderTS23	Fed. 210	Federal	2.930	41.4	2541
140-gr Hornady SST	Reloder TS23	Fed. 210	Federal	2.910	43.6	2596
6.5 X 55 Swedish Mauser (commercial action) (58,000 PSI)						
120-gr Speer SP	Power Pro 2000-MR	Fed. 210	Rem.	3.000	36.0	2560
120-gr Speer SP	Reloder 17	Fed. 210	Rem.	3.000	41.5	2741
120-gr Speer SP	Reloder 19	CCI 200	Rem.	3.000	46.0	2820
120-gr Speer SP	Reloder 22	CCI 200	Rem.	3.000	46.0	2830
140-gr Speer SP	Power Pro 2000-MR	Fed. 210	Rem.	3.000	33.0	2310
140-gr Speer SP	Reloder 17	Fed. 210	Rem.	3.000	38.5	2508
140-gr Speer SP	Reloder 19	CCI 200	Rem.	3.000	45.0	2616
140-gr Speer SP	Reloder 22	CCI 200	Rem.	3.000	45.0	2655
264 Winchester Magnum						
120-gr Speer SP	Reloder 19	CCI 250	Win.	3.300	59.0	3118
120-gr Speer SP	Reloder 22	CCI 250	Win.	3.300	58.0	3140
120-gr Speer SP	Reloder 25	CCI 250	Win.	3.300	63.0	3219
140-gr Speer SP	Reloder 19	CCI 250	Win.	3.320	52.0	2822
140-gr Speer SP	Reloder 22	CCI 250	Win.	3.320	53.0	2857
140-gr Speer SP	Reloder 25	CCI 250	Win.	3.320	60.0	3005
6.8mm Remington SPC						
90-gr Speer HP	Reloder 7	CCI 200	Rem.	2.250	27.5	2983
90-gr Speer HP	Reloder 10x	CCI 200	Rem.	2.250	29.5	2991
90-gr Speer Gold Dot	Reloder TS11	Fed. 205	Federal	2.260	31.1C	3109
90-gr Speer TNT	Reloder 7	CCI 200	Rem.	2.250	27.5	2983
90-gr Speer TNT	Reloder 10X	CCI 200	Rem.	2.250	29.5	2991
90-gr Speer TNT	Power Pro 1200-R	Fed. 210	Federal	2.250	31.2	3065
100-gr Speer HP	Power Pro 1200-R	Fed. 210	Federal	2.250	30.1	2894
100-gr Speer HP	Reloder 7	CCI 200	Rem.	2.250	26.0	2715
100-gr Speer HP	Reloder 10X	CCI 200	Rem.	2.250	28.5C	2791
110-gr Barnes TSX	Reloder 7	205MAR	Federal	2.260	26.5	2688
110-gr Barnes TSX	Power Pro 1200-R	205MAR	Federal	2.260	29.0	2782
110-gr Barnes TSX	Reloder 10x	205MAR	Federal	2.260	29.0	2678
110-gr Barnes TSX	Varmint	205MAR	Federal	2.260	32.9C	2795
110-gr Barnes TSX	AR-Comp	205MAR	Federal	2.260	29.5	2641
115-gr Speer Gold Dot	Reloder TS11	Fed. 205	Federal	2.260	26.8	2693
130-gr Speer BTSP	Power Pro 1200-R	Fed. 210	Federal	2.250	26.8	2522
130-gr Speer SP	Reloder 10X	CCI 200	Rem.	2.250	25.5C	2431
130-gr Sierra GameKing	Power Pro 1200-R	205MAR	Federal	2.260	27.1	2557
130-gr Sierra GameKing	Reloder 10x	205MAR	Federal	2.260	28.5C	2587
130-gr Sierra GameKing	Varmint	205MAR	Federal	2.260	31.4C	2631
130-gr Sierra GameKing	AR-Comp	205MAR	Federal	2.260	29.3	2576
130-gr Speer BTSP	Power Pro 1200-R	Federal 210	Federal	2.250	26.8	2522
130-gr Nosler Ballistic Tip	Power Pro 1200-R	205MAR	Federal	2.260	27.3C	2559
130-gr Nosler Ballistic Tip	Reloder 10x	205MAR	Federal	2.260	26.0	2368
130-gr Nosler Ballistic Tip	Varmint	205MAR	Federal	2.260	30.0C	2496
130-gr Nosler Ballistic Tip	AR-Comp	205MAR	Federal	2.260	26.5	2370
270 Winchester						
90-gr Speer TNT	Reloder TS15.5	Fed. 210	Federal	3.170	56.9	3692
90-gr Speer HP	Reloder 15	CCI 200	Win.	3.170	55.0	3511

270 Winchester continued

Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
90-gr Speer HP	Reloder 19	CCI 200	Win.	3.170	64.0C	3341
100-gr Speer HP	Reloder TS15.5	Fed. 210	Federal	3.100	55	3505
100-gr Speer HP	Power Pro 2000-MR	Fed. 210	Federal	3.100	53.0	3420
100-gr Speer HP	Reloder 17	Fed. 210	Federal	3.100	59.0	3554
100-gr Speer HP	Reloder 19	CCI 200	Win.	3.100	62.0C	3220
110-gr Barnes TSX	Varmint	Fed. 210	Federal	3.210	48.7	3252
110-gr Barnes TSX	AR-Comp	Fed. 210	Federal	3.210	47.4	3247
110-gr Barnes TSX	Reloder 15	Fed. 210	Federal	3.210	49.7	3301
110-gr Barnes TSX	Power Pro 2000-MR	Fed. 210	Federal	3.210	53.9	3337
110-gr Barnes TSX	Reloder 17	Fed. 210	Federal	3.210	57.7	3386
130-gr Speer Spitzer SP	Reloder TS 15.5	Fed. 210	Federal	3.240	49.2	3015
130-gr Speer SP	Reloder 15	CCI 200	Win.	3.240	45.0	2742
130-gr Hornaday GMX	Reloder TS16	Fed. 210	Federal	3.230	53.8C	3175
130-gr Berger Hybrid	Reloder TS16	Fed. 210	Federal	3.290	54.7	3213
130-gr Nosler Partition	Reloder TS16	Fed. 210	Federal	3.200	55.3C	3202
130-gr Speer SP	Reloder TS16	Fed. 210	Federal	3.200	54.0	3221
130-gr Speer SP	Reloder 19	CCI 200	Win.	3.240	57.0	2904
130-gr Speer SP	Reloder 22	CCI 200	Win.	3.240	58.0	2947
130-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	3.200	46.5	2950
130-gr Speer BTSP	Reloder 17	Fed. 210	Federal	3.200	54.0	3136
130-gr Federal Fusion	Power Pro 2000-MR	Fed. 210	Federal	3.245	48.5	3020
130-gr Nosler Ballistic Tip	Varmint	Fed. 210	Federal	3.200	46.2	2972
130-gr Nosler Ballistic Tip	AR-Comp	Fed. 210	Federal	3.200	45.5	2957
130-gr Nosler Ballistic Tip	Reloder 15	Fed. 210	Federal	3.200	47.4	3017
130-gr Nosler Ballistic Tip	Power Pro 2000-MR	Fed. 210	Federal	3.200	51.3	3050
130-gr Nosler Ballistic Tip	Reloder 17	Fed. 210	Federal	3.200	55.6	3156
130-gr Nosler Ballistic Tip	Reloder 19	Fed. 210	Federal	3.200	59.2	3147
130-gr Nosler Ballistic Tip	Power Pro 4000-MR	Fed. 210	Federal	3.200	58.3	3124
130-gr Barnes TSX	Varmint	Fed. 210	Federal	3.220	46.0	2974
130-gr Barnes TSX	AR-Comp	Fed. 210	Federal	3.220	45.0	2951
130-gr Barnes TSX	Reloder 15	210	Federal	3.220	46.9	3002
130-gr Barnes TSX	Power Pro 2000-MR	210	Federal	3.220	50.1	3038
130-gr Barnes TSX	Reloder 17	Fed. 210	Federal	3.220	54.8	3140
130-gr Barnes TSX	Reloder 19	Fed. 210	Federal	3.220	58.4	3157
130 -gr Barnes TSX	Power Pro 4000-MR	Fed. 210	Federal	3.220	58.4	3181
140-gr Nosler Accubond	Reloder TS16	Fed. 210	Federal	3.250	53.5C	3054
140-gr Barnes TSX	Reloder TS16	Fed. 210	Federal	3.210	52.3C	3049
150-gr Speer SP	Reloder TS16	Fed. 210	Federal	3.210	51.0	2871
150-gr Speer SP	Reloder 19	CCI 200	Win.	3.270	53.0	2745
150-gr Speer SP	Reloder 22	CCI 200	Win.	3.270	54.0	2769
150-gr Nosler Partition	Reloder TS23	Fed. 210	Federal	3.200	57.1	2953
150-gr Nosler Partition	Reloder 26	Fed. 210	Federal	3.200	60.8	3022
150-gr Sierra GameKing	Power Pro 2000-MR	Fed. 210	Federal	3.170	46.1	2762
150-gr Sierra GameKing	Reloder TS16	Fed. 210	Federal	3.220	51.5	2959
150-gr Sierra GameKing	Reloder 17	Fed. 210	Federal	3.170	51.4	2912
150-gr Sierra GameKing	Reloder 19	Fed. 210	Federal	3.170	54.6	2925
150-gr Sierra GameKing	Power Pro 4000-MR	Fed. 210	Federal	3.170	54.6	2932
150-gr Sierra GameKing	Reloder 22	Fed. 210	Federal	3.170	56.7	2925
150-gr Sierra GameKing	Reloder TS23	Fed. 210	Federal	3.230	57.3	2976
150-gr Sierra GameKing	Reloder 26	Fed. 210	Federal	3.230	60.2	3037
150-gr Speer BTSP	Reloder 17	Fed. 210	Federal	3.230	51.5	2921
150-gr Speer BTSP	Reloder TS23	Fed. 210	Federal	3.230	57.8	2993
150-gr Speer BTSP	Reloder 26	Fed. 210	Federal	3.230	60.4	3034

continued

C = Compressed Charge

270 Winchester continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
150-gr Speer Grand Slam SP	Reloder TS23	Fed. 210	Federal	3.200	58.4	2997
150-gr Speer Grand Slam SP	Reloder 26	Fed. 210	Federal	3.200	61.5	3051
270 WSM						
100-gr Speer HP	Reloder 15	CCI 200	Win.	2.730	62.0	3564
100-gr Speer HP	Reloder TS16	Fed. 215	Federal	2.730	67.5	3645
100-gr Speer HP	Reloder 17	Fed. 215	Federal	2.730	67.5	3668
130-gr Hornady GMX	Reloder TS16	Fed. 215	Federal	2.790	59.5	3163
130-gr Berger Hybrid	Reloder TS16	Fed. 215	Federal	2.810	60.9	3244
130-gr Nosler Partition	Reloder TS16	Fed. 215	Federal	2.760	60.5	3201
130-gr Speer SP	Reloder TS16	Fed. 215	Federal	2.700	63.0	3247
130-gr Speer SP	Reloder 19	CCI 200	Win.	2.700	66.0	3241
130-gr Speer SP	Reloder 22	CCI 200	Win.	2.700	66.0	3228
130-gr Speer SP	Reloder TS23	Fed. 215	Win.	2.700	65.0	3225
130-gr Speer SP	Reloder 26	Fed. 215	Win.	2.700	66.4	3273
130-gr Speer Spitzer SP	Reloder TS23	Fed. 215	Federal	2.700	65.0	3225
130-gr Speer Spitzer SP	Reloder 26	Fed. 215	Federal	2.700	66.4	3273
130-gr Speer BTSP	Reloder 17	Fed. 215	Federal	2.700	62.0	3258
130-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	2.700	66.4	3270
130-gr Speer BTSP	Reloder 26	Fed. 215	Federal	2.700	69.3	3332
130-gr Speer Spitzer BTSP	Reloder TS23	Fed. 215	Federal	2.700	66.4	3270
130-gr Speer Spitzer BTSP	Reloder 26	Fed. 215	Federal	2.700	69.3	3332
130-gr Barnes TSX	Reloder 17	Fed. 215	Federal	2.800	62.0	3290
130-gr Barnes TSX	Reloder 19	Fed. 215	Federal	2.800	65.9C	3307
130-gr Barnes TSX	Power Pro 4000-MR	Fed. 215	Federal	2.800	65.0	3315
130-gr Barnes TSX	Reloder 22	Fed. 215	Federal	2.800	67.5	3291
130-gr Barnes TSX	Reloder TS23	Fed. 215	Federal	2.790	66.7	3287
130-gr Barnes TSX	Reloder 26	Fed. 215	Federal	2.790	70.3	3347
130-gr Nosler Ballistic Tip	Reloder 17	Fed. 215	Federal	2.820	62.8	3282
130-gr Nosler Ballistic Tip	Reloder TS23	Fed. 215	Federal	2.820	65.7	3252
130-gr Nosler Ballistic Tip	Reloder 26	Fed. 215	Federal	2.820	69.8	3302
130-gr Nosler Partition	Reloder 17	Fed. 215	Federal	2.770	62.8	3274
130-gr Nosler Partition	Reloder 19	Fed. 215	Federal	2.760	65.4	3277
130-gr Nosler Partition	Power Pro 4000-MR	Fed. 215	Federal	2.760	64.7	3307
130-gr Nosler Partition	Reloder 22	Fed. 215	Federal	2.760	67.6C	3280
130-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	2.790	66.0	3256
130-gr Nosler Partition	Reloder 26	Fed. 215	Federal	2.790	70.2	3320
130-gr Hornady GMX	Reloder 17	Fed. 215	Federal	2.790	61.9	3229
130-gr Berger Hunting Hybrid	Reloder 17	Fed. 215	Federal	2.820	62.9	3299
140-gr Nosler Accubond	Reloder TS16	Fed. 215	Federal	2.820	59.3	3071
140-gr Barnes TSX	Reloder TS16	Fed. 215	Federal	2.740	58.5	3079
140-gr Nosler Accubond	Reloder 17	Fed. 215	Federal	2.810	61.3	3144
140-gr Nosler AccuBond	Reloder TS23	Fed. 215	Federal	2.810	64.6	3141
140-gr Nosler AccuBond	Reloder 26	Fed. 215	Federal	2.810	69.0	3204
150-gr Sierra GameKing	Reloder TS16	Fed. 215	Federal	2.720	57.8	2978
150-gr Speer SP	Reloder 19	CCI 200	Win.	2.670	60.0	2990
150-gr Speer SP	Reloder 22	CCI 200	Win.	2.670	61.0	3009
150-gr Speer SP	Reloder 25	CCI 200	Win.	2.670	64.0	3058
150-gr Nosler Partition	Reloder 17	Fed. 215	Federal	2.770	60.7	3031
150-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	2.770	62.8	3024
150-gr Nosler Partition	Reloder 26	Fed. 215	Federal	2.770	67.4	3088
150-gr Sierra GameKing	Reloder 17	Fed. 215	Federal	2.720	60.1	3051
150-gr Sierra GameKing	Reloder 19	Fed. 215	Federal	2.720	61.6	3041
150-gr Sierra GameKing	Reloder 22	Fed. 215	Federal	2.720	64.7C	3065

270 WSM continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
150-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	2.800	62.0	3022
150-gr Sierra GameKing	Reloder 25	Fed. 215	Federal	2.720	68.1C	3087
150-gr Sierra GameKing	Reloder 26	Fed. 215	Federal	2.800	67.3	3091
150-gr Speer BTSP	Reloder 17	Fed. 215	Federal	2.700	60.0	3041
150-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	2.700	61.1	3004
150-gr Speer BTSP	Reloder 26	Fed. 215	Federal	2.700	67.6	3113
150-gr Speer Grand Slam SP	Reloder TS23	Fed. 215	Federal	2.700	63.3	3052
150-gr Speer Grand Slam SP	Reloder 26	Fed. 215	Federal	2.700	68.0	3110
270 Weatherby Magnum						
100-gr Speer HP	Reloder 19	Fed. 215	Federal	3.250	73.0	3570
100-gr Speer HP	Reloder 22	Fed. 215	Federal	3.250	76.0C	3627
100-gr Speer HP	Reloder 25	Fed. 215	Federal	3.250	77.0C	3478
130-gr Speer SP	Reloder 19	Fed. 215	Federal	3.250	65.0	3176
130-gr Speer SP	Reloder 22	Fed. 215	Federal	3.250	68.0	3214
130-gr Speer SP	Reloder 25	Fed. 215	Federal	3.250	72.0	3267
130-gr Speer Spitzer SP	Reloder TS23	Fed. 215	Federal	3.250	67.7	3262
130-gr Speer Spitzer SP	Reloder 26	Fed. 215	Federal	3.250	69.8	3280
130-gr Speer Spitzer BTSP	Reloder TS23	Fed. 215	Federal	3.250	68.4	3305
130-gr Speer Spitzer BTSP	Reloder 26	Fed. 215	Federal	3.250	71.7	3337
130-gr Barnes TSX	Reloder TS23	Fed. 215	Federal	3.250	67.7	3311
130-gr Barnes TSX	Reloder 26	Fed. 215	Federal	3.250	71.6	3354
130-gr Nosler Ballistic Tip	Reloder TS23	Fed. 215	Federal	3.280	68.5	3306
130-gr Nosler Ballistic Tip	Reloder 26	Fed. 215	Federal	3.250	72.3	3340
130-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.240	68.9	3312
130-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.240	72.3	3345
140-gr Nosler AccuBond	Reloder TS23	Fed. 215	Federal	3.260	67.5	3201
140-gr Nosler AccuBond	Reloder 26	Fed. 215	Federal	3.260	70.9	3219
150-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.210	66.5	3086
150-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.210	70.2	3120
150-gr Sierra GameKing	Reloder TS 23	Fed. 215	Federal	3.240	65.2	3073
150-gr Sierra GameKing	Reloder 26	Fed. 215	Federal	3.240	69.1	3106
150-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	3.250	65.2	3059
150-gr Speer BTSP	Reloder 26	Fed. 215	Federal	3.250	69.0	3101
150-gr Speer Grand Slam SP	Reloder TS23	Fed. 215	Federal	3.250	66.4	3094
150-gr Speer Grand Slam SP	Reloder 26	Fed. 215	Federal	3.250	70.4	3130
150-gr Speer SP	Reloder 19	Fed. 215	Federal	3.250	60.0	2903
150-gr Speer SP	Reloder 22	Fed. 215	Federal	3.250	63.0	2942
150-gr Speer SP	Reloder 25	Fed. 215	Federal	3.250	66.0	2966
7-30 Waters (single shot only)						
110-gr Speer TNT HP	Reloder 15	CCI 200	Federal	2.550	37.0	2757
115-gr Speer HP	Reloder 15	CCI 200	Federal	2.550	35.0	2480
130-gr Speer SP	Reloder 15	CCI 200	Federal	2.550	35.5	2609
145-gr Speer SP	Reloder 15	CCI 200	Federal	2.550	35.0	2480
284 Winchester						
110-gr Speer TNT HP	Reloder 15	CCI 200	Win.	2.780	57.0	3384
110-gr Speer TNT HP	Reloder 19	CCI 200	Win.	2.780	62.0C	3159
7mm Mauser						
110-gr Speer TNT HP	Power Pro 2000-MR	Fed. 210	Federal	2.985	45.5	3010
110-gr Speer TNT HP	Reloder 15	CCI 200	Rem.	2.985	48.0	3093
115-gr Speer HP	Reloder 15	CCI 200	Rem.	2.890	47.0	3024
115-gr Speer HP	Reloder 19	CCI 200	Rem.	2.890	54.0C	2879
130-gr Speer SP	Reloder 15	CCI 200	Rem.	2.800	45.0	2913
130-gr Speer SP	Reloder 19	CCI 200	Rem.	2.800	52.0C	2855

continued

C = Compressed Charge

7mm Mauser continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
130-gr Speer SP	Reloder 22	CCI 200	Rem.	2.800	53.0C	2860
130-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.800	43.3	2810
140-gr Federal Trophy Bonded Tip	Reloder TS15.5	Fed. 210	Federal	2.960	41.6	2740
145-gr Speer SP	Reloder 15	CCI 200	Rem.	2.800	42.0	2598
145-gr Speer SP	Reloder 19	CCI 200	Rem.	2.800	52.0C	2795
145-gr Speer SP	Reloder 22	CCI 200	Rem.	2.800	51.0C	2684
145-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.800	41.0	2610
160-gr Speer SP	Reloder 19	CCI 200	Rem.	3.000	49.0C	2570
160-gr Speer SP	Reloder 22	CCI 200	Rem.	3.000	49.0C	2514
175-gr Speer GS	Reloder 15	CCI 200	Rem.	3.000	38.0	2282
175-gr Speer GS	Reloder 19	CCI 200	Rem.	3.015	48.0C	2503
175-gr Speer GS	Reloder 22	CCI 200	Rem.	3.015	51.0C	2596
7mm-08 Remington						
110-gr Speer TNT HP	Power Pro 2000-MR	Fed. 210	Federal	2.760	48.0	3255
110-gr Speer TNT HP	AR-Comp	Fed. 210	Rem.	2.760	44.1	3247
110-gr Speer TNT HP	Reloder 15	CCI 200	Rem.	2.760	48.0	3238
110-gr Speer TNT HP	Reloder 17	Fed. 210	Federal	2.760	50.5C	3169
110-gr Speer TNT	AR-Comp	Fed. 210	Federal	2.670	44.1	3247
115-gr Speer HP	AR-Comp	Fed. 210	Federal	2.655	43.3	3155
115-gr Speer HP	Reloder 15	CCI 200	Rem.	2.655	46.0	3106
115-gr Speer HP	Reloder 17	Fed. 210	Federal	2.655	49.5C	3107
130-gr Speer SP	Reloder 15	CCI 200	Rem.	2.730	42.0	2786
130-gr Speer BTSP	Reloder TS16	Fed. 210	Federal	2.730	47.8	3014
130-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.730	45.7	3030
130-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.730	48.5C	3007
130-gr Speer BTSP	AR-Comp	Fed. 210	Federal	2.730	41.0	2959
139-gr Hornady SST	Reloder TS16	Fed. 210	Federal	2.780	45.8	2897
139-gr Hornady GMX	Power Pro 2000-MR	Fed. 210	Federal	2.780	45.2	2909
139-gr Hornady GMX	Reloder 17	Fed. 210	Federal	2.780	46.3	2795
139-gr Hornady GMX	Power Pro 4000-MR	Fed. 210	Federal	2.780	45.0	2569
140-gr Nosler Ballistic Tip	Power Pro 2000-MR	Fed. 210	Federal	2.760	44.9	2929
140-gr Nosler Ballistic Tip	AR-Comp	Fed. 210	Federal	2.770	39.1	2796
140-gr Nosler Ballistic Tip	Reloder 17	Fed. 210	Federal	2.760	48.1	2912
140-gr Nosler Ballistic Tip	Power Pro 4000-MR	Fed. 210	Federal	2.760	47.7	2720
140-gr Nosler Partition	Power Pro 2000-MR	Fed. 210	Federal	2.750	45.4	2930
140-gr Nosler Partition	Reloder TS16	Fed. 210	Federal	2.750	47.2	2952
140-gr Nosler Partition	Reloder 17	Fed. 210	Federal	2.750	48.7	2926
140-gr Nosler Partition	Power Pro 4000-MR	Fed. 210	Federal	2.750	49.3	2828
140-gr Sierra BTSP	AR-Comp	Fed. 210	Federal	2.780	39.8	2849
140-gr Barnes TSX	Power Pro 2000-MR	Fed. 210	Federal	2.720	48.0	3189
140-gr Barnes TSX	Reloder 17	Fed. 210	Federal	2.720	50.3	3114
140-gr Barnes TSX	Power Pro 4000-MR	Fed. 210	Federal	2.720	49.3	2910
145-gr Speer BTSP	AR-Comp	Fed. 210	Federal	2.730	39.1	2770
145-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.730	43.3	2850
145-gr Speer BTHP	Reloder TS16	Fed. 210	Federal	2.800	46.3	2895
145-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.730	46.0	2819
145-gr Speer SP	Reloder 15	CCI 200	Rem.	2.730	41.0	2705
145-gr Speer SP	Reloder 19	CCI 200	Rem.	2.730	51.0C	2933
150-gr Nosler Ballistic Tip	Power Pro 2000-MR	Fed. 210	Federal	2.750	44.1	2818
150-gr Nosler Ballistic Tip	Reloder 17	Fed. 210	Federal	2.750	47.0	2821
150-gr Nosler Ballistic Tip	Power Pro 4000-MR	Fed. 210	Federal	2.750	46.6	2625
150-gr Nosler Partition	Power Pro 2000-MR	Fed. 210	Federal	2.720	43.9	2806
150-gr Nosler Partition	Reloder 17	Fed. 210	Federal	2.720	47.2	2816

7mm-08 Remington continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
150-gr Nosler Partition	Power Pro 4000-MR	Fed. 210	Federal	2.720	47.7	2665
150-gr Sierra GameKing	Power Pro 2000-MR	Fed. 210	Federal	2.730	43.9	2832
150-gr Sierra GameKing	Reloder TS16	Fed. 210	Federal	2.760	45.6	2852
150-gr Sierra GameKing	Reloder 17	Fed. 210	Federal	2.730	46.3	2839
150-gr Sierra GameKing	Power Pro 4000-MR	Fed. 210	Federal	2.730	48.4	2776
154-gr Hornady SST	Reloder TS16	Fed. 210	Federal	2.770	45.0	2781
160-gr Speer SP	Reloder 15	CCI 200	Rem.	2.800	38.0	2506
160-gr Speer SP	Reloder 19	CCI 200	Rem.	2.800	47.0C	2710
160-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.800	44.0	2669
160-gr Nosler Partition	Power Pro 2000-MR	Fed. 210	Federal	2.750	43.1	2709
160-gr Nosler Partition	Reloder 17	Fed. 210	Federal	2.750	46.2	2721
160-gr Nosler Partition	Power Pro 4000-MR	Fed. 210	Federal	2.750	48.0	2652
160-gr Barnes TSX	Power Pro 2000-MR	Fed. 210	Federal	2.730	43.7	2713
160-gr Barnes TSX	Reloder TS16	Fed. 210	Federal	2.770	43.5	2628
160-gr Barnes TSX	Reloder 17	Fed. 210	Federal	2.730	45.7	2697
160-gr Barnes TSX	Power Pro 4000-MR	Fed. 210	Federal	2.730	45.0	2488
162-gr Hornady A-Max	Power Pro 2000-MR	Fed. 210	Federal	2.800	42.0	2710
165-gr Sierra GameKing	Power Pro 2000-MR	Fed. 210	Federal	2.710	41.7	2662
165-gr Sierra GameKing	Reloder 17	Fed. 210	Federal	2.710	44.8	2694
165-gr Sierra GameKing	Power Pro 4000-MR	Fed. 210	Federal	2.710	47.0	2652
175-gr Speer GS	Reloder 15	CCI 200	Rem.	2.745	36.0	2312
175-gr Speer GS	Reloder 17	Fed. 210	Federal	2.745	44.0	2574
175-gr Speer GS	Reloder 19	CCI 200	Rem.	2.745	47.0C	2628
280 Remington						
110-gr Speer HP	Reloder 17	Fed. 210	Federal	3.200	59.5	3397
110-gr Speer TNT HP	Reloder 19	CCI 200	Rem.	3.200	63.0C	3286
110-gr Speer TNT HP	Reloder 17	Fed. 210	Federal	3.200	59.5	3397
130-gr Speer SP	Reloder 15	CCI 200	Rem.	3.205	47.0	2967
130-gr Speer SP	Reloder 19	CCI 200	Rem.	3.205	59.0	3134
130-gr Speer BTSP	Reloder 17	Fed. 210	Federal	3.205	56.0	3167
145-gr Speer SP	Reloder 19	CCI 200	Rem.	3.180	57.0	2973
145-gr Speer SP	Reloder 22	CCI 200	Rem.	3.180	58.0C	2880
145-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Federal	3.180	56.8	2990
145-gr Speer BTSP	Reloder 17	Fed. 210	Federal	3.180	53.0	2968
160-gr Speer SP	Reloder 19	CCI 200	Rem.	3.200	55.0	2813
160-gr Speer SP	Reloder 22	CCI 200	Rem.	3.200	56.0	2807
160-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Federal	3.200	54.5	2830
160-gr Speer BTSP	Reloder 17	Fed. 210	Federal	3.200	51.5	2825
175-gr Speer SP	Power Pro 4000-MR	Fed. 215	Federal	3.330	54.0	2700
175-gr Speer GS	Power Pro 4000-MR	Fed. 215	Federal	3.250	54.0	2690
175-gr Speer GS	Reloder 19	CCI 200	Rem.	3.330	52.0	2597
175-gr Speer GS	Reloder 22	CCI 200	Rem.	3.330	53.0	2616
175-gr Speer GS	Reloder 17	Fed. 210	Federal	3.265	50.5	2674
7mm Winchester Short Magnum						
110-gr Speer HP	Reloder 17	Fed. 215	Win.	2.800	69.5	3588
110-gr Speer TNT HP	Reloder 15	CCI 200	Win.	2.800	59.0	3312
110-gr Speer TNT HP	Reloder 17	Fed. 215	Win.	2.770	69.5	3588
110-gr Speer TNT HP	Reloder 19	CCI 200	Win.	2.800	72.0	3392
130-gr Speer SP	Reloder 19	CCI 200	Win.	2.775	67.0	3230
130-gr Speer SP	Reloder 22	CCI 200	Win.	2.775	68.0	3228
130-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Win.	2.775	70.0C	3335
130-gr Speer BTSP	Reloder TS16	Fed. 215	Federal	2.775	65.6	3339
130-gr Speer BTSP	Reloder 17	Fed. 215	Win.	2.775	66.5	3356

continued

C = Compressed Charge

7mm Winchester Short Magnum continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
139-gr Hornady SST	Reloder TS16	Fed. 215	Federal	2.840	63.2	3224
139-gr Hornady GMX	Reloder 17	Fed. 215	Federal	2.840	63.5	3221
140-gr Nosler Partition	Reloder TS16	Fed. 215	Federal	2.800	62.2	3194
140-gr Nosler Accubond	Reloder 17	Fed. 215	Federal	2.860	63.4	3247
140-gr Nosler Ballistic Tip	Reloder 17	Fed. 215	Federal	2.830	64.4	3273
140-gr Nosler Ballistic Tip	Reloder TS23	Fed. 215	Federal	2.830	69.7	3304
140-gr Barnes TSX	Reloder 17	Fed. 215	Federal	2.830	62.3	3224
140-gr Barnes TSX	Reloder TS23	Fed. 215	Federal	2.830	70.0	3294
145-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Win.	2.780	67.7C	3165
145-gr Speer BTSP	Reloder TS16	Fed. 215	Federal	2.780	61.7	3108
145-gr Speer BTSP	Reloder 17	Fed. 215	Win.	2.706	63.5	3166
145-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	2.780	68.6	3242
145-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Win.	2.760	67.7	3165
145-gr Speer SP	Reloder 19	CCI 200	Win.	2.780	65.0	3063
145-gr Speer SP	Reloder 22	CCI 200	Win.	2.780	66.0	3079
150-gr Sierra GameKing	Reloder TS16	Fed. 215	Federal	2.750	61.0	3078
150-gr Sierra GameKing	Reloder 17	Fed. 215	Federal	2.800	61.2	3149
150-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	2.800	68.1	3219
154-gr Hornady SST	Reloder TS16	Fed. 215	Federal	2.840	60.7	3038
154-gr Hornady SST	Reloder 17	Fed. 215	Federal	2.840	62.0	3127
154-gr Hornady SST	Reloder TS23	Fed. 215	Federal	2.840	67.9	3186
160-gr Barnes TSX	Reloder 16	Fed. 215	Federal	2.760	56.3	2859
160-gr Speer SP	Reloder 19	CCI 200	Win.	2.820	63.0	2956
160-gr Speer SP	Reloder 22	CCI 200	Win.	2.820	63.0	2936
160-gr Speer SP	Reloder 25	CCI 200	Win.	2.820	70.0	3090
160-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Win.	2.820	66.0	2995
160-gr Speer BTSP	Reloder 17	Fed. 215	Win.	2.820	60.0	2964
160-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	2.820	66.8	3102
160-gr Speer BTSP	Reloder 26	Fed. 215	Federal	2.820	71.0	3160
160-gr Nosler Partition	Reloder 17	Fed. 215	Federal	2.810	59.0	3031
160-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	2.850	67.2	3108
160-gr Nosler Partition	Reloder 26	Fed. 215	Federal	2.820	71.1	3162
162-gr Hornady A-Max	Reloder TS23	Fed. 215	Federal	2.860	67.5	3116
162-gr Hornady A-Max	Reloder 26	Fed. 215	Federal	2.860	71.2	3171
165-gr Sierra GameKing	Reloder 17	Fed. 215	Federal	2.770	59.0	2980
165-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	2.790	66.6	3089
165-gr Sierra GameKing	Reloder 26	Fed. 215	Federal	2.790	70.5	3140
168-gr Berger Classic Hunter	Reloder 17	Fed. 215	Federal	2.860	59.0	2943
168-gr Berger Classic Hunter	Reloder 19	Fed. 215	Federal	2.860	61.5	2923
168-gr Berger Classic Hunter	Power Pro 4000-MR	Fed. 215	Federal	2.860	61.6	2929
168-gr Berger Classic Hunter	Reloder 22	Fed. 215	Federal	2.860	60.2	2909
168-gr Berger Classic Hunter	Reloder TS23	Fed. 215	Federal	2.860	60.7	2900
168-gr Berger Classic Hunter	Reloder 26	Fed. 215	Federal	2.860	62.8	2946
168-gr Berger Hybrid	Reloder TS16	Fed. 215	Federal	2.800	56.2	2830
168-gr Berger Hunting Hybrid	Reloder 17	Fed. 215	Federal	2.790	59.3	2980
175-gr Speer GS	Reloder TS23	Fed. 215	Federal	2.860	66.2	2992
175-gr Speer GS	Reloder 26	Fed. 215	Federal	2.860	70.1	3044
175-gr Speer GS	Reloder TS23	Fed. 215	Federal	2.860	66.2	2992
180-gr Berger Hybrid	Reloder TS23	Fed. 215	Federal	2.860	62.0C	2838
180-gr Berger Hybrid	Reloder 26	Fed. 215	Federal	2.860	64.5C	2865
7mm Remington Magnum						
110-gr Speer TNT HP	Reloder 15	CCI 250	Rem.	3.200	58.0	3256
110-gr Speer TNT HP	Reloder TS16	Fed. 215	Federal	3.250	65.8	3514

7mm Remington Magnum continued

Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
110-gr Speer TNT HP	Reloder 17	Fed. 215	Federal	3.200	68.0	3535
110-gr Speer TNT HP	Reloder 19	CCI 250	Rem.	3.200	74.0C	3489
110-gr Speer TNT HP	Reloder 22	CCI 250	Rem.	3.200	75.0C	3503
110-gr Speer TNT HP	Reloder TS23	Fed. 215	Federal	3.250	74.5	3557
115-gr Speer HP	Reloder TS16	Fed. 215	Federal	3.200	64.0	3418
130-gr Speer SP	Reloder 15	CCI 250	Rem.	3.285	55.0	3049
130-gr Speer SP	Reloder TS16	Fed. 215	Federal	3.285	61.6	3213
130-gr Speer SP	Reloder 19	CCI 250	Rem.	3.285	69.0	3270
130-gr Speer SP	Reloder 22	CCI 250	Rem.	3.285	70.0	3314
130-gr Speer Spitz BT	Reloder 17	Fed. 215	Federal	3.200	63.5	3255
130-gr Speer Spitzer BT	Reloder TS23	Fed. 215	Federal	3.285	70.0	3319
130-gr Speer BTSP	Reloder 17	Fed. 215	Federal	3.200	63.5	3255
140-gr Nosler Ballistic Tip	Reloder TS 23	Fed. 215	Federal	3.210	68.2	3209
140-gr Nosler Ballistic Tip	Reloder 26	Fed. 215	Federal	3.210	71.2	3266
140-gr Barnes TSX	Reloder TS23	Fed. 215	Federal	3.230	67.0	3181
140-gr Barnes TSX	Reloder 26	Fed. 215	Federal	3.230	68.0	3208
140-gr Hornady TSX	Reloder TS23	Fed. 215	Federal	3.230	67.0	3181
145-gr Speer SP	Reloder 19	CCI 250	Rem.	3.280	67.0	3153
145-gr Speer SP	Reloder 22	CCI 250	Rem.	3.280	68.0	3136
145-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Federal	3.280	63.0	3055
145-gr Speer BTSP	Reloder 17	Fed. 215	Federal	3.210	61.8	3113
145-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	3.160	67.8	3166
145-gr Speer BTSP	Reloder 26	Fed. 215	Federal	3.160	69.0	3185
150-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	3.190	66.3	3112
150-gr Sierra GameKing	Reloder 26	Fed. 215	Federal	3.190	68.4	3141
154-gr Hornady SST	Reloder TS23	Fed. 215	Federal	3.220	66.8	3093
154-gr Hornady SST	Reloder 26	Fed. 215	Federal	3.220	69.5	3127
160-gr Speer SP	Reloder 19	CCI 250	Rem.	3.280	64.0	2941
160-gr Speer SP	Reloder 22	CCI 250	Rem.	3.280	65.0	2976
160-gr Speer SP	Reloder 25	CCI 250	Rem.	3.280	70.0	3012
160-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Federal	3.280	60.0	2850
160-gr Speer BTSP	Reloder 17	Fed. 215	Federal	3.210	59.0	2931
160-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	3.220	65.1	3001
160-gr Speer BTSP	Reloder 26	Fed. 215	Federal	3.220	67.0	3014
160-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.220	63.6	2968
160-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.220	65.9	2996
162-gr Hornady A-Max	Reloder TS23	Fed. 215	Federal	3.290	66.0	3020
162-gr Hornady A-Max	Reloder 26	Fed. 215	Federal	3.290	69.1	3051
165-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	3.170	64.6	2980
165-gr Sierra GameKing	Reloder 26	Fed. 215	Federal	3.170	67.6	3001
168-gr Berger Classic Hunter	Power Pro 4000-MR	Fed. 215	Federal	3.290	59.8	2867
168-gr Berger Classic Hunter	Reloader 22	Fed. 215	Federal	3.290	60.1	2874
168-gr Berger Classic Hunter	Reloader TS23	Fed. 215	Federal	3.290	61.6	2882
168-gr Berger Classic Hunter	Reloader 26	Fed. 215	Federal	3.290	63.6	2910
175-gr Speer SP	Reloader 33	Fed. 215	Federal	3.290	75.2	2909
175-gr Speer SP	Power Pro 4000-MR	Fed. 215	Federal	3.200	61.0	2780
175-gr Speer GS	Reloder TS23	Fed. 215	Federal	3.180	63.8	2864
175-gr Speer GS	Reloder 26	Fed. 215	Federal	3.180	66.6	2882
175-gr Speer GS	Power Pro 4000-MR	Fed. 215	Federal	3.220	61.0	2780
175-gr Speer GS	Reloder 19	CCI 250	Rem.	3.260	62.0	2812
175-gr Speer GS	Reloder 22	CCI 250	Rem.	3.260	61.0	2830
175-gr Speer GS	Reloder 25	CCI 250	Rem.	3.260	67.0	2888
175-gr Speer GS	Reloder 17	Fed. 215	Federal	3.215	57.0	2774

continued

C = Compressed Charge

7mm Remington Magnum continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
175-gr Speer GS	Reloder 33	Fed. 215	Federal	3.290	75.2	2909
180-gr Berger Hybrid	Reloader TS23	Fed. 215	Federal	3.290	61.8	2796
180-gr Berger Hybrid	Reloader 26	Fed. 215	Federal	3.290	64.0	2835
7mm Remington Ultra Magnum						
145-gr Speer SP	Reloder 19	Fed. 215	Rem.	3.600	85.0	3200
145-gr Speer SP	Reloder 22	Fed. 215	Rem.	3.600	88.0	3250
145-gr Speer SP	Reloder 25	Fed. 215	Rem.	3.600	92.0	3251
160-gr Speer SP	Reloder 19	Fed. 215	Rem.	3.600	85.0	3132
160-gr Speer SP	Reloder 22	Fed. 215	Rem.	3.600	87.0	3177
160-gr Speer SP	Reloder 25	Fed. 215	Rem.	3.600	91.0	3174
175-gr Speer GS	Reloder 22	Fed. 215	Rem.	3.570	85.0	2974
175-gr Speer GS	Reloder 25	Fed. 215	Rem.	3.570	90.0	3059
7mm Remington Short Action Ultra Magnum						
110-gr Speer TNT HP	Reloder 15	CCI 200	Rem.	2.680	59.0	3387
110-gr Speer TNT HP	Reloder 19	CCI 200	Rem.	2.680	70.0C	3419
130-gr Speer SP	Reloder 15	CCI 200	Rem.	2.785	52.0	3085
130-gr Speer SP	Reloder 19	CCI 200	Rem.	2.785	65.0	3229
130-gr Speer SP	Reloder 22	CCI 200	Rem.	2.785	65.0	3214
145-gr Speer SP	Reloder 19	CCI 200	Rem.	2.785	62.0	3040
145-gr Speer SP	Reloder 22	CCI 200	Rem.	2.785	63.0	3061
160-gr Speer SP	Reloder 19	CCI 200	Rem.	2.800	60.0	2913
160-gr Speer SP	Reloder 22	CCI 200	Rem.	2.800	61.0	2930
160-gr Speer SP	Reloder 25	CCI 200	Rem.	2.800	66.0C	3024
7mm Weatherby Magnum						
110-gr Speer TNT HP	Reloder 15	Fed. 215	Federal	3.260	63.0	3405
110-gr Speer TNT HP	Reloder 19	Fed. 215	Federal	3.260	74.0	3485
110-gr Speer HP	Reloder 22	Fed. 215	Federal	3.260	76.0	3507
110-gr Speer TNT HP	Reloder TS23	Fed. 215	Federal	3.260	74.0	3493
110-gr Speer TNT HP	Reloder 26	Fed. 215	Federal	3.260	78.8	3584
130-gr Speer SP	Reloder 15	Fed. 215	Federal	3.330	60.0	3185
130-gr Speer SP	Reloder 19	Fed. 215	Federal	3.330	72.0	3317
130-gr Speer SP	Reloder 22	Fed. 215	Federal	3.330	74.0	3345
130-gr Speer Spitzer BT	Reloder TS23	Fed. 215	Federal	3.330	73.1	3377
130-gr Speer Spitzer BT	Reloder 26	Fed. 215	Federal	3.330	76.3	3405
140-gr Nosler Ballistic Tip	Reloder TS23	Fed. 215	Federal	3.260	70.5	3250
140-gr Nosler Ballistic Tip	Reloder 26	Fed. 215	Federal	3.260	73.9	3281
140-gr Barnes TSX	Reloder TS23	Fed. 215	Federal	3.270	69.9	3244
140-gr Barnes TSX	Reloder 26	Fed. 215	Federal	3.280	73.3	3269
145-gr Speer SP	Reloder 15	Fed. 215	Federal	3.350	56.0	2940
145-gr Speer SP	Reloder 19	Fed. 215	Federal	3.350	69.0	3133
145-gr Speer SP	Reloder 22	Fed. 215	Federal	3.350	71.0	3177
145-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	3.340	70.0	3206
145-gr Speer BTSP	Reloder 26	Fed. 215	Federal	3.340	73.4	3214
150-gr Sierra GK	Reloder TS23	Fed. 215	Federal	3.230	68.2	3161
150-gr Sierra GameKing	Reloder 26	Fed. 215	Federal	3.230	72.3	3181
154-gr Hornady SST	Reloder TS23	Fed. 215	Federal	3.270	67.5	3118
154-gr Hornady SST	Reloder 26	Fed. 215	Federal	3.270	71.5	3141
160-gr Speer SP	Reloder 19	Fed. 215	Federal	3.350	68.5	3035
160-gr Speer SP	Reloder 22	Fed. 215	Federal	3.350	70.0	3065
160-gr Speer SP	Reloder 25	Fed. 215	Federal	3.350	75.0C	3132
160-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	3.360	67.4	3038
160-gr Speer BTSP	Reloder 26	Fed. 215	Federal	3.360	71.6	3048
160-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.280	67.6	3026

7mm Weatherby Magnum continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
160-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.270	71.7	3057
162-gr Hornady A-Max	Reloder TS23	Fed. 215	Federal	3.360	67.9	3054
162-gr Hornady A-Max	Reloder 26	Fed. 215	Federal	3.360	71.2	3069
160-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	3.220	67.8	3030
160-gr Sierra GameKing	Reloder 26	Fed. 215	Federal	3.220	70.8	3032
175-gr Speer GS	Reloder TS23	Fed. 215	Federal	3.220	67.5	2929
175-gr Speer GS	Reloder 26	Fed. 215	Federal	3.220	70.5	2929
175-gr Speer GS	Reloder 19	Fed. 215	Federal	3.250	67.0	2885
180-gr Berger Hybrid	Reloder 26	Fed. 215	Federal	3.360	69.0	2891
175-gr Speer GS	Reloder 22	Fed. 215	Federal	3.250	69.0	2904
175-gr Speer GS	Reloder 25	Fed. 215	Federal	3.250	74.0C	2982
7mm Shooting Times Westerner						
130-gr Speer Spitzer BT	Reloder TS23	Fed. 215	Federal	3.600	80.1	3446
140-gr Nosler Ballistic Tip	Reloder TS23	Fed. 215	Federal	3.560	78.4	3333
140-gr Barnes TSX	Reloder TS23	Fed. 215	Federal	3.570	78.2	3338
145-gr Speer SP	Reloder 22	CCI 250	Rem.	3.600	77.0	3273
145-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	3.600	76.9	3274
150-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	3.550	75.7	3231
154-gr Hornady SST	Reloder TS23	Fed. 215	Federal	3.580	75.7	3195
160-gr Speer SP	Reloder 22	CCI 250	Rem.	3.600	73.0	3074
160-gr Speer SP	Reloder 25	CCI 250	Rem.	3.600	75.0	3076
160-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	3.600	74.5	3112
160-gr Speer BTSP	Reloder 26	Fed. 215	Federal	3.600	76.8	3128
160-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.570	75.4	3110
160-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.580	77.1	3130
162-gr Hornady A-Max	Reloder TS23	Fed. 215	Federal	3.600	75.9	3136
162-gr Hornady A-Max	Reloder 26	Fed. 215	Federal	3.600	77.8	3141
162-gr Hornady A-Max	Reloder 33	Fed. 215	Federal	3.600	88.4	3165
160-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	3.500	74.1	3094
160-gr Sierra GameKing	Reloder 26	Fed. 215	Federal	3.520	77.5	3120
168-gr Berger Classic Hunter	Reloder 22	Fed. 215	Federal	3.600	73.2	3020
168-gr Berger Classic Hunter	Reloder TS23	Fed. 215	Federal	3.600	72.8	3013
168-gr Berger Classic Hunter	Reloder 26	Fed. 215	Federal	3.600	76.5	3054
175-gr Speer GS	Reloder 22	CCI 250	Rem.	3.600	70.0	2879
175-gr Speer GS	Reloder 25	CCI 250	Rem.	3.600	74.0	2947
175-gr Speer GS	Reloder TS 23	Fed. 215	Federal	3.530	74.7	2989
175-gr Speer GS	Reloder 26	Fed. 215	Federal	3.530	77.4	3010
175-gr Speer GS	Reloder 33	Fed. 215	Federal	3.600	85.7	3033
180-gr Berger Hybrid	Reloder TS23	Fed. 215	Federal	3.600	72.4	2938
180-gr Berger Hybrid	Reloder 26	Fed. 215	Federal	3.600	76.6	2987
300 Blackout						
110-gr Federal RNSP	Power Pro 300MP	Fed. 205	Federal	1.845	20.9	2376
110-gr Federal RNSP	2400	Fed. 205	Federal	1.845	16.9	2175
125-gr Sierra SPT	Power Pro 300MP	Fed. 205	Federal	2.000	19.6	2151
130-gr Speer HP	Power Pro 300MP	Fed. 205	Federal	2.050	19.3	2136
125-gr Sierra SPT	2400	Fed. 205	Federal	2.000	16.2	2035
130-gr Speer HP	2400	Fed. 205	Federal	2.050	15.0	1962
30-30 Winchester						
100-gr Speer RNSP	Reloder 7	CCI 200	Win.	2.345	35.0	2792
110-gr Speer HP	Reloder 7	CCI 200	Win.	2.415	34.0	2708
125-gr Federal HP	Reloder 7	Fed. 210	Federal	2.500	27.2	2423
125-gr Federal HP	Power Pro 1200-R	Fed. 210	Federal	2.500	29.6	2505
125-gr Federal HP	Reloder 10x	Fed. 210	Federal	2.500	35.7	2700

continued

C = Compressed Charge

30-30 Winchester continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
125-gr Federal HP	Power Pro Varmint	Fed. 210	Federal	2.500	37.3	2636
125-gr Federal HP	AR-Comp	Fed. 210	Federal	2.500	37.8C	2750
130-gr Speer FNSP	Power Pro Varmint	Fed. 210	Federal	2.550	36.7	2582
130-gr Speer FNSP	Reloder 7	CCI 200	Win.	2.550	31.0	2393
130-gr Speer FNSP	Reloder 10X	CCI 200	Win.	2.550	30.5	2273
130-gr Speer FNSP	Reloder TS11	Fed. 210	Federal	2.550	29.1	2492
130-gr Speer FNSP	Reloder 15	CCI 200	Win.	2.550	36.0C	2259
150-gr Federal FNSP	Reloder 7	Fed. 210	Federal	2.500	25.0	2157
150-gr Federal FNSP	Reloder 10x	Fed. 210	Federal	2.500	31.1	2364
150-gr Federal FNSP	Power Pro Varmint	Fed. 210	Federal	2.500	33.3	2349
150-gr Federal FNSP	AR-Comp	Fed. 210	Federal	2.500	32.8	2424
150-gr Federal FNSP	Reloder 15	Fed. 210	Federal	2.500	33.8	2387
150-gr Federal FNSP	Power Pro 1200-R	Fed. 210	Federal	2.500	28.2	2251
150-gr Speer FNSP	Reloder 7	CCI 200	Win.	2.550	29.0	2188
150-gr Speer FNSP	Reloder TS11	Fed. 210	Federal	2.550	26.8	2255
150-gr Speer FNSP	Power Pro 1200-R	Fed. 210	Win.	2.550	28.2	2251
150-gr Speer FNSP	Power Pro Varmint	Fed. 210	Federal	2.550	33.9	2371
150-gr Speer FNSP	Reloder 10X	CCI 200	Win.	2.550	28.0	2117
150-gr Speer FNSP	Reloder 15	CCI 200	Win.	2.550	34.0C	2170
150-gr Federal FNSP	Power Pro 1200-R	Fed. 210	Federal	2.500	28.2	2251
150-gr Barnes TSX	Power Pro 1200-R	Fed. 210	Federal	2.470	27.3	2150
150-gr Barnes TSX	Reloder 10x	Fed. 210	Federal	2.470	28.7	2165
150-gr Barnes TSX	Power Pro Varmint	Fed. 210	Federal	2.470	31.2	2176
150-gr Barnes TSX	AR-Comp	Fed. 210	Federal	2.470	31.0C	2258
150-gr Barnes TSX	Reloder 15	Fed. 210	Federal	2.470	32.6C	2242
150-gr Hornady	Power Pro 1200-R	Fed. 210	Federal	2.470	27.3	2150
150-gr Hornady	Reloder 10x	Fed. 210	Federal	2.470	28.7	2165
150-gr Hornady	Power Pro Varmint	Fed. 210	Federal	2.470	31.2	2176
150-gr Hornady	AR-Comp	Fed. 210	Federal	2.470	31.0	2258
150-gr Hornady	Reloder 15	Fed. 210	Federal	2.470	32.6	2242
170-gr SPRN	Reloder 10x	Fed. 210	Federal	2.500	29.0	2173
170-gr SPRN	Power Pro Varmint	Fed. 210	Federal	2.500	30.2	2155
170-gr SPRN	AR-Comp	Fed. 210	Federal	2.500	30.4	2230
170-gr SPRN	Reloder 15	Fed. 210	Federal	2.500	31.1	2188
170-gr Speer FNSP	Power Pro Varmint	Fed. 210	Federal	2.550	33.1	2240
170-gr Speer FNSP	Reloder 10X	CCI 200	Win.	2.550	26.5	1972
170-gr Speer FNSP	Reloder TS11	Fed. 210	Federal	2.550	24	2013
170-gr Speer FNSP	Power Pro 1200-R	Fed. 210	Win.	2.550	26.5	2116
170-gr Federal SP	Power Pro 1200-R	Fed. 210	Federal	2.500	26.5	2116
170-gr Nosler Partition	Power Pro 1200-R	Fed. 210	Federal	2.510	25.5	2087
170-gr Nosler Partition	Reloder 10x	Fed. 210	Federal	2.510	29.1	2161
170-gr Nosler Partition	Power Pro Varmint	Fed. 210	Federal	2.510	30.5	2144
170-gr Nosler Partition	AR-Comp	Fed. 210	Federal	2.510	30.0	2208
170-gr Nosler Partition	Reloder 15	Fed. 210	Federal	2.510	30.8	2197
300 Savage						
100-gr Speer RNSP	Reloder 7	CCI 200	Federal	2.475	40.0	3061
110-gr Speer SP	Reloder 7	CCI 200	Federal	2.475	38.0	2811
165-gr Speer SP	Reloder 15	CCI 200	Federal	2.550	44.0C	2614
180-gr Speer SP	Reloder 15	CCI 200	Federal	2.550	43.0C	2469
200-gr Speer SP	Reloder 15	CCI 200	Federal	2.550	42.0C	2379
308 Winchester						
100-gr Speer RNSP	Reloder 7	CCI 200	IMI	2.360	41.0	3003
110-gr Speer TMJ RN	Reloder 15	CCI 200	IMI	2.550	51.0C	3144

308 Winchester continued

Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
125-gr Speer HP	Reloder 10X	CCI 200	IMI	2.615	42.0	3073
125-gr Speer TNT HP	Reloder TS11	Fed. 210	Federal	2.635	42.2	3153
125-gr Speer HP	Reloder 15	CCI 200	IMI	2.615	50.0C	3062
130-gr Speer HP	Reloder TS11	Fed. 210	Federal	2.615	41.9	3081
130-gr Speer HP	Power Pro 1200-R	Fed. 210	Federal	2.615	40.8	3000
130-gr Speer HP	Power Pro 2000-MR	Fed. 210	Federal	2.800	53.0C	3100
130-gr Speer HP	AR-Comp	Fed. 210	Federal	2.615	47.6	3182
130-gr Speer HP	Power Pro Varmint	Fed. 210	Federal	2.615	47.6	3051
150-gr Speer SP	Reloder 10X	CCI 200	IMI	2.700	39.5	2755
150-gr Speer SP	Reloder 15	CCI 200	IMI	2.700	49.0C	2919
150-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.700	51.5C	2950
150-gr Speer BTSP	Reloder TS11	Fed. 210	Federal	2.700	38.9	2836
150-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.700	50.0C	2763
150-gr Sierra GameKing	Power Pro 1200-R	Fed. 210	Federal	2.700	40.0	2811
150-gr Sierra GameKing	Power Pro Varmint	Fed. 210	Federal	2.700	46.4	2924
150-gr Sierra GameKing	AR-Comp	Fed. 210	Federal	2.700	43.7	2897
150-gr Sierra GameKing	Reloder 15	Fed. 210	Federal	2.700	46.8	2888
150-gr Sierra GameKing	Power Pro 2000-MR	Fed. 210	Federal	2.700	50.6	2968
150-gr Hornady GMX	AR-Comp	Fed. 210	Federal	2.735	44.5	2929
155-gr Hornady A-Max	Power Pro 1200-R	Fed. 210	Federal	2.800	39.3	2761
155-gr Hornady A-Max	Power Pro Varmint	Fed. 210	Federal	2.800	46.0	2862
155-gr Hornady A-Max	Reloder 15	Fed. 210	Federal	2.800	46.8	2850
155-gr Hornady A-Max	Power Pro 2000-MR	Fed. 210	Federal	2.800	50.2	2926
155-gr Hornady A-Max	AR-Comp	Fed. 210	Federal	2.800	43.6	2907
155-gr Sierra MatchKing	Reloder 15	Fed. 210	Federal	2.775	46.0	2910
155-gr Sierra MatchKing	Power Pro 2000-MR	Fed. 210	Federal	2.775	51.1	2974
155-gr Sierra MatchKing	Power Pro Varmint	Fed. 210	Federal	2.775	46.1	2898
155-gr Sierra MatchKing	Power Pro 1200-R	Fed. 210	Federal	2.775	40.4	2809
155-gr Sierra BTHP (Palma)	AR-Comp	Fed. 210	Federal	2.775	43.2	2920
155-gr Berger VLD Match*	Power Pro Varmint	Fed. 210	Federal	2.860	46.0	2874
155-gr Berger VLD Match*	AR-Comp	Fed. 210	Federal	2.860	43.6	2857
155-gr Berger VLD Match*	Reloder 15	Fed. 210	Federal	2.860	46.0	2903
155-gr Berger VLD Match*	Power Pro 2000-MR	Fed. 210	Federal	2.860	50.3	2936
165-gr Speer SP	Reloder 10X	CCI 200	IMI	2.800	38.0	2596
165-gr Speer SP	Reloder 15	CCI 200	IMI	2.800	47.0C	2812
165-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.800	50.0C	2840
165-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.800	50.0C	2739
165-gr Speer BTSP	AR-Comp	Fed. 210	Federal	2.800	42.8	2820
165-gr Sierra GameKing	Power Pro Varmint	Fed. 210	Federal	2.700	44.6	2770
165-gr Sierra GameKing	AR-Comp	Fed. 210	Federal	2.700	42.1	2751
165-gr Sierra GameKing	Power Pro 2000-MR	Fed. 210	Federal	2.700	48.0	2806
168-gr Speer BTHP	Reloder 15	CCI 200	IMI	2.800	45.0	2710
168-gr Sierra BTHP	Power Pro 2000-MR	Fed. 210	Federal	2.800	48.5C	2775
168-gr Sierra MatchKing	Reloder 15	Fed. 210	Federal	2.800	44.0	2761
168-gr Hornady A-Max	AR-Comp	Fed. 210	Federal	2.800	41.7	2752
168-gr Sierra BTHP	AR-Comp	Fed. 210	Federal	2.800	42.2	2782
168-gr Speer BTSP	AR-Comp	Fed. 210	Federal	2.800	42.4	2780
168-gr Berger Hunting Hybrid*	AR-Comp	Fed. 210	Federal	2.820	41.6	2721
168-gr Berger Hunting Hybrid*	Reloder 15	Fed. 210	Federal	2.820	43.2	2729
168-gr Berger Hunting Hybrid*	Power Pro 2000-MR	Fed. 210	Federal	2.820	47.9	2802
175-gr Federal Terminal Ascent	Reloder TS15.5	Fed. 210	Federal	2.810	44.0C	2655
175-gr Sierra BTHP	Power Pro 2000-MR	Fed. 210	Federal	2.800	47.7C	2720
175-gr Sierra BTHP	AR-Comp	Fed. 210	Federal	2.800	41.4	2719

continued

C = Compressed Charge

308 Winchester continued

Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
175-gr Berger VLD Match*	AR-Comp	Fed. 210	Federal	2.860	41.5	2660
175-gr Berger VLD Match*	Reloder 15	Fed. 210	Federal	2.860	42.9	2687
175-gr Berger VLD Match*	Power Pro 2000-MR	Fed. 210	Federal	2.860	47.4	2744
178-gr Hornady A-Max	AR-Comp	Fed. 210	Federal	2.800	40.7	2664
178-gr Hornady BTHP	AR-Comp	Fed. 210	Federal	2.800	40.6	2670
180-gr Federal Fusion	Reloder TS15.5	Fed. 210	Federal	2.650	46.0C	2682
180-gr Speer SP	Reloder 15	CCI 200	IMI	2.800	45.0C	2613
180-gr Speer SP	AR-Comp	Fed. 210	Federal	2.800	45.0	2613
180-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.800	48.7C	2641
180-gr Sierra BTHP	AR-Comp	Fed. 210	Federal	2.800	40.5	2657
180-gr Speer BTSP	AR-Comp	Fed. 210	Federal	2.800	41.0	2664
180-gr Nosler Partition	Power Pro Varmint	Fed. 210	Federal	2.710	42.2	2598
180-gr Nosler Partition	AR-Comp	Fed. 210	Federal	2.710	40.9	2599
180-gr Nosler Partition	Reloder 15	Fed. 210	Federal	2.710	43.6	2611
180-gr Nosler Partition	Power Pro 2000-MR	Fed. 210	Federal	2.710	45.7	2639
180-gr Nosler Partition	Reloder 17	Fed. 210	Federal	2.710	48.2	2631
180-gr Barnes TSX	Power Pro Varmint	Fed. 210	Federal	2.710	43.0	2614
180-gr Barnes TSX	AR-Comp	Fed. 210	Federal	2.710	40.5	2572
180-gr Barnes TSX	Reloder 15	Fed. 210	Federal	2.710	44.0	2586
180-gr Barnes TSX	Power Pro 2000-MR	Fed. 210	Federal	2.710	46.8	2661
180-gr Barnes TSX	Reloder 17	Fed. 210	Federal	2.710	45.5	2471
185-gr Berger Hunting Hybrid*	AR-Comp	Fed. 210	Federal	2.810	40.2	2566
185-gr Berger Hunting Hybrid*	Reloder 15	Fed. 210	Federal	2.810	41.8	2594
185-gr Berger Hunting Hybrid*	Power Pro 2000-MR	Fed. 210	Federal	2.810	45.6	2642
185-gr Berger Hunting Hybrid*	Reloder 17	Fed. 210	Federal	2.810	47.5	2615
185-gr Berger Juggernaut	Reloder TS15.5	Fed. 210	Federal	2.800	45.4C	2686
190-gr Sierra MatchKing	Power Pro 2000-MR	Fed. 210	Federal	2.810	45.7	2623
190-gr Sierra MatchKing	Reloder 17	Fed. 210	Federal	2.800	45.6 C	2473
200-gr Berger Hybrid Target	Reloder TS15.5	Fed. 210	Federal	2.800	44.1C	2560
200-gr Sierra MatchKing	Reloder TS15.5	Fed. 210	Federal	2.810	42.9C	2543
200-gr Sierra MatchKing	Reloder 17	Fed. 210	Federal	2.800	44.4 C	2400
200-gr Speer SP	Reloder 15	CCI 200	IMI	2.800	42.0	2416
30-06 Springfield						
100-gr Speer RNSP	Reloder 7	CCI 200	Win.	2.935	47.0	3188
110-gr Speer SP	Reloder 15	CCI 200	Win.	3.000	60.0C	3307
130-gr Speer HP	Power Pro Varmint	Fed. 210	Federal	3.060	53.7	3154
130-gr Speer HP	AR-Comp	Fed. 210	Federal	3.060	53.4	3194
150-gr Federal Fusion	Reloder TS15.5	Fed. 210	Federal	3.210	55.8	3082
150-gr Speer Spitzer SP	Reloder TS15.5	Fed. 210	Federal	3.250	54.5	3074
150-gr Speer SP	Reloder 15	CCI 200	Win.	3.250	52.0	2728
150-gr Speer SP	Reloder TS16	Fed. 210	Federal	3.250	59.6C	3041
150-gr Speer SP	Reloder 19	CCI 200	Win.	3.250	62.0C	2722
150-gr Speer BTSP	Reloder 17	Fed. 210	Federal	3.250	58.0	3006
150-gr Sierra GameKing	Power Pro Varmint	Fed. 210	Federal	3.160	51.2	2958
150-gr Sierra FMJBT	AR-Comp	Fed. 210	Federal	3.170	50.4	2974
150-gr Sierra GameKing	AR-Comp	Fed. 210	Federal	3.180	50.2	2967
150-gr Nosler Ballistic Tip	Reloder TS16	Fed. 210	Federal	3.270	58.0C	3048
150-gr Nosler Ballistic Tip	Power Pro Varmint	Fed. 210	Federal	3.260	52.3	2976
150-gr Nosler Ballistic Tip	AR-Comp	Fed. 210	Federal	3.260	49.6	2950
150-gr Nosler Ballistic Tip	Reloder 15	Fed. 210	Federal	3.260	54.1	2977
150-gr Nosler Ballistic Tip	Reloder TS15.5	Fed. 210	Federal	3.320	54.9	3047
150-gr Nosler Ballistic Tip	Power Pro 2000-MR	Fed. 210	Federal	3.260	55.3	3014
150-gr Nosler Ballistic Tip	Reloder 17	Fed. 210	Federal	3.260	58.5	3004

30-06 Springfield continued

Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
150-gr Barnes Tipped TSX	Reloder TS15.5	Fed. 210	Federal	3.280	53.7	3046
150-gr Barnes TSX	Reloder TS16	Fed. 210	Federal	3.260	57.5C	3029
165-gr Speer Spitzer SP	Reloder TS15.5	Fed. 210	Federal	3.250	51.3	2889
165-gr Speer SP	Reloder TS16	Fed. 210	Federal	3.250	57.4C	2954
165-gr Speer SP	Reloder 19	CCI 200	Win.	3.250	59.0C	2614
165-gr Speer SP	Reloder 22	CCI 200	Win.	3.250	62.0C	2725
165-gr Speer BTSP	Reloder 17	Fed. 210	Federal	3.250	56.5	2874
165-Nosler Partition	Power Pro Varmint	Fed. 210	Federal	3.140	49.2	2783
165-gr Hornady GMX	Reloder TS16	Fed. 210	Federal	3.230	54.5C	2843
165-gr Sierra GameKing	Power Pro Varmint	Fed. 210	Federal	3.180	49.1	2807
165-gr Sierra GameKing	AR-Comp	Fed. 210	Federal	3.180	47.1	2785
165-gr Sierra GameKing	Reloder 15	Fed. 210	Federal	3.180	51.1	2828
165-gr Speer Spitzer SP	Reloder TS15.5	Fed. 210	Federal	3.250	51.3	2889
165-gr Sierra GameKing	Reloder TS16	Fed. 210	Federal	3.220	57.2C	2947
165-gr Sierra GameKing	Power Pro 2000-MR	Fed. 210	Federal	3.180	52.5	2863
165-gr Sierra GameKing	Reloder 17	Fed. 210	Federal	3.180	56.2	2878
165-gr Sierra GameKing	Reloder 19	Fed. 210	Federal	3.180	60.0	2779
165-gr Sierra GameKing	Power Pro 4000-MR	Fed. 210	Federal	3.180	59.2	2836
168-gr Berger Classic Hunter	Reloder TS15.5	Fed. 210	Federal	3.240	51.8C	2911
168-gr Sierra MatchKing	AR-Comp	Fed. 210	Federal	3.250	48.0	2770
168-gr Sierra MatchKing	Reloder TS16	Fed. 210	Federal	3.230	56.0C	2905
168-gr Speer Match BTHP	Reloder TS15.5	Fed. 210	Federal	3.295	51.4	2891
168-gr Speer BTHP	Reloder TS16	Fed. 210	Federal	3.295	57.3C	2913
168-gr Speer BTHP	Reloder 17	Fed. 210	Federal	3.295	56.0	2850
168-gr Speer BTHP	Reloder 19	CCI 200	Win.	3.295	61.0C	2697
175-gr Federal Terminal Ascent	Reloder TS15.5	Fed. 210	Federal	3.330	49.6	2763
180-gr Federal Fusion	Reloder TS15.5	Fed. 210	Federal	3.210	50.5	2743
180-gr Speer SP	Reloder TS16	Fed. 210	Federal	3.160	55.7C	2791
180-gr Speer SP	Reloder 19	CCI 200	Win.	3.160	59.0C	2640
180-gr Speer SP	Reloder 22	CCI 200	Win.	3.160	62.0C	2721
180-gr Speer BTHP	Reloder 17	Fed. 210	Federal	3.250	54.5	2762
180-gr Nosler Partition	Power Pro 2000-MR	Fed. 210	Federal	3.190	50.4	2667
180-gr Nosler Partition	Reloder TS16	Fed. 210	Federal	3.230	56.0C	2824
180-gr Nosler Partition	Reloder 17	Fed. 210	Federal	3.190	55.7	2758
180-gr Nosler Partition	Reloder 19	Fed. 210	Federal	3.190	60.0	2694
180-gr Nosler Partition	Power Pro 4000-MR	Fed. 210	Federal	3.190	59.0	2780
180-gr Barnes TSX	Power Pro 2000-MR	Fed. 210	Federal	3.190	50.9	2721
180-gr Barnes TSX	Reloder 17	Fed. 210	Federal	3.190	54.6	2744
180-gr Barnes TSX	Reloder 19	Fed. 210	Federal	3.190	57.4	2596
180-gr Barnes TSX	Power Pro 4000-MR	Fed. 210	Federal	3.190	57.0	2669
185-gr Berger Hybrid	Reloder TS16	Fed. 210	Federal	3.220	53.4C	2772
200-gr Speer SP	Reloder 15	CCI 200	Win.	3.295	47.0	2371
200-gr Speer SP	Reloder 17	Fed. 210	Federal	3.295	51.0	2552
200-gr Speer SP	Reloder 19	CCI 200	Win.	3.295	55.0	2335
200-gr Speer SP	Power Pro 4000-MR	Fed. 210	Win.	3.295	55.0	2595
200-gr Speer SP	Reloder 22	CCI 200	Win.	3.295	58.0C	2499
200-gr Speer SP	Reloder 25	CCI 200	Win.	3.295	60.0C	2481
300 Remington Short Action Ultra Magnum						
110-gr Speer SP	Reloder 15	CCI 200	Rem.	2.656	65.0	3575
130-gr Speer HP	Power Pro 2000-MR	Fed. 210	Federal	2.625	67.2	3460
130-gr Speer HP	Reloder 15	CCI 200	Rem.	2.625	62.0	3350
130-gr Speer HP	Reloder 17	Fed. 210	Federal	2.625	69.0C	3413
150-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.800	63.5	3230

continued

C = Compressed Charge

300 Remington Short Action Ultra Magnum continued

Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
150-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.800	65.5	3298
150-gr Speer SP	Reloder 19	CCI 200	Rem.	2.800	71.0C	3150
165-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.800	61.5	3090
165-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.800	65.0	3152
165-gr Speer SP	Reloder 19	CCI 200	Rem.	2.800	61.5	2999
165-gr Speer SP	Reloder 22	CCI 200	Rem.	2.800	70.0C	3006
180-gr Speer BTSP	Reloder 17	Fed. 210	Federal	2.800	63.0	3008
180-gr Speer SP	Reloder 19	CCI 200	Rem.	2.800	67.0C	2896
180-gr Speer SP	Reloder 22	CCI 200	Rem.	2.800	67.0C	2896

300 Winchester Magnum

100-gr Speer RNSP	Reloder 15	CCI 250	Win.	2.960	72.0	3604
110-gr Speer SP	Reloder 15	CCI 250	Win.	3.215	71.0	3542
110-gr Speer SP	Reloder 19	CCI 250	Win.	3.215	84.0	3574
130-gr Speer HP	Reloder 15	CCI 250	Win.	3.260	67.0	3243
130-gr Speer HP	Power Pro 2000-MR	Fed. 210	Federal	3.260	66.3	3400
150-gr Barnes TSX	Reloder TS16	Fed. 215	Federal	3.340	73.1	3316
150-gr Speer SP	Reloder 15	CCI 250	Win.	3.330	64.0	3058
150-gr Speer SP	Reloder 19	CCI 250	Win.	3.330	78.0C	3301
150-gr Speer SP	Reloder 22	CCI 250	Win.	3.330	80.0C	3227
150-gr Speer SP	Reloder TS23	Fed. 215	Federal	3.310	77.0	3151
150-gr Speer BTSP	Reloder 17	Fed. 215	Federal	3.330	74.0	3333
150-gr Speer SP	Reloder TS16	Fed. 215	Federal	3.285	75.2	3318
150-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	3.290	77.5	3219
150-gr Nosler Ballistic Tip	Reloder TS16	Fed. 215	Federal	3.340	72.9	3314
165-gr Speer SP	Reloder 15	CCI 250	Win.	3.340	60.0	2809
165-gr Speer SP	Reloder 19	CCI 250	Win.	3.340	75.0	2997
165-gr Speer SP	Reloder 22	CCI 250	Win.	3.340	77.0	3103
165-gr Speer SP	Reloder TS23	Fed. 215	Federal	3.340	78.0	3125
165-gr Speer SP	Reloder 26	Fed. 215	Federal	3.340	83.2	3273
165-gr Speer BTSP	Reloder 17	Fed. 215	Federal	3.340	72.5	3202
165-gr Speer HCSP	Reloder TS16	Fed. 215	Federal	3.340	72.4	3149
165-gr Sierra GameKing	Reloder TS16	Fed. 215	Federal	3.340	71.1	3167
165-gr Sierra GameKing	Reloder TS23	Fed. 215	Federal	3.300	78.0	3151
165-gr Sierra GameKing	Reloder 26	Fed. 215	Federal	3.300	82.3	3292
165-gr Hornady GMX	Reloder TS16	Fed. 215	Federal	3.340	67.3C	3063
168-gr Speer BTHP	Reloder 15	CCI 250	Win.	3.340	63.0	2911
168-gr Speer BTHP	Reloder 17	Fed. 215	Federal	3.340	72.5	3182
168-gr Speer BTHP	Reloder 19	CCI 250	Win.	3.340	77.0	3138
168-gr Speer BTHP	Reloder 22	CCI 250	Win.	3.340	79.0C	3190
168-gr Speer BTHP	Reloder TS23	Fed. 215	Federal	3.340	78.0	3142
168-gr Speer BTHP	Reloder 26	Fed. 215	Federal	3.340	82.2	3260
175-gr Berger VLD Match	Power Pro 4000-MR	Fed. 215	Federal	3.340	74.1C	3127
175-gr Berger VLD Match	Reloder 22	Fed. 215	Federal	3.340	74.0C	3091
175-gr Berger VLD Match	Reloder TS23	Fed. 215	Federal	3.340	74.5C	3104
175-gr Berger VLD Match	Reloder 25	Fed. 215	Federal	3.340	80.0C	3126
175-gr Berger VLD Match	Reloder 26	Fed. 215	Federal	3.340	77.7C	3166
180-gr Speer SP	Reloder 19	CCI 250	Win.	3.340	76.0	3059
180-gr Speer SP	Reloder 22	CCI 250	Win.	3.340	77.0C	3055
180-gr Speer SP	Reloder TS23	Fed. 215	Federal	3.340	77.2	3066
180-gr Speer SP	Reloder 25	CCI 250	Win.	3.340	79.5C	3050
180-gr Speer SP	Reloder 26	Fed. 215	Federal	3.340	80.2	3089
180-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Federal	3.340	75.0C	3110
180-gr Speer BTSP	Reloder 17	Fed. 215	Federal	3.340	70.5	3074

300 Winchester Magnum continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
180-gr Speer HCSP	Reloder TS16	Fed. 215	Federal	3.340	71.0	3012
180-gr Nosler Partition	Reloder TS16	Fed. 215	Federal	3.310	68.7	3002
180-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.310	76.7	3083
180-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.310	80.0	3130
180-gr Barnes TSX	Reloder TS23	Fed. 215	Federal	3.310	73.8	2963
180-gr Barnes TSX	Reloder 26	Fed. 215	Federal	3.310	79.2	3099
180-gr Swift Scirocco II	Reloder 22	Fed. 215	Federal	3.340	73.7	2993
185-gr Berger Juggernaut	Power Pro 4000-MR	Fed. 215	Federal	3.340	73.2C	3046
185-gr Berger Juggernaut	Reloder 22	Fed. 215	Federal	3.340	73.2C	3026
185-gr Berger Juggernaut	Reloder TS23	Fed. 215	Federal	3.340	73.5C	3030
190-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.340	75.5	3005
190-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.340	78.5	3068
200-gr Speer SP	Power Pro 4000-MR	Fed. 215	Federal	3.340	70.0	2840
200-gr Speer SP	Reloder 19	CCI 250	Win.	3.340	71.0	2761
200-gr Speer SP	Reloder 22	CCI 250	Win.	3.340	73.0C	2852
200-gr Speer SP	Reloder TS23	Fed. 215	Federal	3.340	73.8	2871
200-gr Speer SP	Reloder 25	CCI 250	Win.	3.340	75.0C	2857
200-gr Speer SP	Reloder 26	Fed. 215	Federal	3.340	77.2	2931
200-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.340	74.5	2941
200-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.340	77.4	2991
200-gr Berger Hybrid	Reloder 22	Fed. 215	Federal	3.340	71.0C	2875
200-gr Berger Hybrid	Reloder TS23	Fed. 215	Federal	3.340	68.5C	2784
200-gr Berger Hybrid	Reloder 26	Fed. 215	Federal	3.340	74.0C	2937
215-gr Berger Hybrid Target	Reloder TS23	Fed. 215	Federal	3.405	67.4	2641
215-gr Berger Hybrid Target	Reloder 26	Fed. 215	Federal	3.405	74.2	2834
220-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.340	71.5	2785
220-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.340	74.2	2826
220-gr Sierra MatchKing	Reloder 33	Fed. 215	Federal	3.510	79.6	2780
230-gr Berger Hybrid OTM	Reloder TS23	Fed. 215	Federal	3.395	69.0	2652
230-gr Berger Hybrid OTM	Reloder 26	Fed. 215	Federal	3.395	74.0	2775
240-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.470	69.1	2625
240-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.470	71.7	2659
300 Winchester Short Magnum						
110-gr Speer SP	Reloder 15	CCI 200	Win.	2.750	69.0	3692
130-gr Speer HP	Power Pro 2000-MR	Fed. 210	Federal	2.800	66.3	3400
130-gr Speer HP	Reloder 15	CCI 200	Win.	2.800	67.0	3459
130-gr Speer HP	Reloder 17	Fed. 215	Federal	2.800	71.0	3472
150-gr Speer SP	Reloder TS16	Fed. 215	Federal	2.810	69.0	3304
150-gr Speer SP	Reloder 19	CCI 200	Win.	2.810	73.5	3244
150-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.810	64.0	3210
150-gr Speer BTSP	Reloder 17	Fed. 215	Federal	2.810	69.3	3343
150-gr Nosler Ballistic Tip	Reloder TS16	Fed 215	Federal	2.860	68.7C	3310
150-gr Sierra GameKing	Power Pro 2000-MR	Fed. 215	Federal	2.780	64.7	3271
150-gr Sierra GameKing	Reloder 17	Fed. 215	Federal	2.780	68.2	3309
150-gr Sierra GameKing	Reloder 19	Fed. 215	Federal	2.780	74.8	3316
150-gr Barnes TSX	Reloder TS16	Fed 215	Federal	2.860	67.8C	3319
155-gr Hornady A-Max	Power Pro 2000-MR	Fed. 215	Federal	2.840	64.0	3202
155-gr Hornady A-Max	Reloder 17	Fed. 215	Federal	2.840	67.8	3258
165-gr Speer SP	Reloder TS16	Fed. 215	Federal	2.810	66.7	3137
165-gr Speer SP	Reloder 19	CCI 200	Win.	2.810	73.0C	3135
165-gr Speer SP	Reloder 22	CCI 200	Win.	2.810	73.0C	3126
165-gr Speer BTSP	Reloder 17	Fed. 215	Federal	2.810	68.0	3217
165-gr Sierra GameKing	Power Pro 2000-MR	Fed. 215	Federal	2.780	62.8	3115

continued

C = Compressed Charge

300 Winchester Short Magnum continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
165-gr Sierra GameKing	Reloder TS16	Fed. 215	Federal	2.860	66.0	3167
165-gr Sierra GameKing	Reloder 17	Fed. 215	Federal	2.780	66.9	3178
165-gr Sierra GameKing	Reloder 19	Fed. 215	Federal	2.780	73.6	3189
165-gr Hornady GMX	Reloder TS16	Fed. 215	Federal	2.840	64.8C	3078
168-gr Nosler Custom Comp	Reloder TS16	Fed. 215	Federal	2.860	66.0	3138
175-gr Sierra MatchKing	Reloder TS16	Fed. 215	Federal	2.860	63.9	3056
180-gr Speer SP	Reloder TS16	Fed. 215	Federal	2.780	62.2	2935
180-gr Speer SP	Reloder 19	CCI 200	Win.	2.780	68.5C	2978
180-gr Speer SP	Reloder 22	CCI 200	Win.	2.780	68.5C	2958
180-gr Speer BTSP	Reloder 17	Fed. 215	Federal	2.800	66.0	3082
180-gr Nosler Partition	Power Pro 2000-MR	Fed. 215	Federal	2.790	61.0	2942
180-gr Nosler Partition	Reloder TS16	Fed. 215	Federal	2.830	64.1C	3013
180-gr Nosler Partition	Reloder 17	Fed. 215	Federal	2.790	65.0	3024
180-gr Nosler Partition	Reloder 19	Fed. 215	Federal	2.790	71.7	3069
180-gr Nosler Partition	Power Pro 4000-MR	Fed. 215	Federal	2.790	69.6	3060
180-gr Barnes TSX	Power Pro 2000-MR	Fed. 215	Federal	2.790	60.2	2971
180-gr Barnes TSX	Reloder 17	Fed. 215	Federal	2.790	64.5	3047
180-gr Barnes TSX	Reloder 19	Fed. 215	Federal	2.790	68.6	2960
180-gr Barnes TSX	Power Pro 4000-MR	Fed. 215	Federal	2.790	68.0	2998
185-gr Berger Hybrid	Reloder TS16	Fed. 215	Federal	2.860	63C	2974
190-gr Sierra MatchKing	Reloder 17	Fed. 215	Federal	2.860	63.9	2964
190-gr Sierra MatchKing	Reloder 19	Fed. 215	Federal	2.860	71.0	3020
190-gr Sierra MatchKing	Power Pro 4000-MR	Fed. 215	Federal	2.860	68.8	3006
300 H & H Magnum						
110-gr Speer SP	Reloder 19	CCI 250	Win.	3.430	79.0	3538
130-gr Speer HP	Reloder 19	CCI 250	Win.	3.440	75.0	3300
150-gr Speer SP	Reloder 19	CCI 250	Win.	3.500	72.0	3223
165-gr Speer SP	Reloder 19	CCI 250	Win.	3.500	67.0	3048
180-gr Speer SP	Reloder 22	CCI 250	Win.	3.500	70.0	2996
200-gr Speer SP	Reloder 22	CCI 250	Win.	3.500	65.0	2774
300 Weatherby Magnum						
110-gr Speer SP	Reloder 19	CCI 250	Rem.	3.335	90.0C	3722
130-gr Speer HP	Reloder 19	CCI 250	Rem.	3.530	86.0	3486
150-gr Speer SP	Reloder 19	CCI 250	Rem.	3.560	83.0	3282
150-gr Speer SP	Reloder 22	CCI 250	Rem.	3.560	86.0	3363
165-gr Speer SP	Reloder 19	CCI 250	Rem.	3.560	80.0	3155
165-gr Speer SP	Reloder 22	CCI 250	Rem.	3.560	83.0	3170
165-gr Speer SP	Reloder 25	CCI 250	Rem.	3.560	89.0C	3258
180-gr Speer SP	Reloder 19	CCI 250	Rem.	3.560	78.0	2990
180-gr Speer SP	Reloder 22	CCI 250	Rem.	3.560	82.0	3077
180-gr Speer SP	Reloder TS23	Fed. 215	Federal	3.560	81.6	3119
180-gr Speer SP	Reloder 25	CCI 250	Rem.	3.560	87.0	3109
180-gr Speer SP	Reloder 26	Fed. 215	Federal	3.560	84.4	3147
180-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.560	81.5	3132
180-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.550	84.7	3185
180-gr Barnes TSX	Reloder TS23	Fed. 215	Federal	3.520	81.8	3161
180-gr Barnes TSX	Reloder 26	Fed. 215	Federal	3.520	84.3	3186
200-gr Speer SP	Reloder 19	CCI 250	Rem.	3.560	77.0	2878
200-gr Speer SP	Reloder 22	CCI 250	Rem.	3.560	78.5	2881
200-gr Speer SP	Reloder 25	CCI 250	Rem.	3.560	85.0C	3022
200-gr Nosler Partition	Reloder 33	Fed. 215	Federal	3.560	89.1	2889
220-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.560	76.2	2835
220-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.560	78.7	2861

300 Weatherby Magnum continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
220-gr Sierra MatchKing	Reloder 33	Fed. 215	Federal	3.560	89.0	2865
230-gr Berger Hybrid OTM	Reloder TS23	Fed. 215	Federal	3.660	75.5	2777
230-gr Berger Hybrid OTM	Reloder 26	Fed. 215	Federal	3.660	77.5	2797
240-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.560	74.2	2688
240-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.560	76.2	2705
300 Remington Ultra Magnum						
150-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Federal	3.495	90.0	3470
150-gr Speer SP	Reloder 19	Fed. 215	Federal	3.495	94.0	3401
150-gr Speer SP	Reloder 22	Fed. 215	Federal	3.495	97.0	3437
165-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Federal	3.600	89.0	3340
165-gr Speer SP	Reloder 19	Fed. 215	Federal	3.600	91.0	3263
165-gr Speer SP	Reloder 22	Fed. 215	Federal	3.600	93.0	3268
165-gr Speer SP	Reloder 25	Fed. 215	Federal	3.600	97.0	3279
165-gr Speer SP	Reloder 33	Fed. 215	Federal	3.590	104.0	3301
180-gr Barnes TSX	Reloder 33	Fed. 215	Federal	3.590	98.0	3095
180-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Federal	3.600	86.8	3180
180-gr Speer SP	Reloder 22	Fed. 215	Federal	3.600	90.0	3118
180-gr Speer SP	Reloder TS23	Fed. 215	Federal	3.600	84.7	3120
180-gr Speer SP	Reloder 25	Fed. 215	Federal	3.600	94.0	3146
180-gr Speer SP	Reloder 26	Fed. 215	Federal	3.600	87.7	3147
180-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.580	85.1	3158
180-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.580	88.5	3185
180-gr Barnes TSX	Reloder TS23	Fed. 215	Federal	3.540	85.1	3135
180-gr Barnes TSX	Reloder 26	Fed. 215	Federal	3.550	88.9	3162
180-gr Barnes TSX	Reloder 33	Fed. 215	Federal	3.590	98.0	3095
190-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.600	85.1	3095
190-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.600	87.9	3100
200-gr Speer SP	Power Pro 4000-MR	Fed. 215	Federal	3.600	81.4	2940
200-gr Speer SP	Reloder 22	Fed. 215	Federal	3.600	86.0	2936
200-gr Speer SP	Reloder TS23	Fed. 215	Federal	3.600	80.0	2917
200-gr Speer SP	Reloder 25	Fed. 215	Federal	3.600	88.0	2942
200-gr Speer SP	Reloder 33	Fed. 215	Federal	3.590	94.0	2961
200-gr Nosler Partition	Reloder 33	Fed. 215	Federal	3.590	95.5	2969
200-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.600	83.9	3017
200-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.600	86.7	3015
215-gr Berger Hybrid Target	Reloder TS23	Fed. 215	Federal	3.700	81.8	2901
220-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.600	79.3	2834
220-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.600	83.6	2858
220-gr Sierra MatchKing	Reloder 33	Fed. 215	Federal	3.590	93.5	2832
230-gr Berger Hybrid OTM	Reloder TS23	Fed. 215	Federal	3.700	79.0	2777
230-gr Berger Hybrid OTM	Reloder 26	Fed. 215	Federal	3.700	82.6	2803
240-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.600	77.9	2702
240-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.600	81.5	2734
30-378 Weatherby						
150-gr Speer SP	Reloder 19	CCI 250	Weatherby	3.600	105.0	3404
165-gr Speer SP	Reloder 19	CCI 250	Weatherby	3.600	103.0	3285
32-20 Winchester (Strong Action)						
100-gr Speer HP	Reloder 7	CCI 400	Win.	1.560	16.0	1634
7.62 X 39mm						
123-gr Speer SP	Reloder 7	CCI 200	IMI	2.150	27.0	2429
123-gr Speer Gold Dot	Reloder TS11	Fed. 210	Federal	2.150	29.0C	2461
123-gr Speer Spitzer SP	Reloder TS11	Fed. 210	Federal	2.150	29.5	2498
123-gr Speer SP	Power Pro 1200-R	Fed. 210	Federal	2.200	29.7	2480

continued

C = Compressed Charge

7.62 X 39mm continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
123-gr Speer SP	Power Pro 2000-MR	Fed. 210	Federal	2.150	29.6	2447
124-gr Federal MFC	Power Pro 1200-R	Fed. 210	Federal	2.175	29.6	2447
303 British						
123-gr Speer SP	Reloder 10X	Fed. 210	Federal	2.910	42.5	2964
123-gr Speer SP	Reloder 15	Fed. 210	Federal	2.910	48.0C	2897
150-gr Speer SP	Reloder 10X	Fed. 210	Federal	3.040	37.5	2606
150-gr Speer SP	Reloder 15	Fed. 210	Federal	3.040	45.0	2746
150-gr Speer Spitzer SP	Reloder TS11	Fed. 210	Federal	3.04	37.4	2643
180-gr Speer RNSP	Reloder TS11	Fed. 210	Federal	3.075	32.0	2246
180-gr Speer RNSP	Reloder 10X	Fed. 210	Federal	3.075	34.5	2324
180-gr Speer RNSP	Reloder 15	Fed. 210	Federal	3.075	42.0	2479
325 Winchester Short Magnum						
150-gr Speer SP	Reloder 15	Fed. 210	Win.	2.850	65.0	3245
150-gr Speer SP	Reloder 17	Fed. 215	Win.	2.850	71.5	3348
170-gr Speer SP	Reloder 15	Fed. 210	Win.	2.790	62.0	3038
170-gr Speer SP	Reloder 17	Fed. 215	Win.	2.790	65.0	3131
170-gr Speer SP	Reloder 19	Fed. 210	Win.	2.790	74.0C	3064
200-gr Speer SP	Reloder 15	Fed. 210	Win.	2.840	57.0	2742
200-gr Speer SP	Reloder 17	Fed. 215	Win.	2.840	65.0	2897
200-gr Speer SP	Reloder 19	Fed. 210	Win.	2.840	69.0	2837
8mm Mauser						
150-gr Speer SP	Reloder 15	CCI 200	Rem.	2.890	51.0	2726
170-gr Speer SP	Reloder 15	CCI 200	Rem.	2.890	49.0	2632
200-gr Speer SP	Reloder 15	CCI 200	Rem.	2.890	44.0	2267
338 Federal						
180-gr Nosler AccuBond	AR-Comp	Fed. 210	Federal	2.675	48.0	2847
180-gr Nosler AccuBond	Reloder TS11	Fed. 210	Federal	2.820	42.4C	2717
200-gr Speer SP	Power Pro 2000-MR	Fed. 210	Federal	2.820	52.0	2725
200-gr Speer SP	Varmint	Fed. 210	Federal	2.820	50.0	2697
200-gr Speer SP	Power Pro 1200-R	Fed. 210	Federal	2.820	42.1	2571
200-gr Speer SP	AR-Comp	Fed. 210	Federal	2.820	45.9	2645
200-gr Speer SP	Reloder 7	Fed. 210	Federal	2.820	36.5	2403
200-gr Speer SP	Reloder 10X	Fed. 210	Federal	2.820	38.5	2444
200-gr Speer SP	Reloder 15	Fed. 210	Federal	2.820	46.0C	2598
200-gr Speer HCSP	Reloder TS11	Fed. 210	Federal	2.820	41.5	2561
200-gr Nosler AccuBond	Reloder TS11	Fed. 210	Federal	2.820	40.0C	2538
225-gr Speer SP	Power Pro 2000-MR	Fed. 210	Federal	2.820	49.5	2540
225-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	2.820	49.5	2540
225-gr Speer BTSP	Varmint	Fed. 210	Federal	2.820	46.2	2517
225-gr Speer BTSP	Power Pro 1200-R	Fed. 210	Federal	2.820	39.8	2406
225-gr Speer BTSP	AR-Comp	Fed. 210	Federal	2.820	43.6	2482
225-gr Speer BTSP	Reloder 7	Fed. 210	Federal	2.820	35.0	2256
225-gr Speer BTSP	Reloder 10X	Fed. 210	Federal	2.820	37.0	2299
225-gr Speer BTSP	Reloder 15	Fed. 210	Federal	2.820	44.0C	2440
225-gr Speer Spitzer BTSP	Reloder TS11	Fed. 210	Federal	2.82	38.2	2348
225-gr Nosler Accubond	Varmint	Fed. 210	Federal	2.910	46.6	2524
225-gr Nosler Accubond	Power Pro 1200-R	Fed. 210	Federal	2.910	39.8	2403
225-gr Nosler Accubond	AR-Comp	Fed. 210	Federal	2.910	43.6	2474
338 Winchester Magnum						
185-gr Barnes TSX	Reloder TS16	Fed. 215	Federal	3.300	74.0	3140
185-gr Hornady GMX	Reloder TS16	Fed. 215	Federal	3.330	72.0	3069
200-gr Speer SP	Power Pro 2000-MR	Fed. 210	Federal	3.300	63.2	2880
200-gr Speer SP	Reloder TS16	Fed. 215	Federal	3.300	74.9	3062

338 Winchester Magnum continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
200-gr Speer SP	Reloder 17	Fed. 215	Federal	3.300	71.0	3002
200-gr Speer SP	Reloder 19	CCI 250	Win.	3.300	76.0C	2806
210-gr Nosler Partition	Reloder TS16	Fed. 215	Federal	3.300	71.4	2939
225-gr Speer BTSP	Power Pro 2000-MR	Fed. 210	Federal	3.300	61.0	2715
225-gr Speer BTSP	Reloder TS16	Fed. 215	Federal	3.340	71.2	2874
225-gr Speer BTSP	Reloder 17	Fed. 215	Federal	3.340	67.5	2831
225-gr Speer BTSP	Reloder 19	CCI 250	Win.	3.300	78.0C	2944
225-gr Speer BTSP	Power Pro 4000-MR	Fed. 215	Federal	3.300	74.0	2893
225-gr Nosler Accubond	Reloder 17	Fed. 215	Federal	3.340	70.7	2850
225-gr Nosler Accubond	Reloder 19	Fed. 215	Federal	3.340	74.7	2881
225-gr Nosler Accubond	Power Pro 4000-MR	Fed. 215	Federal	3.340	74.8	2888
250-gr Nosler Partition	Reloder TS16	Fed. 215	Federal	3.310	66.3	2632
250-gr Nosler Partition	Reloder 17	Fed. 215	Federal	3.310	67.8	2650
250-gr Nosler Partition	Reloder 19	Fed. 215	Federal	3.310	71.5	2682
250-gr Nosler Partition	Power Pro 4000-MR	Fed. 215	Federal	3.310	69.6	2651
250-gr Speer Grand Slam	Reloder TS16	Fed. 215	Federal	3.300	68.9	2675
250-gr Speer Grand Slam	Reloder 17	Fed. 215	Federal	3.300	66.0	2664
250-gr Speer Grand Slam	Reloder 19	CCI 250	Win.	3.300	72.0C	2664
250-gr Speer Grand Slam	Reloder 22	CCI 250	Win.	3.300	73.0C	2653
338 Remington Ultra Magnum						
200-gr Speer SP	Reloder 19	Fed. 215	Federal	3.500	95.0	3216
200-gr Speer SP	Reloder 22	Fed. 215	Federal	3.500	98.0	3255
200-gr Speer SP	Reloder TS23	Fed. 215	Federal	3.500	93.7	3252
200-gr Speer SP	Reloder 25	Fed. 215	Federal	3.500	101.0C	3193
200-gr Speer SP	Reloder 26	Fed. 215	Federal	3.500	98.2	3298
210-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.530	91.2	3169
210-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.530	95.5	3209
225-gr Speer BTSP	Reloder 19	Fed. 215	Federal	3.550	91.0	3028
225-gr Speer BTSP	Reloder 22	Fed. 215	Federal	3.550	93.0	3029
225-gr Speer BTSP	Reloder TS23	Fed. 215	Federal	3.550	89.5	3074
225-gr Speer BTSP	Reloder 26	Fed. 215	Federal	3.550	93.8	3102
225-gr Barnes TSX	Reloder 33	Fed. 215	Federal	3.590	106.0	2998
250-gr Nosler Partition	Reloder TS23	Fed. 215	Federal	3.550	86.3	2876
250-gr Nosler Partition	Reloder 26	Fed. 215	Federal	3.550	90.5	2907
250-gr Speer Grand Slam	Reloder TS23	Fed. 215	Federal	3.550	87.3	2892
250-gr Speer Grand Slam	Reloder 26	Fed. 215	Federal	3.550	91.3	2920
250-gr Hornady BTHP	Reloder TS23	Fed. 215	Federal	3.550	85.9	2902
250-gr Hornady BTHP	Reloder 26	Fed. 215	Federal	3.550	90.1	2933
250-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.600	86.8	2922
250-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.600	91.0	2954
250-gr Sierra Match King	Reloder 33	Fed. 215	Federal	3.590	106.0	2988
250-gr Nosler Partition	Reloder 33	Fed. 215	Federal	3.590	103.7	2944
250-gr Speer GS	Reloder 19	Fed. 215	Federal	3.550	87.0	2849
250-gr Speer GS	Reloder 22	Fed. 215	Federal	3.550	91.0	2895
250-gr Speer GS	Reloder 25	Fed. 215	Federal	3.550	95.0	2915
300-gr Sierra MatchKing	Reloder TS23	Fed. 215	Federal	3.600	81.8	2626
300-gr Sierra MatchKing	Reloder 26	Fed. 215	Federal	3.600	85.3	2655
300-gr Sierra Match King	Reloder 33	Fed. 215	Federal	3.590	99.3	2718
300-gr Berger Hybrid	Reloder TS23	Fed. 215	Federal	3.660	82.0	2642
300-gr Berger Hybrid	Reloder 26	Fed. 215	Federal	3.660	85.1	2668
338 Lapua Magnum						
200-gr Speer SP	Reloder TS23	Fed. 215	Lapua	3.530	93.0	3205
225-gr Speer BTSP	Reloder TS23	Fed. 215	Lapua	3.530	89.8	3029

continued

C = Compressed Charge

338 Lapua Magnum continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
225-gr Speer BTSP	Reloder 26	Fed. 215	Lapua	3.530	93.0	3089
225-gr Speer BTSP	Reloder 22	Fed. 215	Lapua	3.530	88.5	3035
225-gr Speer BTSP	Reloder 25	Fed. 215	Lapua	3.530	96.5	3081
225-gr Speer BTSP	Reloder 33	Fed. 215	Lapua	3.530	110.0	3162
225-gr Barnes TSX	Reloder 33	Fed. 215	Lapua	3.635	106.0	3118
250-gr Sierra MatchKing	Reloder TS23	Fed. 215	Lapua	3.645	88.5	2914
250-gr Sierra MatchKing	Reloder 26	Fed. 215	Lapua	3.645	90.6	2892
250-gr Sierra MatchKing	Reloder 33	Fed. 215	Lapua	3.645	103.5	3001
250-gr Nosler Partition	Reloder TS23	Fed. 215	Lapua	3.635	84.5	2816
250-gr Nosler Partition	Reloder 26	Fed. 215	Lapua	3.635	86.0	2863
250-gr Nosler Partition	Reloder 33	Fed. 215	Lapua	3.635	99.3	2934
250-gr Speer Grand Slam	Reloder TS23	Fed. 215	Lapua	3.510	86.5	2836
250-gr Speer Grand Slam	Reloder 26	Fed. 215	Lapua	3.510	89.5	2903
250-gr Speer Grand Slam	Reloder 22	Fed. 215	Lapua	3.510	85.2	2842
250-gr Speer Grand Slam	Reloder 25	Fed. 215	Lapua	3.510	91.8	2879
250-gr Speer Grand Slam	Reloder 33	Fed. 215	Lapua	3.510	104.1	2957
300-gr Sierra MatchKing	Reloder TS23	Fed. 215	Lapua	3.645	81.5	2600
300-gr Sierra MatchKing	Reloder 26	Fed. 215	Lapua	3.645	83.9	2641
300-gr Sierra MatchKing	Reloder 33	Fed. 215	Lapua	3.645	97.5	2748
340 Weatherby Magnum						
200-gr Speer SP	Reloder 15	Fed. 215	Federal	3.560	73.0	2973
200-gr Speer SP	Reloder 19	Fed. 215	Federal	3.560	87.0C	3032
225-gr Speer BTSP	Reloder 15	Fed. 215	Federal	3.610	70.0	2799
225-gr Speer BTSP	Reloder 19	Fed. 215	Federal	3.610	85.0C	2924
225-gr Speer BTSP	Reloder 22	Fed. 215	Federal	3.610	87.0C	2901
250-gr Speer Grand Slam	Reloder 19	Fed. 215	Federal	3.610	83.0	2788
250-gr Speer Grand Slam	Reloder 22	Fed. 215	Federal	3.610	85.0	2781
35 Remington						
158-gr Speer UHP	Reloder 7	CCI 200	Win.	2.220	37.0	2357
180-gr Speer FNFP	Power Pro 1200-R	Fed. 210	Federal	2.470	30.1	2064
180-gr Speer FNFP	Reloder 7	CCI 200	Win.	2.470	30.0	1653
220-gr Speer FNFP	Reloder 7	CCI 200	Win.	2.470	24.5	1936
35 Whelen						
158-gr Speer UHP	Reloder 7	CCI 200	Rem.	2.800	42.0DNR	2193
180-gr Speer FNFP	Reloder 15	CCI 200	Rem.	3.030	60.0C	2678
220-gr Speer FNFP	Reloder 15	CCI 200	Rem.	3.230	60.0C	2599
250-gr Speer SP	Reloder 15	CCI 200	Rem.	3.340	54.0	2284
350 Remington Magnum						
158-gr Speer UHP	Reloder 7	CCI 200	Rem.	2.470	55.0	2901
180-gr Speer FNFP	Reloder 7	CCI 200	Rem.	2.800	51.0	2574
220-gr Speer FNFP	Reloder 7	CCI 200	Rem.	2.740	49.5	2426
375 H & H Magnum						
235-gr Speer SP	Reloder 15	CCI 250	Win.	3.600	78.0	2920
270-gr Speer BTSP	Reloder 15	CCI 250	Win.	3.600	71.0	2675
270-gr Speer BTSP	Reloder 19	CCI 250	Win.	3.600	83.0C	2589
416 Remington Magnum						
350-gr Speer MT SP	Reloder 15	CCI 250	Rem.	3.580	85.0	2629
416 Rigby						
350-gr Speer MT SP	Reloder 19	CCI 250	Federal	3.660	105.0	2560
444 Marlin						
240-gr Speer JHP	Reloder 7	CCI 200	Rem.	2.530	50.0	2354
240-gr Speer JHP	Reloder 10X	CCI 200	Rem.	2.530	53.0	2348
270-gr Speer GDSP	Reloder 7	CCI 200	Rem.	2.530	47.0	2216

444 Marlin continued						
Caliber & Bullet	Powder	Primer	Case	Min OAL	Chg Wgt	Velocity
				inches	grains	fps
270-gr Speer SP	Reloder 10X	CCI 200	Rem.	2.530	50.0	2212
45-70 Government (Trap Door Actions)						
300-gr Speer FNHP	Reloder 7	CCI 200	Win.	2.530	42.0	1775
300-gr Speer FNHP	Reloder 10X	CCI 200	Win.	2.530	44.0	1679
350-gr Speer SP	Reloder 7	CCI 200	Win.	2.715	35.0	1458
350-gr Speer SP	Reloder 10X	CCI 200	Win.	2.715	36.0	1481
400-gr Speer FNSP	Reloder 10X	CCI 200	Win.	2.540	39.0	1464
45-70 Government (Lever Actions)						
300-gr Speer FNHP	Reloder 7	CCI 200	Win.	2.530	47.0	2001
300-gr Speer FNHP	Reloder 10X	CCI 200	Win.	2.530	52.0	1964
400-gr Speer FNSP	Reloder 10X	CCI 200	Win.	2.540	44.0	1641
450 Marlin						
300-gr Speer FNHP	Reloder 7	CCI 200	Hornady	2.525	56.0C	2392
400-gr Speer FNSP	Reloder 7	CCI 200	Hornady	2.525	47.0	1963
458 Lott						
350-gr Speer SP	Reloder 7	Fed. 215	Hornady	3.400	81.0	2699
350-gr Speer SP	Reloder 10X	Fed. 215	Hornady	3.400	84.0C	2712
458 Winchester Magnum						
350-gr Speer SP	Reloder 7	CCI 250	Win.	3.105	73.0C	2335
400-gr Speer FNSP	Reloder 7	CCI 250	Win.	3.125	74.0	2316





alliantpowder.com

© 2022 Alliant Powder